

MRlequipTM.com

Non-Magnetic Equipment

JANUARY 2019

MR
CONDITIONAL
AT 7T OR LESS

FEATURING MRI EQUIPMENT MR CONDITIONAL AT 7T OR LESS

MRlequip.com is proud to introduce MRI products that are MR conditional at 7 Tesla or less. Look for this identification throughout the catalog.

COIL CARTS

SANITARY HEADSET COVERS



NON-FERROMAGNETIC
STRETCHERS

PATIENT
MONITORING



TECHNICIAN'S
DESK

PROVIDING MRI EQUIPMENT TO YOUR MR ENVIRONMENT

Our Non-Magnetic MRI Equipment Increases patient comfort while decreasing concerns for injury and liability.

YOUR SAFETY IS OUR BUSINESS

At MRlequip.com, our goal is to offer the most extensive selection of MRI products and accessories in the industry.

DOCTOR STOOLS



SCAN QR CODE TO
VISIT MRlequip.com

Visit www.MRlequip.com for many more products and options.

What can we do for you?

Upon initial contact we will customize a package based upon the procedures performed as well as the strength, weight capacity and brand of MR system(s) used. We will take into account specific product requests and determine the most cost effective solution to our customers needs. We present a quotation on a full custom package including freight, rather than a pre-packaged kit that is incomplete and contains items that may go unused. We specialize in custom non-ferrous products that may require additional time for production. We will provide the necessary lead time and discuss a final purchase order date that will allow for delivery before a grand opening or re-opening. Once a purchase order has been received, upon the customers request; we may hold all products to be delivered at one time or have it delivered as available. Products in stock at the time of order will be immediately tagged for that order and held until the release date. This eliminates the possibility of a stock item at order date becoming out of stock on the release date. We supply MSDS sheets on pertinent products for our customer's records. Two days before release date, we will contact our customer to verify they're ready for the delivery. If there is a delay in the facilities opening, we will hold the product until needed at no additional charge.

Above all else, we will take that extra step in providing our customers with knowledgeable advice, low prices, on-time delivery and excellent customer service. We recognize that each of these attributes are vital to a smooth transaction and a satisfied customer.

Before ordering, please read our company terms and policies on inside back cover.

Safety is our Business!

Our dedication to safety begins at 7:00 AM every day of the work week - it is our livelihood. All products in our warehouse are checked on entry and then re-checked on exit. Products drop shipped from our manufacturers directly to your door are brought in randomly and re-tested for safety verification. We continually work with all manufacturers to ensure safety and proper designation.

For more information on the ASTM Standard, visit www.ASTM.org and search for **2503-13**.

For more helpful information pertaining to MR Safety, you can visit

www.MRI-Planning.com

www.MRISafety.com

www.radiology.upmc.edu/MRsafety

The highly anticipated Standard Practice for Marking Medical Devices for Safety in the Magnetic Resonance Environment by American Society for Testing and Materials (ASTM) has arrived.

As recommended by ASTM Intl; the intent of this practice is to provide needed information about the safety of items in and near MR scanners using a compact and easily recognized set of symbols and terms. The terms MR safe and MR compatible as first defined in 1997 in the FDA draft guidance document, "A Primer on Medical Device Interactions with Magnetic Resonance Imaging Systems," have been used to describe the safety of devices in and near MR systems. However, there has been a great deal of confusion surrounding this terminology. An incorrect assumption is often made, and users often incorrectly assume that items labeled MR safe or MR compatible are safe or compatible for any MR environment. MR environments vary in terms of magnetic field strength and RF conditions. This new system eliminates much of that confusion.

Icon Designation



MR Safe

Any item that poses no known hazards in all MR environments.



MR Conditional

Any item that has been demonstrated to pose no known hazards in a specified MR environment with specified conditions of use. Field conditions that define the specified MR environment include field strength, spatial gradient, dB/dt (time rate of change of the magnetic field), radio frequency (RF) fields, and specific absorption rate (SAR). Additional conditions, including specific configurations of the item, may be required.



MR Unsafe

Any item that is known to pose hazards in all MR environments.

Products **NOT** marked with a designation have been tested under the past methods and are currently being re-evaluated under the new ASTM Standards. Products will be updated continually.



CE Certified

These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Non-Ferromagnetic Items

**See Page 49-50 for
Non-Ferromagnetic
Detection Systems**

Now, at your fingertips, is a diverse line of Non-Ferrous and PVC products for your MRI environment. MRlequip.com was established to provide the highest quality MRI compatible equipment with price tags significantly lower than the current marketplace. In the past, it was a priority to clear the room of all ferrous materials that pose an immediate risk. Now, a majority of those items can be replaced, in extent saving time and creating a friendlier environment for both the patients and the providers. Beyond the standard items, such as wheelchairs, i.v. poles and stools, a whole new world of products has opened up. Ranging from sound systems to furniture, these products increase patient comfort while decreasing concerns for injury and liability.

At MRlequip.com, we are constantly researching new products and welcome any suggestions you might have. If you can't locate what you require, let us know. Our design teams are ready for their next challenge.

Section	Page	Section	Page	Section	Page
Aluminum Stretchers & Acc	49	Lights	70	Sanitation	110-111
Aluminum Wheelchairs & Acc	50	Mayo Stand/Basin	78	Scalpel/Needle Kit	74
Biopsy Tray	73	Medication Cart Accessories	37	Scissors	74-77
Blood Pressure	55	Medication Carts	35-36	Screening Magnet	95
Breast Coil Draping	71-72	Metal Detector	48, 96-97	Sharps Containers	79
Camera System	61	Mop Buckets	114	Sleep Masks	62
Cleaning Wands	110-113	Multi Use Carts/Linen Carts	38	Sound System Headsets	65-66
Clipboards	56	MRI Coloring Book	98	Sound Systems	63-64
Coil Carts	27	Multi-Modality Markers	57	Step Stools	22-23, 51
Crash Cart	31	Neonatal Guards	53, 67	Stereotactic Table Drapes	128
CT Modality	126-127	Non-Ferromagnetic Equip.	49-52	Stethoscopes	53
Curtain Tracking	42-44	Oxygen Carts	87-88	Stools	23-24
Ear Plugs	67-68	Oxygen Cylinder Carts	87-88	Storage Bins	80-82
Electrodes	54	Oxygen Cylinder Stands	87	Stretchers/Gurneys	16-19
Equipment Stands	85-89	Oxygen Cylinders	84-85	Stretchers/Gurney Acc	16-19
Ferromagnetic Detection	47-48	Oxygen Flowmeters	82-83	Suction	89-90
Ferromagnetic Detection ID	99	Oxygen Mounting	84	Supply Carts	33-34
Fire Extinguishers	92-93	Oxygen Regulators	83	Titanium Biopsy Instruments	76-77
Floor Safety Cones	115	Padlocks	10, 112	Titanium Forceps	76-77
Floor Mats/Signs	108	Paper Clips	56	Titanium Tools	118-124
Furniture	25-26	Patient Alarms, Murals	61	TMJ Device	57
GaussAlert Alarm System	97	Patient Transfer	19-21	Tools	116-124
Glove Box Holders	80	Positioners/Armboards	59-60	Transfer Belt	15
Gloves	78	Prism Glasses	62	Transport Wheelchairs	3
Hampers	39-40, 52	Privacy Curtains	45-46	Utility Carts/Tables	29-30, 32
Headset Covers	65, 68	Privacy Screens	41	Ventilators	91
Identification	109	Load Grips	21	Ventilator Stands	86
Instrument Brushes	73	PVC Gurneys	16	Walkers	15, 51
Instruments, Disposable Ins	75-77	Safety Manuals & Videos	98	Walking Aids	15
IV Clamp	79	Safety Signs	102-107	Water Basin	78
IV Stands	86	Safety Stickers	99-102	Wheelchair Accessories	9-10
Janitorial Supplies	110-115	Sand Bags	58	Wheelchair Parts	11-14
Ladders	125			Wheelchairs	1-8
Lanyards	109			Wheelchairs, Bariatric	7-8
Laryngoscope	69			Zone Signs/Diagrams	106-107
Laryngoscope Blades	69				

Pediatric Products

Specialized MRI Catalogs!

Breast Imaging Products



Disposable Products

Call to request your copy today or
e-mail your request to cs@MRlequip.com

Chair With Footrests



18" Wide

Overall Width: 26"

Wheelchair, With Fixed Footrest

Removable Full Length Padded Arms

Fixed Footrests



Back View

See page 9-14 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	19 1/4"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	44" w/footrest
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	44 lbs w/footrest
Weight Capacity:	250 lbs



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods



Model	Designation	Description
WC-1000		Burgundy Chair With Footrests
WC-5000		Green Chair With Footrests

18" Wide

Overall Width: 26"

Wheelchair, With Flip-Up Arms

Flip-Up Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Back View



Chair With Footrests



Chair With Legrests



Specifications:

Seat To Floor Height:	20"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	31" w/o front rigging
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	40 lbs w/o footrest
Weight Capacity:	250 lbs

See page 9-14 for wheelchair parts and accessories

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
WC-1001		Burgundy Chair With Footrests
WC-1021		Burgundy Chair With Legrests
WC-5001		Green Chair With Footrests
WC-5021		Green Chair With Legrests



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com

20" Wide

Overall Width: 25"

Transport Wheelchair

Removable Full Length Padded Arms, Swingaway, Detachable Footrests or Swingaway, Elevating, Detachable Legrests

Chair With Footrests



Specifications:

Seat To Floor Height: 20"
 Seat Width: 20"
 Overall Width: 25"
 Overall Depth: 27" w/o front rigging
 Seat Depth: 16"
 Overall Height: 35.75"
 Back Height: 18"
 Front Casters: 8" x 1" solid
 Rear Wheel: 12.50" x 2.50"
 Wheel Locks: pull to lock
 Weight: 45lbs

Weight Capacity: 250 lbs



Back View

Warranty:

5 Years on Frame and Crossbraces
 1 Year on Moving Parts
 90 Days on Soft Goods

See page 9-14 for wheelchair parts and accessories

Chair With Legrests

Model	Designation	Description
WC-1027		Burgundy Chair With Footrests
WC-1028		Burgundy Chair With Legrests
WC-5027		Green Chair With Footrests
WC-5028		Green Chair With Legrests
RP-1064		Replacement Rear Wheels

20" Wide

Overall Width: 28"

Wheelchair, With Full Length Arms

Removable Full Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	33" w/o front rigging
Seat Depth:	16"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	250 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1004		Burgundy Chair With Footrests
WC-1022		Burgundy Chair With Legrests
WC-5004		Green Chair With Footrests
WC-5022		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Chair With Footrests

22" Wide

Overall Width: 30"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Specifications:

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	33" w/o front rigging
Seat Depth:	18"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	350 lbs



Back View

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods



See page 9-14 for wheelchair parts and accessories



Chair With Legrests

Model	Designation	Description
WC-1002		Burgundy Chair With Footrests
WC-1023		Burgundy Chair With Legrests
WC-5002		Green Chair With Footrests
WC-5023		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

24" Wide

Overall Width: 32"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms
Swingaway, Detachable Footrests or
Swingaway, Elevating, Detachable Legrests



Chair With Footrests



Specifications:

Seat To Floor Height: 20"
Seat Width: 24"
Overall Width: 32"
Overall Depth: 33" w/o front rigging
Seat Depth: 18"
Overall Height: 38"
Back Height: 18"
Front Casters: 8" x 1" solid
Rear Wheel: 24" solid
Wheel Locks: push to lock
Weight: 46 lbs w/o footrest
Weight Capacity: 350 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods



See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1024		Burgundy Chair With Footrests
WC-1025		Burgundy Chair With Legrests
WC-5024		Green Chair With Footrests
WC-5025		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Chair With Footrests

24" Wide

Overall Width: 33"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Legrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	33"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	58 lbs w/o footrest
Weight Capacity:	550 lbs



Back View

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods



See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1029		Burgundy Chair With Footrests
WC-1030		Burgundy Chair With Legrests
WC-5029		Green Chair With Footrests
WC-5030		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

26" Wide

Overall Width: 35"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	26"
Overall Width:	35"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	61 lbs w/o footrest
Weight Capacity:	550 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods



See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1003		Burgundy Chair With Footrests
WC-1026		Burgundy Chair With Legrests
WC-5003		Green Chair With Footrests
WC-5026		Green Chair With Legrests



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com

MRI Wheelchair Accessories



A Legrests

Chair With Legrests



B Anti-Tippers



C Oxygen Tank Holder



Custom Stenciling, add your company name and/or other info on back of wheelchair



E Anti-Theft Clamps



F Anti-Theft Bars

Product may differ from picture shown




When Ordering Wheelchair Parts or Accessories, Please Provide Serial Number if Available.

Fig	Model	Designation	Description
A	RP-1085-10 RP-1085-50		Elevating Legrest for 18" Wide Flip Back Arms, 20" Wide, 22" Wide & 24" Wide Wheelchairs - Choose Color - (10) Burgundy, (50) Green
A	RP-1086-10 RP-1086-50		Elevating Legrest for 26" Wide Heavy Duty Wheelchair Choose Color - (10) Burgundy, (50) Green
B	RP-1053		Anti-Tippers
C	WC-1102		Oxygen Tank Holder MR CONDITIONAL TO 7 TESLA
D	WC-1110		Custom Stenciling (Company Name, etc.)
E	RP-1114		Anti-Theft Clamps for 24" & 26" Chair, set of 4
F	RP-1061 RP-1061-20 RP-1061-22 RP-1061-24		Anti-Theft Bar for 18" Wheelchairs Anti-Theft Bar for 20" Wheelchairs Anti-Theft Bar for 22" Wheelchairs Anti-Theft Bar for 24" Wheelchairs
G	WC-1100		I.V. Pole MR CONDITIONAL TO 7 TESLA
H	WC-1101		I.V. & Oxygen Tank Holder MR CONDITIONAL TO 7 TESLA
I	PL-1005		MRI Non-Magnetic 15ft Yellow Plastic Chain with Green Padlock
J	PL-1006		MRI Non-Magnetic 15ft Yellow Plastic Chain with Red Padlock
K	RP-1090-18		Wheelchair Safety Belt for 18" Wide Chairs
K	RP-1090-20		Wheelchair Safety Belt for 20" Wide Chairs
K	RP-1090-22		Wheelchair Safety Belt for 22" Wide Chairs
K	RP-1090-24		Wheelchair Safety Belt for 24" and 26" Wide Chairs



When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.



MRI Wheelchair Parts - Guides, Grips, & Caps - MR Conditional

Fig	Model	Description
A	RP-1169	Rail Glide, White Plastic for MRI Wheelchairs
B	RP-1167	Seat Guide, Black Plastic for MRI Wheelchairs
C	RP-1168-L RP-1168-R	Seat Guide with Arm Socket, Black Plastic for MRI Wheelchairs Choose Left or Right
D	RP-1081	Brake / Wheel Lock Grip, Black Rubber for MRI Wheelchairs Grip Slot Size: $\frac{5}{8}$ " x $\frac{1}{8}$ "
E	RP-1082	Hand Grip, Black for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
F	RP-1083	Kick Tube Cap, Black Rubber for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
G	RP-1126	Journal Cap, Black Plastic for MRI Wheelchairs Cap Size: $1\frac{13}{64}$ " ID
H	RP-1020	Black Plastic Hub Cap for 18" to 24" Wide Standard MRI Wheelchairs
I	RP-1095	Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs
J	RP-1154	Foot/Legrest Rubber Bumper Fits: $\frac{3}{4}$ " I.D. Tubing



MRI Wheelchair Parts - Armrest Assembly - MR Conditional

Fig	Model	Description
A	RP-1046	Button Lock for Removable Arms on MRI Wheelchairs, Stainless Steel Button Size: $\frac{3}{8}$ " Long
B	RP-1099	Release Lever Assembly for Flip Back Arms on MRI Wheelchairs Black Plastic
C	RP-1038-CL	Desk Length Padded Armrest, Hole Spacing: $3\frac{5}{16}$ " Overall Length: $10\frac{1}{4}$ " Brass Inserts Choose Color: Burgundy - 10 Green - 50
D	RP-1035-CL	Full Length Padded Armrest, Hole Spacing: 9" Overall Length: $14\frac{1}{2}$ " Choose Color: Dark Blue - 60 Burgundy - 10 Green - 50
E	RP-1043	Skirt / Clothing Guard for Desk Length Removable Arms, Stainless Steel Size: $13\frac{1}{4}$ " Long x 6" High
F	RP-1058	Skirt / Clothing Guard for Full Length Removable Arms, Stainless Steel Size: $19\frac{1}{4}$ " Long x 6" High
G	RP-1044-X-CL	Complete Desk Length Flip-Back Arm Assembly w/ Padded Armrest for 18" Wide Wheelchairs, Choose Side / Color
H	RP-1100-X-CL	Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 18" & 20" Wide Wheelchairs, Choose Side / Color
I	RP-1063-X-CL	Complete Desk Length Detachable Arm Assembly w/ Padded Armrest for 22" & 24" Wide Wheelchairs, Choose Side / Color
J	RP-1062-X-CL	Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 24" & 26" Wide HD Wheelchairs, Choose Side / Color

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.

For model numbers containing a "X", choose left or right.



MRI Wheelchair Parts - Front Rigging - MR Conditional

Fig	Model	Description
A	RP-1004-X	Clamp-On Style MRI Replacement Extension Tube Assembly & Footrest for 18" Fixed Chair, L or R
B	RP-1000-X	Detachable Swing-Away Footrest w/ Heel Loops for 18" and 20" Wide Wheelchairs, L or R
C	RP-1002-X	Detachable Swing-Away Footrest w/ Heel Loops for 22" & 24" Wide Std. Wheelchairs, L or R
D	RP-1075-X	Detachable Swing-Away Footrest w/ Heel Loops for 24" & 26" Wide HD Wheelchairs, L or R
E	RP-5003	Aluminum Detachable Swing-Away Footrest with Heel Loops for Aluminum Wheelchairs, Left
E	RP-5004	Aluminum Detachable Swing-Away Footrest with Heel Loops for Aluminum Wheelchairs, Right
F	RP-1110-X-CL	Detachable Swing-Away Legrest w/ Calf Pad for 18" to 24" Wide Std. Wheelchairs, L or R, Color
G	RP-1112-X-CL	Detachable Swing-Away Legrest w/ Calf Pad for 24" to 26" Wide HD Wheelchairs, L or R, Color
H	RP-1122	Footplate for Standard 18" to 24" Wheelchairs, Silver Aluminum Heel Loop NOT Included
I	RP-1164	Footplate for Heavy Duty 24" to 26" Wheelchairs, Silver Aluminum Heel Loop NOT Included
J	RP-1007	Heel Loop for Footrest, Universal Fit for L or R, for 18" to 24" Standard Wheelchairs, w/ Hardware
K	RP-1166-X	Heel Loop for Footrest, for 24" to 26" Heavy Duty Wheelchairs, w/ Hardware Choose Side
L	RP-1121-X	Silver Aluminum Footplate and Heel Loop for Standard 18" to 24" Wheelchairs, Choose Side
M	RP-1165-X	Silver Aluminum Footplate and Heel Loop for Heavy Duty 24" to 26" Wheelchairs, Choose Side
N	RP-1115	Locking Kit for Foot/Legrest, Black Plastic, Fits 1/4" Frt. Rigging Pin, Sold in Pr., Allen Wrench Incl.
O	RP-7016	Footplate Tension "O" Ring for Foot / Leg-rests, Black Rubber, Fits all MRI Wheelchairs
P	RP-7017	Screw for Footrest or Legrest Bumper, holds bumper in and prevents footplate from sliding off. Fits All MRI Wheelchairs
Q	RP-1154	Foot/Legrest Bumper, black rubber, Inserts in the end of the footplate tube. Fits: 3/4" I.D. Tubing
R	RP-1068	Foot/Legrest Roller Bumper for HD Front Rigging ONLY, Inserts in the end of the footplate tube, black rubber and plastic
S	RP-1084-CL	Padded Calf Pad for Legrest, Universal, Hole Spacing: 2" Color: Burgundy - 10 Green - 50



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com

**A****B****C****D****E****F****G**

MRI Wheelchair Bearings

Fig	Model	Des.	Description
A	RP-1013		Bearing (Plastic Bushing), 1/2" ID x 1-1/16" OD with Flange for Fork / Caster Stem, for MRI Compatible Wheelchairs
B	RP-1011		Bearing (Plastic Bushing), 5/16" ID x 29/32" OD for Front 8" x 1" Wheel, for 18" to 24" Wide Standard MRI Wheelchairs
C	RP-1163		Bearing (Plastic Bushing), 5/16" ID x 7/8" OD for Front 8" x 2" Wheel, for Heavy Duty 24" Wide and 26" Wide MRI Wheelchairs
D	RP-1018		Plastic Bearing for Rear Wheel 7/16" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 18" W and 20" W Wheelchairs
E	RP-1019		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 22" Wide and 24" Wide Wheelchairs
F	RP-1080		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Double Flange, for MRI Compatible 24"W & 26"W HD Wheelchairs
G	RP-1156		Ceramic Ball Bearing for Rear Wheel (5/8" axle), Size: 5/8" ID x 1 1/4" OD with 1-3/8" Flange, for MRI Compatible HD Wheelchairs

**A****B****C****D****E****F****G****H****I****J****K****L**

MRI Upholstery - MR Conditional Burgundy, Green and Blue

Fig	Model	Description
A	RP-1028-CL	Seat 18" Wide x 16" Deep, Hole Spacing (from front to back): 2" to 4" to 4" to 4" Burgundy - 10 Green - 50 (BLUE - RP-1033)
B	RP-1030-CL	Back 18" Wide X 18" Tall, Hole Spacing (from top to bottom): 3/4" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50 (BLUE - RP-1034)
C	RP-1094-CL	Seat 20" Wide x 16" Deep, Hole Spacing (from front to back): 2" to 4" to 4" to 4" Burgundy - 10 Green - 50
D	RP-1093-CL	Back 20" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
E	RP-1029-CL	Seat 22" Wide x 18" Deep, Hole Spacing (from front to back): 3" to 4" to 4" to 4" Burgundy - 10 Green - 50
F	RP-1032-CL	Back 22" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
G	RP-1089-CL	Seat 24" Wide x 18" Deep, Hole Spacing (from front to back): 3" to 4" to 4" to 4" Burgundy - 10 Green - 50
H	RP-1088-CL	Back 24" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
I	RP-1131-CL	Solid Seat 24" Wide x 20" Deep, 1 1/4" foam, 1/2" ply-wood, includes metal straps. For HD Wheelchairs. Burgundy - 10 Green - 50
J	RP-1149-CL	Slip-On Back 24" Wide x 18" Tall, Hole Spacing (from top to bottom): 7/8" Burgundy - 10 Green - 50
K	RP-1051-CL	Solid Seat 26" Wide x 20" Deep, 1 1/4" foam, 1/2" ply-wood, includes metal straps. For HD Wheelchairs. Burgundy - 10 Green - 50
L	RP-1052-CL	Slip-On Back 26" Wide x 18" Tall, Hole Spacing (from top to bottom): 7/8" Burgundy - 10 Green - 50

MRI Brakes / Wheel Locks



RP-1081




RP-1025-X

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.



Rear View

Model	Des.	Description
RP-1081		Brake / Wheel Lock Grip, Black Rubber for MRI Wheelchairs, Grip Slot Size: 5/8" x 1/8"
RP-1025-X		MRI Brake, All Aluminum Brake for Detachable Arm Chair, Tube Mount, Choose Side



MRI Wheelchair Parts - MR Conditional

Fig	Model	Des.	Description
A	RP-1014		Axle and Nut for 8" Front Wheel on MRI Wheelchairs, Axle Size: 5/16" x 3 1/4" Long
B	RP-1021		7/16" Axle and Nut for 24" Rear Wheel on Standard MRI Wheelchairs, 5" Long
C	RP-1022		5/8" Axle and Nut for 24" Rear Wheel on Heavy Duty MRI Wheelchairs, 5" Long
D	RP-1020		Black Plastic Hub Cap for 18" to 24" Wide Standard MRI Wheelchairs
E	RP-1095		Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs
F	RP-1023		Hand Rim Screws and Spacers for MRI Wheelchairs, includes 8 screws and 8 plastic spacers
G	RP-1117		Vice Tire Setter for Snap-On-Tires, Wheel Sizes: 8", 20", 22", and 24" THIS ITEM IS MAGNETIC
H	RP-1012		Front Fork with Nut, for Standard and Heavy Duty Wheelchairs
I	RP-1010		8" x 1" Front Wheel for 18" to 24" Wide Standard Wheelchairs
J	RP-1048		8" x 2" Front Wheel for 24" and 26" Wide Heavy Duty Wheelchairs
K	RP-1009		8" x 1" Wheel Assembly for 18" to 24" Wide Standard Wheelchairs
L	RP-1047		8" x 2" Wheel Assembly for 24" and 26" Heavy Duty Wheelchairs, with Semi-Pneumatic Wheel
M	RP-1049		24" Rear Wheel Complete for Heavy Duty MRI Wheelchairs 24" and 26" Wide, with 5/8" Bearings
N	RP-1016		24" Rear Wheel Complete for Standard MRI Wheelchairs 18" to 20" Wide, with 7/16" Bearings
O	RP-1017		24" Rear Wheel Complete for Standard MRI Wheelchairs 22" to 24" Wide, with 5/8" Bearings



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

MRI Folding Walkers

18" Wide, Depth 17"
250 lb weight capacity
Warranty: 3 years - excludes tips



Model	Designation	Description
WA-1000		Adult - Height Adj. 32" to 36"
WA-1001		Junior - Height Adj. 28" to 32"

MRI Heavy Duty / Extra Wide Folding Walker

24" Wide, Depth 21"
550 lb weight capacity
Warranty: 3 years - excludes tips

Model	Des	Description
WA-1002		Extra Wide - Height Adj. 32" to 38½"

MRI Non-Magnetic Set of 2 Gliders for the MRI Walkers

Durable composite construction ensures long life. Allows walker to slide easily and smoothly over most surfaces. Replaces rubber tip. Fits walkers with 1" OD tubing

Model	Designation	Description
WA-1011		MRI Set of 2 Gliders for the MRI Walkers

5" Adjustable Walker Wheels

Converts folding walker into wheeled walker. 8 height adjustments
 For WA-1000 & WA-1001 Only
350 lb weight capacity

Model	Designation	Description
WA-1010		5" Walker Wheels

MRI Non-Magnetic Cane

Wooden canes are made from the finest hardwoods. The cane is kiln-cured for maximum strength. Rubber tips provide additional safety

Specifications:


1" x 36"

Available in Oak, Mahogany or Walnut

250 lb weight capacity

Model	Description
CN-1000-CL	MRI Non-Magnetic Cane

GB-1000



MRI Transfer / Gait Belt

Model	Designation	Description
GB-1000		2" x 60" Transfer/Gait Belt
GB-1003		2" X 80" Safety Belt



GB-1003



Shower Gurney with 3 Position Elevating Headrest

Specifications:

79" Long x 28" Wide x 33-1/2" High (rails down) 43"

High (rails up)

450 lb weight capacity

Heavy Duty Specifications:

79" Long x 32" Wide x 33-1/2" High (rails down) 43"

High (rails up)

600 lb weight capacity



Warranty:

1 Year on Frame

6 Months on Soft Goods & Casters

Custom sizes available upon request

Model	Designation	Description
PV-1096		With 2" Vinyl Foam Pad Cushion (pictured)
PV-1129		Heavy Duty With 2" Vinyl Foam Pad Cushion (pictured)
PV-1180		Heavy Duty With 2" Closed Cell Water Proof Pad
PV-1181		Replacement 2" Vinyl Foam Pad Cushion (pictured on stretcher)
PV-1169		Replacement 2" Closed Cell Water Proof Pad (pictured at right)

Closed Cell Water Proof Pad



MRI Non-Magnetic PVC Adult Sling Gurney/ Heavy Duty Sling Gurney

This non-magnetic MRI PVC Sling Gurney is constructed entirely of non-ferrous materials. Specifically designed for use in and around the MRI suite. All materials including fasteners and bearings are either non-ferrous metals or special polymers.

Side Safety railings are secured w/user friendly locking pins (not friction)

Drop side railings allow barrier free transferring

6 heavy duty threaded casters

Middle set provides easy maneuverability and helps eliminate sagging

MR Compatible to 3-Tesla

Specifications:

79" Long x 30" Wide x 30" High (rails down) 40" High

(rails up)

450 lb weight capacity

Heavy Duty Specifications:

79" Long x 32" Wide x 31.5" High (rails down) 40" High

(rails up)

600 lb weight capacity

Warranty:

1 Year on Frame

6 Months on Soft Goods & Casters



Casters are different than pictured, comes with casters shown on gurney above.

Model	Designation	Description
PV-1099		MRI Non-Magnetic PVC Adult Sling Gurney
PV-1130		MRI Non-Magnetic PVC Bariatric Heavy Duty Sling Gurney

More options and sizes of PVC Stretchers / Gurneys available online at www.MRlequip.com

Fixed Gurneys



ST-2000

5" Casters



ST-2002 5" Casters



ST-2001 8" Casters

Fixed Gurneys

Stainless Steel construction
Drop down side rails
4-5" Total Lock Casters or 2-8" swivel & 2-8" locking casters
Grounding chain
Storage tray
Full surround rubber bumper
Adjustable headrest
3" pad included



Optional Oxygen
Holder Available
See page 18

Specifications:

Height	30 1/4"
Height with Rails up	42"
Height of Rails	9"
Length	77"
Rail Length	49"
Width:	30"
Storage Tray	22" x 27"
Weight:	100 lbs.
Back Adj. Range	0-75 Degrees
Number of Positions:	11
Weight Capacity:	600 lbs

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods









Hand Crank ST-2004



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
ST-2000		Fixed Gurney, 5" Total Lock Casters, Black Pad
ST-2001		Fixed Gurney, 2-8" Swivel & 2-8" Locking Casters, Black Pad
ST-2002		Fixed Gurney, 5" Total Lock Casters, Green Pad
ST-2003		Fixed Gurney, 2-8" Swivel & 2-8" Locking Casters, Green Pad
ST-2004		Fixed Gurney, 5" Casters, Black Pad - Includes Crank Assembly
ST-2013		Fixed Gurney, 8" Casters, Black Pad - Includes Crank Assembly
ST-2014		Fixed Gurney, 5" Casters, Green Pad - Includes Crank Assembly
ST-2015		Fixed Gurney, 8" Casters, Green Pad - Includes Crank Assembly

MRI Stretcher/Gurney Accessories for ST-2000, ST-2001, ST-2002, ST-2003

Model	Des.	Description
ST-2006		I.V. Pole
ST-2007		Side Rail Pads, Burgundy
ST-2008		Safety Straps
ST-2005		Replacement Pad, Black
ST-2010		Replacement Pad, Green
ST-2009		Oxygen Holder



I.V. Pole

Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only

Can be attached at any of the four corners

Multiple I.V. Poles can be attached to a single gurney

Warranty: 2 years



Safety Straps

Fits the ST-2000, ST-2001, ST-2002 or ST-2003, ST-5000 Only
Set of 3 Straps

Replacement Pad

Specifications:

Height	3"
Width	23"
Length	74"

Side Rail Pads

Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only

Specifications:

Width	8 1/2"
Length	58"

Oxygen Holder




Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only
Warranty: 2 years




Other Replacement Stretcher Pads










Replacement stretcher pads covered with Sure-Check Fusion III material. Available with square corners or angle cut corners. Stretcher pads are **Non-Returnable**. Custom sizes available













Square Corner Pad



Cut Corners Pad

Model	Des.	Description
ST-4000		24" W x 75" L x 2" T
ST-4001		24" W x 75" L x 3" T
ST-4002		24" W x 75" L x 4" T
ST-4003		26" W x 75" L x 2" T
ST-4004		26" W x 75" L x 3" T
ST-4005		26" W x 75" L x 4" T
ST-4006		28" W x 75" L x 2" T
ST-4007		28" W x 75" L x 3" T
ST-4008		28" W x 75" L x 4" T

Model	Des.	Description
ST-4009		24" W x 75" L x 2" T
ST-4010		24" W x 75" L x 3" T
ST-4011		24" W x 75" L x 4" T
ST-4012		26" W x 75" L x 2" T
ST-4013		26" W x 75" L x 3" T
ST-4014		26" W x 75" L x 4" T
ST-4015		28" W x 75" L x 2" T
ST-4016		28" W x 75" L x 3" T
ST-4017		28" W x 75" L x 4" T



PVC Body Transfer Board

Specifications:

71" Long x 23-1/2" Wide x 1/4" Thick

Made of high density polyethylene

Weight capacity: 400 lbs

Warranty: 6 Months

Model	Designation	Description
PV-1121		PVC Body Transfer Board



Shockless Shifter

Won't build up a static charge, radiolucent, can't damage electronics, 100% shock protection.

Surprise zaps aren't just painful and dangerous for patients, they can jeopardize expensive electronic medical equipment and cause power outages. Shifter is made with carbon-filled plastic that actually conducts electricity, not simply treated with an antistatic product to reduce static. Static charges can't build up on a conductive surface, so there are no more painful shocks ever, **GUARANTEED!**

Weight Capacity: 350 lbs

Model	Designation	Description
TR-1003		Shifter 18" Wide x 72" Long, Aqua



Bariatric Patient Shifter

Bariatric Shifter makes lateral transfers for patients up to 600 lbs. easier and safer. Reduce caretaker back strain by minimizing friction on transfer services. Elongated shape brings fourteen handholds to ergonomically correct position. Extra-wide design better supports excess tissue. It even supports patient's head. Flexible plastic is great for uneven surfaces.

Weight capacity: 600 lbs

Must ship by truck

Features:

Helps reduce back strain

Ergonomic design

Extra wide for better support of excess tissue

Model	Designation	Description
TR-1600		Bariatric Patient Shifter



Adjustable Wall Hanger for Patient Shifters

Hang tabs are adjustable left and right to accommodate various size shifters. Capable of holding boards vertically or horizontally. **Made in the USA.**

Model	Designation	Description
TR-1015		Patient Shifter Hanger

MRI Non-Magnetic SafetySure (Horizontal Transfer) Slide

Radiolucent

19.5" Wide and 67" Long

Padded w/ Wipe Clean Surface

MRI Safe

8 Padded Handgrips

Weight Capacity: 400Lbs

THIS PRODUCT IS NON-RETURNABLE

Model	Designation	Description
TR-2002	MR	SafetySure Slide



Patient Wheelchair Transfer Board

30" Long x 12.5" Wide

The transfer board bridges the gap between two transfer points.

The board's anti-slip tape enables it to remain immobile during transfer procedures.

The upper side of the board is slick to allow the patient to slide easily.

Flexible plastic.

The board is radiotranslucent.

Weight Capacity: 300lbs

Warranty:
2 Years

Model	Designation	Description
TR-1010	MR	Transfer Board



Transfer Pivot Disc

Model	Designation	Description
TR-2003	MR	15" Diameter, 400Lbs. Capacity
TR-2004	MR	18" Diameter, 400Lbs. Capacity



MRI Non-Magnetic Slipp Patient Mover

Make efficient use of the patient's weight. Its unique design lets the patient (regardless of size) literally "slip" on a comfortable surface of sealed fluid that reduces normal friction to a minimum.

100% LATEX FREE!

Includes Carrying Case and Instructional Video

Weights Less Than 4 lbs.

*****PLEASE CHOOSE VHS OR DVD FOR INSTRUCTIONAL VIDEO*****

Warranty:
1 Year

Model	Designation	Description
TR-1500	MR	72"x28" Slipp Patient Mover
TR-1501	MR	76"x45" Bariatric Slipp Patient Mover





Friction Reducing Patient Transfer Sheet

Friction reducing patient transfer and re-positioning sheet designed to prevent disabling back injuries to healthcare workers.

Features:

Accessibility

Individually wrapped Z-Sliders fit comfortably in scrub pockets, making it easily accessible when you need it and enhances team compliance by eliminating the need to locate a transfer device.

Compliance

Z-Slider complies with OSHA recommendations and “No-Lift” state laws decreases physical strain to back, shoulders, neck and arms.

Single patient use reduces the potential for cross-contamination

Convenient point-of-use holders for patient rooms, common areas and or in the O.R.

Restrictions

This item **CANNOT** be left under patients during an MRI or for long periods of time as it can cause damage and tissue breakdown and possibly some artifacts in some imaging modalities.



Model

Description

TR-1200

Friction Reducing Patient Transfer Sheet



Load Grips, with Rubberized Pre-Molded Handle

Set of 4-2” poly strap with rubberized pre-molded handle for a no-slip grip, choose red or black below.

The Load Grips assist the user while lifting by extending the handle a flexible and adjustable 13 inches. Designed primarily with backboards in mind, Load Grips make it easier to lift with the proper technique, relieving lower back pain. They also prevent scraping of the knuckles on the ground and minimize contact with the patient while carrying the board – this is extremely helpful when the backboard handles are difficult to access due to the size of the patient. The flexible and adjustable nature of Load Grips ease transporting patients through stairways and awkward or confined spaces. Try Load Grips with other heavy gear, like fire hoses or to extend a handle.

Features:

Use to lift backboards and other heavy and awkward gear.

Compatible with all backboards.

Quick and easy application.

Durable and long lasting with normal cleaning protocol.

2” poly strap with rubberized pre-molded handle for a no-slip grip.

Model

Description

LG-1000-CL

Load Grips - set of 4, Red or Black



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Step Stools

Specifications:

16" x 12" Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Narrow Double Step Stools

Specifications:

16" L X 12" W X 8" H Top Step

16" L X 12" W X 8" H Base

Handrail: 47" Tall x 26" Deep

Weight: 20 lbs

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Double Step Stool With 41" Handrail

Specifications:

36" L X 12" W X 8" H Top Step

36" L X 24" W X 8" H Base

Weight: 47 lbs

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



More options and sizes of Step Stools available online at www.MRlequip.com, including PVC options with casters and higher weight capacities.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Bariatric Step Stool - No Handle



MRI safety step stools are 100% aluminum, meaning it's non-ferrous and non-magnetic, a necessity in MRI rooms. Those needing extra support to get on and off the patient table can step safer with our MRI Safety Step.

Features:

8" High

19" L X 15" W Base

Weighs 6.5 lbs

Weight Capacity: 1,000 lbs

Model

Description

SS-1009

MRI Bariatric Step Stool - No Handle



MRI Bariatric Step Stool



Specifications:

30" x 12" Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model

Description

SS-1733

Without 41" Handrail

SS-1734

With Single 41" Handrail

SS-1005

With Dual 41" Handrail

CH-8057



CH-8058



CH-8052



CH-8056



MRI Stools

Warranty: 5 Years on Frame, 1 Year Moving Parts, 90 Days on Soft Goods

Stainless steel stools with solid non-slip material mounted into recess of stool seat. Seat diameter is 14". Comes with rubber tips or casters. Choose from a fixed height stackable stool or heights that adjust with threaded stem, from 15" to 21" or 21" to 27".

Model

Description

CH-8058

Fixed Height Stool w/ Rubber Tips, 18"

CH-8050

Adjustable Stool w/ Rubber Tips, 15"-21"

CH-8054

Adjustable Stool w/ 2" Casters, 15"-21"

CH-8051

Adjustable Stool w/ Rubber Tips, 15"-21" & Back

CH-8055

Adjustable Stool w/ 2" Casters, 15"-21" & Back

CH-8052

Adjustable Stool w/ Rubber Tips, 21"-27"

CH-8056

Adjustable Stool w/ 2" Casters, 21"-27"

CH-8053

Adjustable Stool w/ Rubber Tips, 21"-27" & Back

CH-8057

Adjustable Stool w/ 2" Casters, 21"-27" & Back

Stools

4" Padded Seat
Burgundy Naugahyde Upholstery
Stainless Steel Construction
5 Leg Design for Maximum Stability
Padded Armrests (on selected models)
2" Dual Wheel Casters (on selected models)

Weight Capacity: 250 lbs



Warranty:

5 Years on frame
1 Year on Moving Parts
90 Days on Soft Goods



All stools featured on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



CH-8030

Adjusts 15" to 21" with Rubber Tips

Burgundy	Green	Description
CH-8030	CH-9030	Stool w/ Rubber Tips
CH-8031	CH-9031	Stool w/ Rubber Tips & Back
CH-8032	CH-9032	Stool w/ Rubber Tips, Back & Arms

Adjusts 21" to 27" with Rubber Tips

Burgundy	Green	Description
CH-8033	CH-9033	Stool w/ Rubber Tips
CH-8034	CH-9034	Stool w/ Rubber Tips & Back
CH-8035	CH-9035	Stool w/ Rubber Tips, Back & Arms



CH-8032

Adjusts 16" to 22" with Casters

Burgundy	Green	Description
CH-8036	CH-9036	Stool w/ Casters
CH-8037	CH-9037	Stool w/ Casters & Back
CH-8038	CH-9038	Stool w/ Casters, Back & Arms



CH-8038

Adjusts 22" to 28" with Casters

Burgundy	Green	Description
CH-8039	CH-9039	Stool w/ Casters
CH-8040	CH-9040	Stool w/ Casters & Back
CH-8041	CH-9041	Stool w/ Casters, Back & Arms

All Stools are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
CH-8920	Extra Hardware Set for Stools w/ Loctite

Custom Stenciling Option

Customize your doctor stool. Add your facility name, department name or any information you would like.

Model	Description
CH-8914	Custom Stenciling Option





MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request.

Choose from 4 fabric options

24" Standard Chair



29" Wide

Specifications:

Cushion Width: 24"

29" W x 22 1/2" D

Seat Height: 20"

Arm Height: 28"

250 lb Weight Capacity

Warranty: 2 Years

26" Bariatric Chair



31" Wide

Bariatric Chair Specifications:

Cushion Width: 26"

31" W x 22 1/2" D

Seat Height: 20"

Arm Height: 28"

500 lb Weight Capacity

Warranty: 2 Years

16" Pediatric Chair (No Arms)



16" Wide

Specifications:

Cushion Width: 13"

16" W x 14" D

Seat Height: 10"

Burgundy Naugahyde

250 lb Weight Capacity

Warranty: 2 Years

You may supply your own fabric at NO extra charge, except Pediatric Chair

53" Sofa



53" Wide

Specifications:

Cushion Width: 48"

53" W x 24 1/2" D

Seat Height: 20"

Arm Height: 28"

350 lb Weight Capacity

Warranty: 2 Years


Fabric Choices



Grey



Green



Burgundy



Blue

Model

Description

FR-1001

24" Standard Chair

FR-1004

26" Bariatric Chair

FR-1005

16" Pediatric Chair, Burgundy Naugahyde

FR-1000

53" Sofa



MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request.

Coffee Table



Specifications:
24" W x 48" L
24" High
Warranty: 2 Years

End Table



End Table Specifications:
22 1/2" W x 22 1/2" L
Table Height: 24"
Warranty: 2 Years

Pediatric Table Solid Oak



Pediatric Table Specifications:
25 1/2" W x 21" L
Table Height: 18"
Warranty: 2 Years

Model	Description
FR-1002	End Table
FR-1003	Coffee Table
FR-1006	Pediatric Table



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

MRI Universal Oak Wood Coil Carts

Solid oak coil cart with 5" casters (except 8' carts) must add 5" to height for all carts, casters not available on carts 8' and over. Can be custom made to any size and number of shelves. Bordeaux nylon cover (must be ordered separately) attaches to cart with hook and loop velcro. Top is considered as one of the shelves.



Carts are custom made and non-returnable

Non-Ferromagnetic Casters



2 Shelf



3 Shelf



5 Shelf

FR-2200

FR-2028

Model	Designation	Size: D x H x L	# Of Shelves
FR-2011		2' x 3' x 2'	2
FR-2012		2' x 3' x 3'	2
FR-2013		2' x 3' x 4'	2
FR-2000		2' x 4' x 2'	3
FR-2001		2' x 4' x 3'	3
FR-2002		2' x 4' x 4'	3
FR-2003		2' x 6' x 2'	4
FR-2004		2' x 6' x 3'	4
FR-2005		2' x 6' x 4'	4
FR-2006		2' x 8' x 2'	5
FR-2007		2' x 8' x 3'	5
FR-2008		2' x 8' x 4'	5
FR-2511		2' x 3' x 2'	2
FR-2512		2' x 3' x 3'	2
FR-2513		2' x 3' x 4'	2
FR-2500		2' x 4' x 2'	3
FR-2501		2' x 4' x 3'	3
FR-2502		2' x 4' x 4'	3
FR-2503		2' x 6' x 2'	4
FR-2504		2' x 6' x 3'	4
FR-2505		2' x 6' x 4'	4
FR-2506		2' x 8' x 2'	5
FR-2507		2' x 8' x 3'	5
FR-2508		2' x 8' x 4'	5

Non-Magnetic

Non-Ferromagnetic



MRI Solid Oak Shelving



MRI solid oak shelving comes in a variety of sizes. All sizes have 6 legs, with or without casters. The shelves are 2' wide, 3' to 6' in height, and 6' or 8' long. The top is considered as one of the shelves.
No Assembly Required

5" Casters



Shelves are custom made and non-returnable
Call For Shipping Information and Pricing



Model	Size: D x H x L	# Of Shelves	With Casters
FR-2020	2' x 3' x 6'	3	Yes
FR-2021	2' x 4' x 6'	3	Yes
FR-2022	2' x 6' x 6'	3	Yes
FR-2023	2' x 3' x 8'	3	Yes
FR-2024	2' x 4' x 8'	4	Yes
FR-2025	2' x 6' x 8'	4	Yes
FR-2120	2' x 3' x 6'	3	No
FR-2121	2' x 4' x 6'	3	No
FR-2122	2' x 6' x 6'	3	No
FR-2123	2' x 3' x 8'	3	No
FR-2124	2' x 4' x 8'	4	No
FR-2125	2' x 6' x 8'	4	No



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Tables/Carts with Top Shelf and No Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required
Can be assembled.

Warranty:

5 Years on Frame
1 Year on Moving Parts



Model	Description
TA-5007	18" x 24"
TA-5012	24" x 72"

TA-5012 - MUST SHIP BY TRUCK



Tables/Carts with Two Shelves and No Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required
Can be assembled.

Warranty:

5 Years on Frame
1 Year on Moving Parts



Model	Description
TA-5019	18" x 24"
TA-5024	24" x 72"

TA-5024 - MUST SHIP BY TRUCK

All Tables are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
TA-5525	Extra Hardware for Utility Table w/Loctite

Tables/Carts with Top Shelf and Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
With Rails 36 3/4" High
Assembly Required
Can be assembled.

Warranty:

5 Years on Frame
1 Year on Moving Parts



Model	Description
TA-5001	18" x 24"
TA-5006	24" x 72"

TA-5006 - MUST SHIP BY TRUCK



Tables/Carts with Two Shelves and Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
With Rails 36 3/4" High
Assembly Required
Can be assembled.

Warranty:

5 Years on Frame
1 Year on Moving Parts



Model	Description
TA-5013	18" x 24"
TA-5018	24" x 72"

TA-5018 - MUST SHIP BY TRUCK



All Tables are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
TA-5525	Extra Hardware for Utility Table w/Loctite



Crash Cart with Bins Only

Oxygen Tank & Suction Pump NOT included.

PVC Crash Cart and Optional Accessories

Specifications:

Length: 31 1/2"

Width: 20"

Height: 34 1/2"

Warranty:

1 Year on Frame

6 Months on Casters and Soft Goods



Accessories shipped in red vinyl unless color specified.

Model	Description
PV-1103	Crash Cart
PV-1106	CPR Board, 20" x 20"
PV-1107	Bag for CPR Board
PV-1104	Hood for Top Section
PV-1105	Side Panel Covers Choose Mesh or Solid vinyl

Custom sizes available upon request

Available Colors

Yellow	Tan	Mauve
Forest Green	Red	Black
Grey	Light Blue	Royal Blue
White	Navy	Mint

ONLY AVAILABLE
IN VINYL



PV-1105

PV-1106 & PV-1107

PV-1104



Polymer Utility Cart with 3 Shelves and 3" Non Magnetic Casters



Enclosed end panels

Convenient handle on each end

Conditional to 3T

Specifications:

Length 31" (78.74 cm)

Width 18" (45.72 cm)

Height 37" (93.98 cm)

Weight Capacity is 150 lbs (68.03 kg)

Model	Description
MT-1980	Utility Cart with 3 Shelves and 3" Non Magnetic Casters

MRI PVC Specialty Cart w/4 Shelves

4 Shelves (Size 20" x 25") 8 Pull Out Tubs (Size 20" x 15" x 5") & Mesh or Solid Vinyl Cover with color choice.

All carts come with solid vinyl fabric or mesh can be substituted.

12" Height between Shelves

48" L w/o handles, 50.5" L with handles X 65" H X 21.5" W



Model	Description
PV-1058	MRI PVC Specialty Cart w/4 Shelves

Available Colors

Yellow	Tan	Mauve
Forest Green	Red	Black
Grey	Light Blue	Royal Blue
White	Navy	Mint

ONLY AVAILABLE
IN VINYL



Warranty:

1 Year on frame

6 Months on casters and soft goods

MRI PVC 3 Shelf Extra-Wide Utility/Linen Cart, No Cover-With Flushed Shelves (Shelf on top of PVC)



Model	Description
PV-1048	(24"x25") Cart w/Flushed Shelves, No Cover
PV-1192	(24"x44") Cart w/Flushed Shelves, No Cover



PVC Utility Carts

Specifications:

3 shelves

Length with handle: 31-1/2"

Width between shelves: 12"

Comes with 3" twin casters

Height: 36"

Shelf Weight Capacity: 75 lb



Actual Casters



Model	Description
PV-1030	20" x 25" Shelf Size
PV-1172	24" x 25" Shelf Size

Custom sizes available upon request



Casters are different
than pictured.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI CORE DX Cart

White Polyethylene MRI Core DX Lab Cart offers a MRI safe, non-ferrous, efficient way to safely sort, store, organize, lock and transport a wide variety of supplies. It has 3 full extension drawers, shelves and bulk storage features. Document and tool holder snaps on back. Constructed from tough, non-reactive polyethylene and ABS this lab cart glides smoothly on 4 heavy duty 3 inch non-marking rubber casters. The small footprint Core DX allows it to be stored easily out of the way. Push and Pull with comfortable built-in handles.

Features:

Organizes, stores and projects supplies
Economical MRI Safe cart
Polyethylene and ABS plastic construction
3 full extension drawers
Drawer: 12 3/4" W x 3 5/8" H x 15 7/8" D
2 glove dispensers

3 inch braking casters
Bulk storage area
Smooth handles cut into top
23" W x 33" H x 19" D
6 side shelves
58 pounds

Model	Designation	Description
PC-2470		Core DX Cart



MRI Non-Magnetic Maui Lab Island

White Polyethylene MRI Maui Lab Island 2 Foot Lab Cart offers flexible storage. It is constructed from white, nonferrous, durable, resistant, high density polyethylene and is designed for those who need a large amount of storage and workspace many carts don't offer. The integrated locking mechanism can be locked with the use of a padlock (not included) that keeps the tambour door securely locked in place until the lock is disengaged allowing the door to roll up and into the cart. Inside the MRI Cayman features a generous amount of storage space with a built-in shelf that lets you keep the supplies that you use most closest to your reach. Even fully loaded, the MRI Cayman can be easily maneuvered by one person with the aid of its 3 inch casters. Also available in a standard version (with metal).

24 x 36 x 24 inches (width height depth); 73 pounds

Model	Designation	Description
PC-1474		Maui Lab Island



MRI Locking Roll-Top Cart

A durable high density polyethylene frame made just for the harsh laboratory environment and easy-to-use roll top door make this cart a great choice. Smooth rolling tambour door features plastic slates to travel smooth up and down the tracks. Top is also HDPE for chemical resistance so it gives years of good looking service.

Casters provide easy walking speeds to help move around the laboratory. Reliable push-brakes secure cart when necessary. Built-in handle for easy moving. Lockable cart with disappearing roll top door. Six removable drawers for use and storage. Lockable- locking mechanism is made of brass.

11.5" L x 16.5" W x 35" H

Model	Designation	Description
PC-1471		Locking Roll-Top Cart

More Carts Available
at www.MRIequip.com

MRI Non-Magnetic Space-Saving Cart

White Polyethylene MRI Core SP Space Saving Lab Cart with Clear Door provides a large amount of extra storage and workspace in a small footprint. This all white cart carries almost three times its weight and the innovative sliding door provides access to your supplies in cramped rooms or tight hallways. The door locks in either the up or down position with an embedded security lock and comes with two keys. Keep supplies and other equipment in one of the three full-extension drawers or bulk storage area. Built in ergonomic handles make the Core SP easy to maneuver.

Features:

Nonferrous Core SP Cart

Polyethylene and ABS plastic construction

Economical

Bulk storage area

Built in handles

52 pounds

Clear PETG sliding door

Seamless one piece top

3 full extension drawers

15" W x 35" H x 19" D

3" braking casters

Model	Designation	Description
PC-2468		Space-Saving Cart



MRI Non-Magnetic Extra Wide Lab Cart

The MRI Extra Wide Lab Cart provides 36 x 18 1/2 inches of extra-wide mobile bench top space. This cart gives you an easy to move bench top and storage area. Whether you are in a hospital, urgent care facility, physician's office or imaging safety center, professionalism and organization are key to your success. The MRI Extra Wide Lab Cart provides three oversized drawers and a protected bulk storage area with sliding see-through door, unless color option selected and sits atop 3 inch casters. Its easy mobility and professional appearance will create instant neatness in your MRI Lab or facility.

Features:

Nonferrous extra wide lab cart

Economical

White polyethylene and ABS

3 oversized drawers

2 keys included

Clear PETG plastic viewing door

Seamless one piece top

Built in handles

Large bulk storage area

3 inch casters, 2 braking



Clear, smoke, red, orange, green and blue

Model	Designation	Description
PC-2473-CL		Extra Wide Lab Cart



MRI Access / Egress Organizer

Storage for personal gear or for entry or exit. Space for gloves, safety glasses, protective clothing and changing area supplies. Light, white, room-for-everything and built for maximum ease in and out of the lab. Hinged acrylic doors allow easy stocking and viewing of supplies. Fabricated design to hold lab gear and keep your clothes and personal items off the floor. Entire organizer is wall mountable and easy to install with built-in key holes, so you'll go from the office to the lab in no time. Features one shelf, four safety glass cubbies, 3 covered compartments, a glove box dispenser and three hooks. Mounting hardware NOT included.

18.125" L x 7.2" W x 19.875" H

Model	Designation	Description
PC-1137		Access / Egress Organizer



More Carts Available
at www.MRIequip.com

All Carts Feature:

Aluminum
Replaceable Plastic Top
Stainless Steel Pull-Out Shelf
Ball Bearing Full Extension Drawer Slides

The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Dimensions:

45.75" High
30.50" Wide
23.75" Deep
126 Lbs.



Breakaway Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Model	Description
CA-1000	6 Drawer Breakaway Lock Cart
CA-1002	7 Drawer Breakaway Lock Cart

Warranty:

12 Years on Carts
1 Year on Locks & Moving Parts

Keyed Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two keys come with keyed lock carts extra keys available (see page 39)



Model	Description
CA-1004	6 Drawer Keyed Lock Cart
CA-1006	7 Drawer Keyed Lock Cart

Keyed Lock Carts with Rails and Organizers

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two keys come with keyed lock carts extra keys available (see page 39)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers



Model	Description
CA-1005	6 Drawer Keyed Lock Cart
CA-1007	7 Drawer Keyed Lock Cart

Breakaway Lock Carts with Emergency Package

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays



Model	Description
CA-1001	6 Drawer Breakaway Lock Cart
CA-1003	7 Drawer Breakaway Lock Cart

Dimensions:

45.75" High
32" Wide
25" Deep
136 Lbs.



Warranty:

12 Years on Carts
1 Year on Locks & Moving Parts

Dimensions:

45.75" High
32" Wide
25" Deep
136 Lbs.



Visit www.MRIequip.com or call customer service for more carts and options

All Carts Ship Red Unless Color Specified from page 39

Narrow Design Breakaway Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Description
CA-1050	6 Drawer Breakaway Lock Cart
CA-1052	7 Drawer Breakaway Lock Cart

Narrow Design Breakaway Lock Emergency Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays



Model	Description
CA-1051	6 Drawer Breakaway Lock Cart
CA-1053	7 Drawer Breakaway Lock Cart

Narrow Design Keyed Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 39)



Model	Description
CA-1054	6 Drawer Keyed Lock Cart
CA-1056	7 Drawer Keyed Lock Cart

Narrow Design Keyed Lock Anesthesia Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 39)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers



Model	Description
CA-1055	6 Drawer Keyed Lock Cart
CA-1057	7 Drawer Keyed Lock Cart

Visit www.MRlequip.com or call customer service for more carts and options

All Carts Ship Red Unless Color Specified from page 39



All Carts Feature:

Aluminum, Replaceable Plastic Top,
Stainless Steel Pull-Out Shelf, Ball Bearing
Full Extension Drawer Slides

Dimensions:

46" High x 20" Wide x 23.5" Deep

Warranty:

12 Years on Carts

1 Year on Top and Casters



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Optional Cart Accessories



CA-1008



CA-1009



CA-1010



CA-1011



CA-1012



CA-1028



CA-1029



CA-1033



CA-1015



CA-1016



CA-1019



CA-1020



CA-1022



CA-1023



CA-1013

Available Colors



Hammertone Colors



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Designation	Description
CA-1008		3 Tier Raised Back Rail
CA-1009		2 Tier Raised Back Rail
CA-1010		Side Rail
CA-1011		Cardiac Board & Mounting Brackets
CA-1012		Rail Hook
CA-1028		Key for Keyed Carts
CA-1029		Breakaway Key for Carts (package of 50)
CA-1013		I.V. Pole
CA-1033		Oxygen Tank Holder
CA-1015		Replacement Pull-Out Shelf
CA-1016		Set of 4 Utility Hooks
CA-1017		4 Tilt Bin Organizer for Raised Back Rail System
CA-1018		5 Tilt Bin Organizer for Raised Back Rail System
CA-1019		6 Tilt Bin Organizer for Raised Back Rail System
CA-1020		3 Gallon Waste Basket
CA-1022		3" Drawer Organizer (does half of shallow drawer)
CA-1023		6" Drawer Organizer (does half of 6.5" drawer)

PVC Linen / Multi-Use Carts

Features:

MR Compatible

Totally enclosed carts help prevent dust build-up on expensive coils.

All carts come with solid vinyl fabric, mesh can be substituted.

Velcro closures

Caster sockets are double wall reinforced with schedule 40 one inch PVC

Caster Size: 3", Can upgrade to 5" casters for additional charge

All multi-use carts are shown with the front cover open.

Warranty:

1 Year on Frame

6 Months on Casters and Soft Goods



PV-1042



PV-1034



PV-1038

Available Colors

Yellow	Tan	Mauve
Forest Green	Red	Black
Grey	Light Blue	Royal Blue
White	Navy	Mint

ONLY AVAILABLE
IN VINYL

Model	Des.	# Of Shelves	Shelf Size	HT Between Shelves	HT With Casters	Weight Cap Per Shelf
PV-1031		2	25" x 20"	12"	37"	75 lb
PV-1033		3	25" x 20"	12"	51 1/4"	75 lb
PV-1034		4	25" x 20"	12"	65 1/2"	75 lb
PV-1036		2	32" x 20"	12"	37"	100 lb
PV-1038		3	32" x 20"	12"	51 1/4"	100 lb
PV-1039		4	32" x 20"	12"	65 1/2"	100 lb
PV-1042		2	45" x 20"	16"	46"	125 lb
PV-1043		3	45" x 20"	16"	65"	125 lb
PV-1044		4	45" x 20"	16"	77"	125 lb
PV-1045		2	50" x 20"	16"	45 1/4"	150 lb
PV-1046		3	50" x 20"	16"	65"	150 lb
PV-1047		4	50" x 20"	16"	77"	150 lb

PV-1042, PV-1043 and PV-1045 Have 5" Casters



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM

Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods



Bag is NOT included, it must be ordered separately.

Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag



Stainless Steel Hampers

All Stainless Hampers Do Not Include a bag

Specifications:

Height: 36"
Inside Diameter: 16 1/2"
Outside Diameter: 18"
Casters: 2" Dual Wheel

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods










Model	Designation	Description
HA-2000		Hamper - No Lid
HA-2001		Hamper with Lid
HA-2002		Hamper with Foot Operated Lid
HA-2003		Laundry Bag

Bag is NOT included, it must be ordered separately.

PVC Hampers

All mesh hampers sent Royal Blue unless color specified.
No zipper on leak proof bags

Model	Des.	# Of Bins	Bag Type	L	W	H
PV-1000		1	28 Gallon Mesh	18"	18"	37"
PV-1001		1	22 Gallon Leak Proof	18"	18"	37"
PV-1007		1	42 Gallon Mesh	26½"	22½"	35½"
PV-1002		1	28 Gallon Mesh	23¾"	18¾"	38"
PV-1003		2	22 Gallon Leak Proof	38¼"	18"	37"
PV-1004		3	28 Gallon Mesh	58¼"	18"	37"
PV-1005		3	22 Gallon Leak Proof	58¼"	22½"	35½"

Warranty:

1 Year on Frame, 6 Months on Casters and Soft Goods

PVC Hampers Options

Available Colors

Yellow	Tan	Mauve
Forest Green	Red	Black
Grey	Light Blue	Royal Blue
White	Navy	Mint

ONLY AVAILABLE
IN VINYL



Leakproof Colors (Vinyl Hampers Only)



PV-1003



Shown with Optional Foot Pedals

PV-1005



PV-1006



Foot Pedal for PVC Hampers

Foot pedal available for hampers, order one per bin, must be ordered with hamper.

Model	Designation	Description
PV-1006		Foot Pedal for PVC Hampers

Visit www.MRlequip.com or call customer service
for more laundry baskets and linen carts



Telescopic Curtain

A fixed placement privacy solution that can easily be drawn to protect patient privacy or quickly swung out of the way for unobstructed viewing and patient access.

Features:

Provides 180 degree range of motion (swivel)

Telescopes from 40 to 92.5 degrees

Overall Height: 72 in.

Overall Width: 40 in. - 92.50 in.

NOT MR SAFE

This product is magnetic

Model	Designation	Description
PS-1050		Telescopic Curtain



PVC Privacy Screens

Features:

Removable Velcro Panels

Mildew Resistant

Flame Retardant

Durable Light Weight

21" x 51" Per Panel

13" Clearance from Base to Bottom of Panel

67" Total Width Expanded (3-Panels)

Folded 24" x 5"

Cleans with Damp Cloth

Available in Many Colors [See Page 42](#)

Model	Designation	Description
PV-1146		PVC Privacy Screen
PV-1147		PVC Privacy Screen w/Casters



Privacy Screens

Flame-retardant white vinyl panels wash easily. White powder coated steel frame. Measure 27" x 55" per panel and. This unit has a wide body base of 22" x 27". Without casters is 15½" from floor to bottom of screen with an overall height of 67". With casters is 17½" from floor to bottom of screen with an overall height of 69". Choose White, Blue, Green or Pink curtain.

NOT MR SAFE

This product is magnetic

Model	Designation	Description
PS-3000		Privacy Screen
PS-3001		Privacy Screen w/Casters



Folding Panel Screens

Features:

Open to full width without zig-zagging

Conserves floor space




¾" anodized aluminum tubing

Flame retardant bacteriostatic 6-mil white vinyl

Each panel adds 20" to width and ¾" to folded depth

Overall Height: 69"

Panel Width: 20"

Model	Designation	Description
PS-1000		3 Panel Screen
PS-1002		4 Panel Screen
PS-1001		3 Panel Screen, King Size

Flexible Curtain Tracking

Flexible curtain tracking gives you a quick and easy option for room renovations. Our selection of bendable curtain track comes in 8', 16', 40' & 105' lengths. Below you will find the flexible curtain track materials including all of the necessary hardware for installation. If you have any questions on our flexible curtain tracking please contact our friendly customer service. We will be happy to assist you.

Features:

A 99% recycled aluminum core and ABS (non-PVC) shell - this patented product provides a sustainable solution for your track needs.

Aluminum core and ABS shell is easily trimmed on-site with a hand saw.

The ABS material does not contain phthalates, PCBs (Polychlorinated biphenyls), or PBTs (Persistent Biocumulative Toxins).

Easy to install and works with virtually any ceiling type including both tegular and flush ceiling tile.

Carriers that slide quietly and effortlessly across the track.

Class A Fire Rating.


Flexible Curtain Track Case Study:

Before:

The curtain track and carrier use a plastic carrier that slides in the metal track. This style of track and carrier has a tendency to repeatedly get stuck and slide, which creates rattling, and plastic on metal contact that produces excess noise.

After Renovation Complete:

The new flexible curtain track and carriers produce **75% less sound** than the original grooved style and has been installed throughout all hospital Level III areas.












Flexible Curtain Track

CT-1060 (8)
CT-1061 (16)
CT-1062 (40)
CT-1063 (105)



Curtain Track Carrier
CT-1064

Model	Designation	Description
CT-1060		Flexible Curtain Track Roll, 8 Feet
CT-1061		Flexible Curtain Track Roll, 16 Feet
CT-1062		Flexible Curtain Track Roll, 40 Feet
CT-1063		Flexible Curtain Track Roll, 105 Feet
CT-1064		Curtain Track Carrier
CT-1065		End Stop With Hook
CT-1066		End Stop
CT-1067		Track Spring Clip
CT-1068		Spring Clip With Grid Clip



End Stop With Hook
CT-1065



End Stop
CT-1066



Track Spring Clip
CT-1067



Spring Clip With Grid Clip
CT-1068





Fig	Model	Des.	Description
A	Curtain Track CT-1000-S CT-1000-W		16 gauge extruded aluminum. Sold in 7'10" foot lengths. Approximately 3/4"x13/8". Choose Silver or White
B	Joining Sleeve CT-1036-S (Right) CT-1036-W (Right) CT-1037-S (Left) CT-1037-W (Left)		For suspended installations. Connects straight section of one track with curved section of adjoining track. Right and left are determined by looking up at the ceiling. Choose Right or Left and Silver or White
C	Curves CT-1020-S (90°) CT-1020-W (90°) CT-1025-S (45°) CT-1025-W (45°)		Channel bent to 12" radius. 90° and 45° one bend curves standard. Choose 90° or 45° and Silver or White
D	Splicing Clamp CT-1030-S CT-1030-W		Anodized sleeve for joining and extending track sections assuring proper alignment of track channels. 4" Choose Silver or White
E	End Stop CT-1031-S CT-1031-W		Prevents carriers from slipping out of end of track. Choose Silver or White
F	Snap Out Fitting CT-1032-S CT-1032-W		Permits easy replacement of carriers. Choose Silver or White
G	Ceiling Clip CT-1035		Recommended spacing: 2" to 6". For fastening track channel to T-bar on drop ceiling. Color: Off White.
H	Suspension Tube CT-1040-S CT-1040-W		Recommended Spacing 6". Made from 1" O.D. hollow anodized aluminum tubing. Sold in 7'10" foot lengths. Choose Silver or White
I	Screw Insert CT-1046		Inserts in end of suspension tube. Holds suspension tube to track channel. One needed for each tube.



Fig	Model	Des.	Description
J	Ceiling Flange CT-1045-S CT-1045-W		Constructed of heavy-duty aluminum. For connecting suspension tube to ceiling. Fasteners required to attach flange to ceiling. Hole in side for screwing to suspension tube. Choose Silver or White
K	Nylon Wall Bracket CT-1048		For fastening track channel to wall in suspended installations.
L	T-Bracket CT-1050		For suspended installations. Joins 2 tracks into 90° connection.
M	Cross Bracket CT-1049		For suspended installation. Center piece subdivides 4 bed areas.
N	Single Carrier CT-1033		Carrier spacing: 6". Block supported from 2 nylon wheels. Plated swivel and curtain hook for effortless and quiet curtain movement. Carrier width: approximately 1/2".
N	Breakaway Carrier CT-1034		Carrier spacing: 6". Nylon block supported from 2 nylon wheels. Break weight is 15-20 lbs
O	Drop Chain CT-1051		Extension chain 18" long constructed of nickel plated steel. Used when ventilation space is required and mesh top is not feasible.
P	PVC Drop Strip CT-1052		Extension strip 18" long constructed of PVC. Hole at top slips over hook on carrier. Plated hook at bottom for attaching curtain. Used in place of mesh for ventilation at top of curtain.
Q	Curtain Tie-Back CT-1053		Chain constructed of nickel plated brass prevents billowing of curtain from track end.
R	Wall Bracket CT-1047		Wall Bracket Assembly for Curtain Tracking, 2-Piece White Plastic

Orbitz Privacy Curtains

Orbitz privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Orbitz privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.




A2-WidthHeightCCL

Horizontal Width

Vertical Height

Lineage Privacy Curtains

Lineage privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Lineage privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Sunset Privacy Curtains

Sunset privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Sunset privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Audubon Privacy Curtains

Audubon privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Audubon privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Ferromagnetic Detection System HALO II Plus MRI Entry System

FerrAlert™ HALO II - Ferromagnetic Detector complies with ACR and JCAHO standards to protect the magnet room against moderate to large size ferromagnetic projectiles. This product significantly helps to protect the investment in the magnet and to avoid a catastrophic accident. FerrAlert™ HALO II ENTRY has been certified by Siemens Medical Solutions for installation and use inside the magnet room for both 1.5T and 3.0T MRI magnets.

OPERATION:

The Green LED HALO array illuminated around the MRI entrance indicates that the detector is scanning and there are no ferromagnetic threats detected.

A Yellow beacon light indicates that a threat is approaching the portal.

The Red LED HALO array flashes the entire portal, indicating a major threat such as a ventilator or oxygen cylinder has approached the portal.

The greater the threat, the further away the warning is activated.

Ferrous objects not approaching the entrance to Zone IV do not trigger an audible warning.

SPECIFICATIONS:

Dimensions: Height 83" (211cm), Depth 2.25" (5.7cm)

Adjustable Width: 42" (107cm) to 52" (132cm) Inside; 47" (119cm) to 57" (145cm) Outside

Complies with ES60601-1-8 International Standards for Medical Device Alarms

Complies with IEC 60101-1:2005 Medical Device Specifications Requirements

Medical Power Supply: 100 to 240 VAC, 47 to 63 HZ, 42 Watts

Sensitivity: Adjustable

Audio Alarm: In Portal

Photoelectric Beam: Activates Alarm Function mode when moving object enters Portal



FERRAlert HALO II Plus

Model	Description
MG-2510	HALO II Plus Entry System

Visit www.MRIequip.com
for more specifications, or
call for complete brochure.



HALO II Plus Example Installations



HALO II Plus Example Installations

The FerrAlert™ Encompass Incident Log Manager

The FerrAlert™ Encompass automatically detects and logs unintended ferromagnetic objects entering Zone IV. It is the only system that provides a photographic stream and does not require manual logging, thus allowing the technologists to perform uninterrupted patient care without wasting time with self-reporting. The data analysis software allows effortless generation of reports for The Joint Commission inspections. It also allows for the analysis of safety trends that can be shared throughout the entire hospital system.

Features:

Adjustable width 25-52 Inches.

Sorting of data to identify unintended ferromagnetic objects.

Easily implemented connectivity and expandability.

Records images before, during and after the Ferromagnetic threat enters the magnet room.

Model	Description
MG-2516	Encompass Incident Log Manager



SuperWand

The SuperWand’s exclusive 360° detection field provides uniform sensitivity and tip pinpointing to detect weapons and other metal objects with extreme accuracy. From U.S. airports to sporting events, the SuperWand is the hand-held of choice for today’s security screener. Accurate detection of all ferrous, non-ferrous and stainless steel and other metallic objects. Elongated profile offers 360° detection coverage plus tip pinpointing for easy scanning from head to foot. Easy and convenient to use with one-touch button and three-color LED lights. Clear audible or silent / vibrate LED alarm signal. Large 9.5” scan area allows thorough scanning with minimum passes. Ergonomically designed grip fits comfortably in virtually every hand. 9V battery incl.

Please Call For Available Shipment To Your Country

Model	Description
MG-4000	SuperWand
MG-4001	SuperWand Holster



NOT MR SAFE
This product is magnetic



Ferromagnetic Detection Systems

If you notice this label associated with a product throughout this catalog, you can be assured that it will pass through any Ferromagnetic detection system. These products have been tested extensively to gain this approval. MRlequip is proud to offer your MRI environment the largest array of Non-Ferromagnetic products available on the market today.

See Page 30, 45-48 for Non-Ferromagnetic Carts, Stretchers, Wheelchairs and More

Ferralert Solo Detector

Ferromagnetic screener for patients and personnel - [The latest advancement in Pre-Screening Technology for MRI Safety](#)

- Accurately and Quickly Locates Ferrous Hazards Anywhere on the Body
- 12 Sensors for Uniform Sensitivity
- No-Touch Activation
- Consistent, Simple and Unambiguous Operation
- Highly Sensitive
- Used to Self-screen or for Supervised Screening
- Variety of Simple Installation Options
- Inexpensive

Model	Description
MG-2507	Solo Detector
MG-2508	Solo Detector - Self Install



MRI Non-Ferromagnetic Stretcher WITH FLIP DOWN SIDE RAILS



Model	Designation	Description
ST-5000		Aluminum Stretcher

uspatentnumber
9,144,409 B1

Features:

NEW! Aluminum rigid construction
Drop down side rails
5" total lock casters
Full surround rubber bumper
Adjustable headrest
3" pad included

Specifications:

Height without pad:	29½"
Height with Rails up:	40"
Height of Rails:	15"
Length:	77¼"
Rail Length:	39"
Width:	27"
Weight:	130 lbs.
Back Adj. Range:	0-75 Degrees
Number of Positions:	11
Weight Capacity:	500 lbs

MRI Non-Ferromagnetic Stretcher WITH WRAP AROUND RAILS



Model	Designation	Description
ST-5300		Aluminum Stretcher

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods

Specifications:

Height:	30¼"
Height with Rails up:	42"
Height of Rails:	11¾"
Length:	76"
Rail Length:	61⅞"
Width:	28⅞"
Back Adj. Range:	0-71.2 Degrees
Storage Tray:	1⅝"D x 26"L x 17½"W
Positions:	10
Weight Capacity:	500 lbs

MRI Non-Ferromagnetic Stretcher Accessories ACCESSORIES ARE MR CONDITIONAL TO 7 TESLA



Side Rail Pads



Caster



Safety Straps



Oxygen Holder



I.V. Pole

Model	Des.	Description
ST-5100		Aluminum IV Pole
ST-5101		Aluminum O2 Holder
ST-2353		MRI Non-Ferromagnetic Locking Stretcher Caster
ST-2008		MRI Safety Straps(set of 3)
ST-2012		Side Rail Pads, Burgundy

20-24" Wide Non-Ferromagnetic Aluminum Wheelchairs

This Non-Ferromagnetic wheelchair consists of materials such as brass, titanium, aluminum and plastic. It has been tested and certified to pass through the pre-screen and pre-entry door systems. This is the first of its kind to have 24" wheels, which allows the patient to move independently.

Flip-up Desk Length Padded Arms

Swing-away Footrests

Color: Burgundy



Specifications:

20" Wide

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	36" w/footrest
Seat Depth:	16"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	31 lbs w/footrest
Weight Capacity:	300 lbs



See Page 43-44
Non-Ferromagnetic
Detection System

Specifications:

22" Wide

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	43" w/footrest
Seat Depth:	18"
Overall Height:	37"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	33 lbs w/footrest
Weight Capacity:	300 lbs



Back of upholstery

Warranty:

5 Years on Frame & Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Specifications:

24" Wide

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	32 1/2"
Overall Depth:	44" w/footrest
Seat Depth:	20"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	43 1/2 lbs w/footrest
Weight Capacity:	500 lbs



This size is a fixed, non-folding wheelchair

Model	Designation	Description
WC-2002		20" Chair w/ Footrests
WC-2005		22" Chair w/ Footrests
WC-2006		24" Chair w/ Footrests

ACCESSORIES ON PAGE 47



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Non-Ferromagnetic Wheelchair Accessories

MRI Non-Ferromagnetic I.V. & Oxygen Holders



Warranty: 5 years



Model	Designation	Description
WC-2100		Aluminum I.V. Pole
WC-2101		Alum. I.V. and O2 Holder
WC-2102		Alum. O2 Tank Holder

Stencil Company Name Or Other Information

Ship Weight: 5lbs

Ship Dimensions: 4" x 12" x 19"



Model	Designation	Description
WC-1110		Wheelchair Logo

MRI Non-Ferromagnetic Step Stools

Base is 16" x 12" and 8 1/2" off the floor
With or Without 41" Handle

Warranty:

5 years - Excluding Tips



Model	Designation	Description
SS-5000		MRI Step Stool, No Handle
SS-5001		MRI Step Stool with Handle

MRI Adult Non-Ferromagnetic Folding Walkers

18" Wide, Depth 17"

250 lb weight capacity

No Wheels Available

Warranty:

5 years - Excluding Tips



Model	Designation	Description
WA-1050		Adult - Height Adj. 32" to 36"
WA-1051		Junior - Height Adj. 28" to 32"



Wheels on page 15
are not compatible
with these walkers

MRI Heavy Duty / Extra Wide Non-Ferromagnetic Folding Walker

24" Wide, Depth 21"

500 lb weight capacity



Both the adult and heavy duty
walkers comply with the essential
requirements of the relevant
European health, safety and
environmental protection legislation.



Model	Designation	Description
WA-1052		Extra Wide - Height Adj. 32" to 38 1/2"

Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM

Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.




Warranty:

5 years - 1 Year on Moving Parts

Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag

IV-1550




OX-1800



OX-1801

OX-1802

OX-1803



OX-1804

OX-1805



**See Page 43-44 for
Non-Ferromagnetic
Detection System**

Warranty:

5 years

1 Year on Moving Parts

**See Page 85 for more
IV Poles O2 Holders**

MRI Non-Ferromagnetic IV Poles and Tank Holders

Aluminum Base with 5 Casters

Adjustable Height 56" to 105"



Model	Designation	Description
IV-1550		MRI IV Pole on wheels. Two hook, Non-Ferromagnetic
IV-1551		MRI IV Pole on wheels. Four hook, Non-Ferromagnetic
OX-1800		Single Oxygen Tank Holder Non-Ferromagnetic
OX-1801		Single Oxygen Tank Holder with Two hook IV Pole Non-Ferromagnetic
OX-1802		Single Oxygen Tank Holder with Four Hook IV Pole Non-Ferromagnetic
OX-1803		Dual Oxygen Tank Holder on wheels Non-Ferromagnetic
OX-1804		Dual Oxygen Tank Holder with Two Hook IV Pole Non-Ferromagnetic
OX-1805		Dual Oxygen Tank Holder with Four Hook IV Pole Non-Ferromagnetic



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Non-Magnetic Stethoscope

This lightweight, non-magnetic stethoscope comes with a non-chilling contact diaphragm of high sensitivity. This unit was designed exclusively for use in high magnetic fields.

Latex Free

Model	Description
-------	-------------

BP-1000	MRI Non-Magnetic Stethoscope
---------	------------------------------




Non-Ferrous Aluminum Single Head Stethoscope

This stethoscope is non-ferrous for use in your MR environment. Professional Lightweight Aluminum Non-Ferrous Single Head Stethoscope.

Also includes additional diaphragm and two pairs of ear tips.

Model	Description
-------	-------------

BP-1090	Non-Ferrous Aluminum Stethoscope
---------	----------------------------------



Disposable Stethoscopes

Stethoscopes feature a plastic binaural and ultra sensitive plastic chest piece with remarkable acoustical performance. Designed for single-patient use to prevent cross contamination in infectious areas.

Case includes 10 or 100 Stethoscopes.

Model	Designation	Description
-------	-------------	-------------

BP-1012	MR	Yellow Stethoscope (10 per case)
---------	----	----------------------------------

BP-1088	MR	Yellow Stethoscope (100 per case)
---------	----	-----------------------------------

BP-1013	MR	Blue Stethoscope (10 per case)
---------	----	--------------------------------

BP-1089		Blue Stethoscope (100 per case)
---------	--	---------------------------------



Neonatal Noise Guards

A must have for premie and newborn patients, Neonatal Noise Guards protect these little one's sensitive ears in the MRI environment, and provide peace and quiet in the NICU. Neonatal Noise Guards reduce the surrounding environment noise level by at least 7db, with a reduction in sound pressure of more than 50%. Disposable, latex free.

Box includes 6 pairs

Model	Designation	Description
-------	-------------	-------------

RA-1016	MR	Neonatal Guards (6 pr. per box)
---------	----	---------------------------------

ClearScan Radio-Translucent Electrodes for ECG

Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures. ClearScan Radio-Translucent Electrodes for ECG Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures, Diameter Foam, Wet Gel and some Solid Gel


600 Per Case



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



BP-1800
BP-1801



BP-1802
BP-1803



BP-1804 to
BP-1806



BP-1808



BP-1811

BP-1800 to BP-1806 Wet Gel | BP-1808 Solid Gel

Model	Designation	Description
BP-1800		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1801		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1802		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1803		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1804		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1805		1 7/8" Diameter, 1 Per Strip (600 Per Case)
BP-1806		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1808		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1811		5/strip, 1 strip/pouch (120 pouches/600/cs)

Radiotranslucent Electrodes

Perforated clear tape for comfort, Radiotranslucent for X-Ray/MRI, Clear tape does not absorb fluids, Gel pocket stabilizes the electrode, Clear tape for skin monitoring

Case includes 30 ea.



Model	Designation	Description
BP-1014		Electrodes (30 per case)



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Accusensor 38mm Radiotranslucent Foam Electrodes

Cardiac Cath Lab and Special Procedures Stress Testing Holter Monitoring. Disposable 38mm foam single use silver/chloride radiotranslucent ECG electrode.

60 per bag, 600 per case



Model	Designation	Description
BP-1400		Foam Electrodes (600 per case)


MRI ECG ezPad Electrodes

ezPad ECG electrodes can be used with any 4 lead ECG monitor. Schiller, Invivo, Scanner Gating Sensors. 2 year shelf life. MR Safe.

25 per box



Model	Designation	Description
PO-3600		Adult ezPad Electrodes (Box of 25)
PO-3700		Pediatric ezPad Electrodes (Box of 25)



Infuse Aid Pressure Infusor

MRI pressure infusor assemblies are built to provide positive pressure for rapid fluid infusion, arterial blood pressure monitoring, and irrigation during surgical procedures.

Use in MRI environment

Reusable bulb & tubing

Highly visible pressure gauge

Available in 500mL or 1000mL bags

Is latex and DEHP free

24 Per Case



Model	Des.	Description
BP-5000		Infuse Aid Pressure Infusor 500mL Bag
BP-5001		Infuse Aid Pressure Infusor 1000mL Bag
BP-5002		Replacement 500mL Bag (24 Per Case)
BP-5003		Replacement 1000mL Bag (24 Per Case)
BP-5004		Infuse Aid™ Inflation Assembly Only (5 Per Case)

Replacement Latex-Free Bulb and Valve Assembly

Model	Description
BP-2020	Bulb and Valve Assembly



Replacement Latex-Free Cuffs and Bladders

One and Two tube bladders

Black nylon cover

Model	Des.	Description
BP-2009		1 Tube, Thigh
BP-2003		2 Tubes, Large Adult
BP-2008		1 Tube, Large Adult
BP-2000		2 Tubes, Adult
BP-2005		1 Tube, Adult
BP-2002		2 Tubes, Child
BP-2007		1 Tube, Child
BP-2001		2 Tubes, Infant
BP-2006		1 Tube, Infant





Clip Boards, Set of 4

1 of Each Color: Royal Blue, Green, Orange, Violet

Clipboard Sheet Size: 8.5" W x 11" L

Clip Capacity: 1/2" of 20 lb paper.

Dimensions: 9" x 13"

Model	Description
-------	-------------

CL-1012	Set of 4, 1 of each color
---------	---------------------------



Breast Cancer Awareness Set of 4 Plastic Clipboards

Clipboard Sheet Size: 8 1/2" Wide x 11" Long

Clip Capacity: 1/2" of 20 lb paper with built in pen holder

Dimensions: 9 5/8" x 13 3/8"

Pink Ribbon Breast Cancer Awareness along bottom

Product was tested by a facility in a 3T magnet and was said to have very little torque right in the bore of the magnet.

Model	Description
-------	-------------

CL-1011	Breast Cancer Awareness Clipboards
---------	------------------------------------

**MRI
COMPLETED**

MRI Completed Labels - 1.875" x .875"

Great for use on patient folders.

Lime Green, Black Lettering

1.875" x .875"

Model	Des.	Description
-------	------	-------------

MT-1400		MRI Completed Labels, 500 Per Roll
---------	---	------------------------------------



Non-Magnetic Paper Clips

Comes in assorted colors

Small- 1", 500 per box


Large - 1 3/8", 200 per box

X-Large - 2 3/8", 50 per box

Model	Des.	Description
-------	------	-------------

MT-1702		Small (500 per box)
---------	---	---------------------

MT-1701		Large (200 per box)
---------	---	---------------------

MT-1700		X-Large (50 per box)
---------	---	----------------------

LiquiMark MRI Markers

Product Benefits:

Finally, a line of fiducial markers for MRI that visually promote healing. LiquiMark markers are non-metallic, latex-free, and perform consistently and accurately in a variety of applications. **1 Year Warranty on All Markers**
40 Markers Per Box

MA-1033 - For small field of view areas.

MA-1034 - For Extremities, soft tissue, and breast MRI.

MA-1035 - For thoracic spines and larger areas of interest.

MA-1036 - For orthopedic imaging and pediatric cases.

MA-1037 - For extremities, soft tissue and breast MRI.

MA-1038 - For thoracic spines and larger areas of interest.

Model	Description
MA-1033	LiquiMark 8 mm Round Markers
MA-1034	LiquiMark 15 mm Tube Markers
MA-1035	LiquiMark 30 mm Tube Markers
MA-1036	LiquiMark 10 mm Square Pouch Markers
MA-1037	LiquiMark 10 mm Square Pouch Markers
MA-1038	LiquiMark 10 mm Square Pouch Markers



MA-1033



MA-1034



MA-1035



MA-1036



MA-1037



MA-1038

Multi-Modality Markers

Product Benefits:

Provides clear reference points

Shows on all sequences

Does not indent into soft tissue

No artifacts

50 Per Container

For further details visit www.MRlequip.com or call customer service



"Great Markers! Perfect size and show on both T1 and T2 weighted images. Also, the markers do not indent the skin." - Open MRI Specialists of Stockbridge



BP-1015



BP-1037




Model	Des.	Description
BP-1015		Markers (50 per case)
BP-1037		Markers, Solid (50 per case)
BP-1030		Markers for Nuclear Medicine/Pet (50 per case)

MRI TMJ Wedge, Box of 24

Saves working with broken clickers. Easy for patients to use.

4mm increments (total opening of 8 steps or 40mm). Disposable after each use.

Model	Des.	Description
AC-1009		MRI TMJ Wedge, Box of 24











Non-Ferromagnetic Sand Bag Positioners

Will not affect quality of scans. Vinyl double wall construction. Strong, durable and leak-resistant. Nonmagnetic, radiolucent and artifact free. The first Non-Ferromagnetic MRI Sand Bag Positioners to hit the market designed exclusively for MRlequip.com.



Model	Des.	Description
SB-1003		3 lb. Sand Bag Positioner, 8" W x 8" L
SB-1005		5 lb. Sand Bag Positioner, 5.5" W x 15" L
SB-1007		7 lb. Sand Bag Positioner, 9" W x 12" W
SB-1010		10 lb. Sand Bag Positioner, 9" W x 14" L
SB-1012		12.5 lb. Sand Bag Positioner, 12" W x 12"
SB-1013		SET OF 5, 1 ea. of 3, 5, 7, 10, and 12.5 LB. Sand Bag Positioners

Sand Bag Positioners

Colored outer bag is nylon reinforced vinyl, and dielectrically sealed to prevent leakage or dust. Inner bag is electrically sealed for added protection. Covers are nylon reinforced, color coded vinyl. Complete with convenient handle.



Fig	Model	Description
A	FO-1105	3 lb, Yellow, 9½" x 4½"
B	FO-1106	5 lb, Orange, 12" x 5½"
C	FO-1107	7 lb, Red, 15½" x 6½"
D	FO-1108	10 lb, Blue, 17" x 6½"
Set	FO-1126	Set of 1 of each above



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Comfort Pillow Positioners

This innovative pillow was designed to gently elevate and support the head, thus relieving stress on the shoulders during diagnostic MRI and CT procedures where the patient's arms are held over head. Because it is constructed of high-density foam, the pillow provides excellent patient support. Two hand straps allow the patient to hold-on during the procedure, thus increasing their security. As a result of unique design, the patient's arms can be kept in a straight and more comfortable position for safe contrast injections.


25" Long x 16" Wide x 8 1/4" High

Model	Des.	Description
FO-1009		Flat Bottom
FO-1010		Contoured Bottom



Leg Rest with Knee Cutouts

Provides leg and knee support while maintaining hip flexion. Helps relieve lower back stress and pain. Stain resistant scan coating is easily cleaned.

Model	Des.	Description
FO-1034		Medium 7" x 13" x 17.5" w/o scan coating
FO-1090		Small 5" x 18" x 15", w/ scan coating
FO-1091		Medium 7" x 13" x 17.5", w/ scan coating



Radiolucent Abdominal Immobilizer for MRI & CT

14"W hook and loop -secured band wraps around patient and narrow, contoured tabletop. Patient is secured onto the table, eliminating motion and ensuring clearer image results. Attractive, washable, sterilizable gray canvas with yellow and black hook and loop straps. One-Piece system wraps around table without side rails. Use Two-Piece system for tables with side rails.

Model	Description
FO-1118	1 Piece 75" Long
FO-1119	1 Piece 87" Long
FO-1120	2 Piece 36" each side
FO-1121	2 Piece 60" each side



Patient Comfort System General 12 Piece Positioner Kit

The Patient Comfort System was developed over a 2-year period in close cooperation with leading imaging centers to maximize patient comfort as well as conform to the specific requirements for compatibility and safety. This viscoelastic material used for medical imaging has been specifically formulated to maximize patient comfort and maintain a thin form factor while optimizing the available free space for the patient when inside the MRI bore. These mattresses and positioners are compatible with existing tables and are designed to simply replace the current pads. The basic system consists of four rectangular mattress pads covered with advanced breathable space-age waterproof material which resists staining and makes cleaning easier. A knee wedge and neck roll are also included to maximize patient comfort. To increase safety, all pads have an anti-slip undersurface to keep the pads in place while patients are getting on and off the table.



Model	Des.	Description
FO-5000		General Positioning Kit



MRI/CT Body Immobilizers

Features:

Comfortable Body Immobilizer.
Made of cleanable vinyl.
Used in CT/MRI & Diagnostic Radiology.
Wrist straps sewn inside body wrap to keep arm secure.

Model	Description
AC-1000	MRI/CT Body Immobilizer 60" x 66"
AC-1001	MRI/CT Body Immobilizer 26" x 68"
AC-1002	MRI/CT Body Immobilizer 24" x 52"
AC-1003	MRI/CT Body Immobilizer 20" x 36"
AC-1004	MRI/CT Body Immobilizer 12" x 24"



MRI Head Positioning Pad

Features:

One easy step to position pad beside patients head.
Adds comfort and stops movement.

Dimensions:

SMALL - 7.5" W X 4" H X 3" D **LARGE** - 11" W X 5.5" H X 8" D

Model	Description
AC-1014	MRI Head Positioning Pad, Small
AC-1013	MRI Head Positioning Pad, Large



MRI Arm Board

Features:

Slides under pad.
Designed to support the arm.
Made of non ferrous material.

Dimensions:

36" L X 7" at wide end, 3" at narrow end

Model	Description
AC-1006	MRI Arm Board



Wide Universal Armboard

Accommodates both arm and supplies. Slippery bottom allows for easy insertion under patient's shoulder with minimal patient movement. Patient's weight holds it in place. Cleanable with any type of disinfectant. Hanging hole for easy storage off the floor. 3/8" thick. 31 1/2" L. 11 1/2" W (tapers to 6").

Model	Description
FO-1122	Wide Universal Armboard
FO-1123	Non-Slip Pad



Neuroimaging Pillow Support System

Provide the support, comfort and sensory feedback necessary to help researchers and technologists acquire more usable data due to the minimization of subject head movement.

Features:

Designed with high-grade memory foam to ensure maximum comfort, minimal movement, and to eliminate repeat testing.
Coatings provide impenetrable barrier to viruses and bacteria.
Comes with plastic storage case (**NOT MR SAFE**).

Model	Description
FO-6000	Durable Pillow Support System, Vinyl



Patient Monitoring Video Camera System

These camera's can be used in multiple imaging modalities such as CT / Ultrasound / PET / X-Rays and many others. This system's versatility makes it perfect for use in any & many imaging suites.

Features:

True high definition 1080p recording on all cameras.
Instant USB backup of live video from selected camera.
24/7 security-grade hard drive Continuous, scheduled and motion recording.
Click and drag digital zoom in live view and playback 2 video outputs - (HDMI & VGA) to connect multiple monitors.

Warranty 2 Years

System Includes:

1 DVR with Pre-Installed HDD
1 19.5 inch 1600x900 Resolution LED Monitor
1 HDMI Cable
1 Remote Control
2 Power adapter

1 Mouse
2 HD CAMERAS
2 60ft. Video / Power cables
2 125 ft. Video / Power cables

Can exchange for shorter 100ft. cables if notified before shipping.

Model	Description
RA-1750	Patient Monitoring Video Camera System



**Adapter May
Be Different
Than Shown**

MRI Non-Magnetic Magnalarm Patient Panic Alarm

Features:

Allows patients to notify the technologist they need attention.
Allows claustrophobic patients to relax better.
Comes with complete installation kits.
Fits all MRI's.
Tested approved and available from GE.
Allows patients to feel more secure knowing they can alert the technologist if necessary.



This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Description
RA-3005	Non-Magnetic Magnalarm Patient Panic Alarm
RA-3006	Dual Alarm Adaptor , USA 120/12V, International

Non-Magnetic Prism Glasses

Non-magnetic Prism Glasses allow the patient to see the room outside the bore of the magnet during their scan, allowing a companion or scenic picture to be viewed. A simple and cost effective comfort measure to be used alone, or in conjunction with a sound system for ultimate relaxation. Product comes with soft case(leather-like) with nylon lining and cleaning cloth.

Model Des. Description

RA-1011  Prism Glasses, Mirror not Adjustable



Mirrors are not adjustable

MRI Non-Magnetic Deluxe Prism Glasses

Non-magnetic Prism Glasses allow the patient to see the room outside the bore of the magnet during their scan, allowing a companion or scenic picture to be viewed.

Features:

Feature Reversible Prisms

Completely Free of Any Metal Components

Similar to Wearing a Conventional Pair of Glasses

Includes elastic adjustable band for use with children



Model Des. Description

RA-2012  Prism Glasses, Mirrors are Adjustable



Mirrors are adjustable

MRI Non-Magnetic Prism Glasses, Fitover Frames

Features:

Fits over Prescription Glasses.

Do not reverse the image so it is possible to see a mural or projection screen TV.

Prism angle remains fixed in either position so no viewing angle adjustment is required.

Free of any metal components and may be worn in all types of Diagnostic Imaging Scans.

Similar to wearing a conventional pair of glasses so the patient will easily adapt to wearing them.



Model Description

RA-2013 MRI Non-Magnetic Prism Glasses, Fit over Frames

Infant Eyeshades

NeoShades provide superior protection to neonates during imaging procedures or while in the NICU or PICU. Ultra skin-friendly, NeoBond® hydrocolloid tab adhesive resists skin breakdown from moisture or heat. Also available with NeoFoam headstraps that keep shields in place and prevents slipping or head molding.

Features:

Superior UV light blocking.

Thicker, soft eye shield material with ocular pockets provide superior comfort and safety.




Model Des. Description

PO-1030  NeoShades Infant Eyeshades, 50 Per Case

Sleep Mask

MRI Safe eyeshade sleep mask. Made from satin soft polyester, this is the same mask provided by major airlines and hotels. Available in Dark Blue Only (inside is black). 2 elastic straps.

Model Des. Description

RA-6000  100 Nylon Masks

RA-6001  1000 Nylon Masks

RA-6008  100 I Survived MRI Eye Shade Sleep Mask



Warranty 1 Year



Sangean DDR-63 Wi-Fi Internet Table Top Radio with iPod Dock

Features:

Internet radio / FM wavebands
 MP3, AAC + and WMA compatible
 iPod cradle charges and plays iPods
 Aux in / Line out socket
 Stereo headphone socket
 Digital EQ control
 Network music player
 External F type FM antenna terminal
 10 station presets each audio band
 99 station presets on internet
 Slot in CD MP3 / WMA player ripping function to SD / USB
 Real time clock with alarm and sleep function, clock synchronizes from NTP (Network Time Protocol)
 RDS with radio text, program type, auto clock and station name
 Optical SPDIF output for connecting Hi-Fi system
 Full function remote control unit
 Supports SDHC to 16 GB
 MP3 recordable to SD-card and USB media
 CD player supports bookmark function
 Play music stored in your computer
 Broadband connection required for connection to internet (over Wi-Fi- or Ethernet)



RA-1701

Model	Description
RA-1700	Full Stereo System
RA-1701	Microphone Option

MRI MagnaCoil 30DB Headset

This truly unique headset system features an enhanced and patented design that creates a better fit in tighter coils. Works in conjunction with our unique coil headset plugs that utilizes a pneumatic port to transfer music or speech directly into patients' ear canals while providing 30dB of gradient noise attenuation.

Uniquely designed for comfort and fit within all coils
 ANSI standard minimum requirement of 29 dB NRR
 Enhances technologist-to-patient communication
 Flexible tubing provides exceptional comfort
 Plugs roll up, insert easily, and are disposable to eliminate sanitary concerns

Latex free*



Model	Description
RA-1800	MRI Coil Standard Headset, 30db
RA-1804	MRI Coil TIM Headset For Siemens
RA-3009	MagnaPlug Earplugs, 250 Pairs
RA-3010	MagnaPlug Earplugs, 500 Pairs
RA-3011	MagnaPlug Mini Earplugs, 250 Pairs
RA-3012	MagnaPlug Mini Earplugs, 500 Pairs



newversion



Pneumatic MRI Music System & Intercom

Our best-selling MRI music & communication system includes everything you need to provide your patients with high-quality MRI-compatible audio entertainment. Designed for everyone in and around MRIs to be the easiest-to-use, highest quality, most versatile, enjoyable and affordable MRI stereo system available. 30% Savings over competitive systems.

Features:

Patients: 30dB NRR headphones, customized audio entertainment, high-fidelity audio quality and more.

Technologists: Intuitive control, clear and direct communication with patients, compatible with all media devices and more.

MRI Management: Long lasting, cost-effective, industry-leading warranties and more.

Model	Description
RA-3500	Pneumatic MRI Music System & Intercom
RA-3501	Ipad Mini Accessory Package for RA-3500 Sound System
RA-3502	Sirius XM Radio
RA-3503	RF Filter for Penetration Panel for RA-3500 Sound System
RA-3504	iPad Upgrade: iPad Mini Lock

iN-Ear MRI Headphones


MRleaudio's newly designed iN-Ear Headphones are the ultimate solution for providing MRI patients with music, communication, and hearing protection. Their low profile design allows them to fit into every head coil and disposable foam ear tips prevent the spread of infection.

Adjustable

The optional/removable headband adjusts to fit any size head, while the swiveling ear tip inserts fit into every ear perfectly!

Versatility

The standardized pneumatic tube connector means that they will work with most MRI patient stereos available.



RA-3700

iN-Ear Headphones are **MR Safe**

Comes with a 1 year warranty.

Specifications:

Noise reduction rating of 29db

Clear, consistent sound quality

Compressible, high-density foam eartips

0.5" headband profile fits in most MRI head coils

Adjustable headband fits most heads

Model	Description
RA-3700	iN-Ear MRI Headphones
RA-3611	Replacement Foam Ear Tips (250 Pairs)
RA-3610	Replacement Foam Ear Tips (500 Pairs)



RA-3610
RA-3611



Over-Ear MRI Headphones

This unique premium headphone offers incredible sound attenuation while remaining comfortable even after extended periods of wear. Provides a full 29 db of noise attenuation.



Model	Des.	Description
RA-3505		Over-Ear MRI Headphones



These headsets have this style plug...



The Slimline Noise Guard Headset

Provides 30 db of noise attenuation. The slim profile of this headset fits into most head coils.

RA-1002 Includes an Additional Headband

Model	Des.	Description
RA-1002		Slimline Noise Guard
RA-1027		Replacement Head Band

Sanitary Headset Covers

Large fits models RA-1013, RA-1001, RA-1002, RA-2003 and RA-1057, Small fits model RA-1003

1000 per case, Available in White or Black

NON RETURNABLE ONCE PACKAGE IS OPENED



Model	Des.	Description
RA-1007		Small, White- 2-3" Diameter (1000 per case)
RA-1006		Large, White- 5-6" Diameter (1000 per case)
		Purchase 1-4 cases
		Purchase 5-9 cases
		Purchase 10+ cases
RA-1058		Large, Black- 5-6" Diameter (1000 per case)



Headset Replacement Parts

Replacement parts for RA-1001, RA-1002, RA-1013 and RA-1057.

Model	Des.	Description
RA-1027		Replacement Head Band
RA-1053-XX		Replacement Sound Tubing

Other types and Brands available, please call

Noise Guards with 3 Prong Headset Adapter

For sound systems requiring an alternate connection to our standard two prong male connection, this adapter will work with three prong systems.

Must be ordered with headset and goes with RA-1002 or RA-1004.

Model	Description
RA-1063	Slimline Noise Guard with Screw Top
RA-1064	Slimline Noise Guard with Push to Lock
RA-1065	The Non-Headset with Screw Top
RA-1067	The Non-Headset with Push to Lock



Siemens Headphone Adaptor

May need additional tubing for your headset for Siemens Machines. Most headphones have a 3-4 foot length of tubing attached. Please supply additional length if needed and order that additional length under PN: RA-1053

Tubing has 3/8" inside diameter

Model	Des.	Description
RA-1017		Adaptor



Headphones

Cup the ear and are invisible to Scanning. Inner ear tips fit into the ear, providing direct sound. Provides approximately 55 db of noise reduction.

Model	Des.	Description
RA-2003		Headphones
RA-2011		Replacement Headband
RA-2021		Headphone Adaptor - Adapts the RA-2003 to Siemens Bed
RA-2022		Headphone Adaptor w/ 6 1/2 ft of twin tubing that can be cut to size



RA-2021-RA-2022

The Non-Headset

Designed for the tightest of head coils. It has two 1" foam ear muffs which can be positioned right up to the patients ear in the head coil, compressing down to 1/2". These headsets are not rated at this time.

Model	Des.	Description
RA-1004		Non-Headset




MRI Non-Magnetic MagnaSet Head Phones

Provides 29.8 dB attenuation at 2 kHz

18.1 dB NRR tested to ANSI Standard fits all Coils


Model	Des.	Description
RA-1801		MRI Non-Magnetic MagnaSet Head Phones (10 per pack)
RA-1803		Replacement Ear Tips for MagnaSet Head Phones (250 Pairs Per Pack)
RA-1805		Replacement Ear Tips for MagnaSet Head Phones (50 per pack)



RA-1803



This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Neonatal Noise Guards

A must have for premie and newborn patients, Neonatal Noise Guards protect these little one's sensitive ears in the MRI environment, and provide peace and quiet in the NICU. Neonatal Noise Guards reduce the surrounding environment noise level by at least 7db, with a reduction in sound pressure of more than 50%. Disposable, latex free.

Box includes 6 pairs

Model	Des.	Description
RA-1016		Neonatal Guards (6 pairs per box)

Clear Acrylic Neonatal Noise Guard Dispenser

Makes it easy to store and quickly access Neonatal Minimuffs or any neonatal ear plugs in a similar sized package.

Specifications:

Gravity Fed Dispenser

Slotted Thumb Opening

Holds Up To 12 Packages (Pairs)

Wall Mount With Brass Screws (Included)

3.75" L X 6.75" W x 6" H

Model	Des.	Description
RA-1030		Neonatal Noise Guard Dispenser

MRI Thera-Soft 30 PVC Foam Earplugs

Specifications:

NRR=30dB - Tested at an independent A NVLAP accredited laboratory

Manufactured from super-soft PVC for it's unique performance characteristics.

New and improved foam responds to body heat by getting softer with use.

The only foam specified by the United States Military.

Optimal "recovery time" allows for deeper insertion, more secure fit and less "backing Out" which is particularly important for those with smaller ear canals.

Thera-Soft 30™ provides an excellent seal for every user.

Model	Des.	Description
RA-1060		Therma Soft Earplugs (case of 1000)

Swirl Earplugs

Fun colored to spark up the hearing protection program. Different colors in every package. Tapered for easy insertion in any size ear canal. Non-irritating, smooth surface for added comfort. **Noise Reduction Rating 32**

Model	Des.	Description
RA-1009		Without cord, 1000 Count / 500 Pair
RA-4006		With cord, 200 Count / 100 Pair

Pure Fit - Long Earplugs

Longer length for easy Fitting and removal. Bright green color for easy compliance checks. Tapered for easy insertion in any size ear canal. Non-irritating, smooth surface for added comfort. **Noise Reduction Rating 32**

Model	Des.	Description
RA-4004		Without cord, 1000 Count / 500 Pair
RA-4005		With cord, 200 Count / 100 Pair

Plug Dispenser

Clicking mechanism for easier use and dispensing.
Chute delivers plugs right into the palm of your hand.
Affordable enough to be placed near every work area.
Eliminates the mess of individual paper/polybag packaging.
Each dispenser is sealed and completely recyclable.
Available in 250 or 500 count per Plug Dispenser with either Swirl Plugs or Pure Fit foam earplugs.
Mounting bracket with hardware included with every Plug Dispenser.



Containers are Non-Refillable

Model	Des.	Description
RA-4009		Swirl, 250 Count / 125 Pair
RA-4010		Swirl, 500 Count / 250 Pair
RA-4011		Pure Fit, 250 Count / 125 Pair
RA-4012		Pure Fit, 500 Count / 250 Pair

Ear Muffs

For sound protection.

Model	Des.	Description
RA-1057		NRR30 Noise Attenuation
RA-1013		25 db Noise Attenuation
RA-1027		Replacement Head Band
RA-1061		24 db Noise Attenuation
RA-1062		27 db Noise Attenuation
PC-1137		Access / Egress Organizer



RA-1061 and RA-1062 are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Access / Egress Organizer
See Page 36 for more information

Large Sanitary Head Set Covers

Fits models RA-1013, RA-1001, RA-1002, RA-2003 and RA-1057

NON RETURNABLE ONCE PACKAGE IS OPENED

Model	Des.	Description
RA-1006		White (1000 per case) Purchase 1-4 cases Purchase 5-9 cases Purchase 10+ cases
RA-1058		Black (1000 per case)
PC-1027		Dispenser Small - 8.5" x 11" x 4"
PC-1103		Dispenser Medium - 15" x 17" x 6"



Optional Dispenser

Laryngoscope

Introducing the first fiber-optic incubating laryngoscope set designed specifically for use within the MR room.

Long Life - Laryngoscope handle developed from selected low-magnetic materials. Proprietary low-magnetic signature lithium battery delivers 4 times the useful life of a standard alkaline battery.

High Intensity - A 3.5V halogen lamp yields a high-intensity, fiber-optic delivered light beam.

Compatible - Works with a broad range of Fiber-optic Laryngoscope Blades.

Warranty - 1 year







Model	Description
MO-1100	Laryngoscope Handle, Adult
MO-1122	Laryngoscope Handle, Pediatric
MO-1101	Lithium Battery, 2 pack
MO-1102	American Macintosh 0 Blade
MO-1103	American Macintosh 1 Blade
MO-1104	American Macintosh 2 Blade
MO-1105	American Macintosh 3 Blade
MO-1106	American Macintosh 3.5 Blade
MO-1107	American Macintosh 4 Blade
MO-1108	English Macintosh 1 Blade
MO-1109	English Macintosh 2 Blade
MO-1110	English Macintosh 3 Blade
MO-1111	English Macintosh 4 Blade
MO-1112	Miller 0 Blade
MO-1113	Miller 1 Blade
MO-1114	Miller 2 Blade
MO-1115	Miller 3 Blade
MO-1116	Miller 4 Blade
MO-1117	Wisconsin 2 Blade
MO-1118	Wisconsin 3 Blade
MO-1119	Wisconsin 4 Blade
MO-1120	Light Bulbs, (5 pack)

Mobile Light

39" heavy duty stainless steel dual joint arm, 50 watt head. Mounted on a 25" diameter base with five 2" casters, 14 lb. stainless steel weight added for stability and a 39" tall pole. Light has a 30 foot cord to transformer box (see warning below) 9.5 foot cord from transformer to wall outlet.

Warranty: 3 years **TRANSFORMER BOX IS REQUIRED TO OPERATE THE LIGHT**

Model	Designation	Description
EX-1000		Mobile Light with Power Box
EX-1013		Mobile Light w/o Power Box
EX-1004		Power Box
EX-1011		Replacement Bulb for EX-1000


Warning:

The installation guidelines must be strictly followed. The electrical box contains ferrous materials and must **NEVER** be placed close to the magnet. If the electrical box is moved closer to the magnet than the 100 gauss line, electromagnetic interference may be seen, to avoid this **NEVER** move the electrical box close to the magnet.

- **NEVER** operate the light while the electrical box is unsecured.
- The lamp may slightly vibrate





More Lights

Mobile and Dual Versions at www.MRlequip.com



Ceiling Mount and Mobile Lights

29" extension arm, 720° rotation & 69" reach to beam center, 359° lamp head/balance arm rotation in horizontal and vertical planes, Unlimited beam placement and Balanced arm rotation. Light has a 30 foot cord to transformer box (see warning above) 9.5 foot cord from transformer to wall outlet.


Model	Designation	Description
EX-1002		Single Pod
EX-1005		Dual Pod (not pictured)
EX-1006		Mobile Single Pod
EX-1012		35 Watt Replacement Bulb

MRlequip.com proudly introduces a revolutionary patented system for MRI breast coils.

These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.

AccuFit MRI Sentinelle Breast Coil Drape

Provides complete coverage and protection of all Sentinelle Breast Coil Products. Total Coverage - added an extra 60" in length now covering the entire table which eliminates costly usage of sheets and provides quick procedure turn around.



Sentinelle MRI Breast Coil Disposable Drape

25 per case

Compatible with:

Siemens MAGNETOM® Avanto
MAGNETOM Espree
MAGNETOM Symphony
GE Signa® HDx or HDi MRI
Toshiba 1.5T Vantage Atlas™
Vantage Titan™
May fit coils other than those listed



Please Call for a
Free Sample.

Model	Designation	Description
BS-1011		Sentinelle Breast Coil Drape (25 per case)



AccuFit Sentinelle Large Headrest Cover


This product fits the large 5 inch high headrest utilized with the Sentinelle Breast Coil Table and stand alone coils.

100 per case

Model	Designation	Description
BS-1012		Sentinelle Headrest cover (100 per case)

AccuFit Headrest Disposable Covers

100 per case



Model	Designation	Description
BS-1003		AccuFit Headrest Covers (100 per case)

AccuFit MRI Breast Coil Disposable Drape Style One

50 per case

Compatible with:

Phillips Achieva 1.5T
Phillips Intera 1.5T
Phillips Achieva 3.0T
Phillips Intera 3.0T
GE Excite 1.5T
GE Excite HD 1.5T
GE Excite HDx 1.5T
GE Signa LX 1.5T

May fit coils other than those listed



Model	Designation	Description
-------	-------------	-------------

BS-1004		AccuFit Breast Coil Drape (50 per case)
---------	---	---

Please Call for a Free Sample.

AccuFit MRI Breast Coil Disposable Cover Style Two

Compatible with:

Siemens 1.5T Avanto/Espree 7 Channel
Siemens 1.5T Symphony 7 Channel
Phillips 1.5T Achieva 7 Channel
Phillips 3.0T SENSE
GE 8 Channel coil
GE 1.5T Excite 7 Channel
GE 3.0T 7 Channel Breast
CP Siemens Breast Array
Insight

May fit coils other than those listed



Model	Designation	Description
-------	-------------	-------------

BS-1007		Breast Coil Drape Style Two (100 per case)
---------	---	--

BS-1008		Breast Coil Drape Style Two (20 per case)
---------	---	---

Multi-Modality Breast Biopsy and Sonographic Trainer

For Ultrasound, Mammography, X-Ray and MRI use.


12cm x 10cm x 9cm (4.7" x 4" x 3.5")

Weight: .4kg(1 lb)

Includes Multi-Modality Breast Biopsy and Sonographic Trainer Phantom, user guide and 6-month warranty

Model	Description
-------	-------------

PH-1020	Breast Biopsy and Sonographic Trainer
---------	---------------------------------------



MReye Breast Lesion Localization Needle and Coil

MReye Breast Localization Needles and Coils are intended for preoperative marking of non-palpable breast lesions, where the localization coil serves as a marker for the surgeon.

MReye Needle and Coil Features:

EchoTip needle ensures increased visibility during ultrasound.

Coil acts as marker after treatment, indicating lesion location.


MR conditional up to 3 tesla.

Specifications:

Needle Gauge: 19.5

Needle Length: 9 CM

Coil Diameter: 4 MM



Model	Description
-------	-------------

BS-2003	MReye Localization Needle and Coil
---------	------------------------------------



MR SAFE



MR CONDITIONAL




MR UNSAFE

view www.MRlequip.com

Are your current MRI supplies certified?

MRlequip.com proudly introduces the first of its kind non-ferromagnetic MRI certified biopsy tray to include both a scalpel and needle. The first biopsy tray significantly reduces your fine institution of liability, when used in the prescribed fashion. Please call for MRI certification for future purchases.



TW-5523



TW-5524, TW-5525

MRI Non-Ferromagnetic “Certified” Biopsy Tray

Featuring a Non-Ferromagnetic Scalpel and Non-Ferromagnetic Needle



SAFETY: MRlequip.com is committed to bring to you the only MRI Non-Ferromagnetic Certified Biopsy Tray. Designed and certified within the guidelines of the new ASTM standards in effect so your facility no longer has to assume the liability for any safety accidents due to items made with ferrous materials.

USAGE FLEXIBILITY WITH LESS WASTE: Based on customer feedback for increased ordering and procedure flexibility you'll note that we packaged the main biopsy components separately as well as in a MRI biopsy tray. Trays can also be used as a MRI localization tray.

UNIQUE DESIGN: MRlequip.com offers the only MRI Non-Ferromagnetic certified disposable scalpel and MRI Non-Ferromagnetic certified needle.

COST EFFECTIVE: This product is a first of its kind. Developed by technologists who perform the procedures. It is cost effective, practical and safe to use. The trays are completely sterile and disposable.

MR Conditional to: 3-Tesla

The trays have a 2 year expiration date.

Tray Contents:

- | | |
|---|---|
| 1 5cc syringe luer lock | 1 Betadine swabs (pkg 3) |
| 2 10cc syringe luer lock | 1 sterile pen with ruler (to write on labels) |
| 1 20cc syringe luer lock | 1 sheet pre-labeled JCAHO required labels |
| 1 20 gauge non-ferromagnetic injection needle 9cm | 1 Alcohol prep |
| 1 #11 blade non-ferromagnetic scalpel with plastic handle | 1 Steri-strip 1/2 x 4 inch (3 per card) |
| 1 plastic forcep fine tip | 1 4oz specimen cup |
| 6 4 x 4's 12 ply | 1 towel 17 x 20 white |
| 2 2 x 2's 12ply | 1 prep tray 10 x 5 x 2 |
| 1 Chloraprep® 3ml | 1 outer tray wrap 30 x 30 |

Model	Description
-------	-------------

BS-1000	MRI Certified Biopsy Tray (10 per case)
---------	---

MRI Non-Magnetic Biopsy Instrument Brushes

Model	Description
-------	-------------

TW-5523	Disposable Instrument Brush. Each Brush is Sterile and Individually Packaged Qty- 12
---------	--

TW-5524	Nylon Bristle Instrument Brush, Autoclavable Qty-3
---------	--

TW-5525	Nylon Bristle Instrument Brush, Autoclavable Qty-12
---------	---

MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and 20g 9cm Needle Tray Kit



Tray Contents:

1 CSR Outer Wrap 28 x 28

1 Prep Tray 10 x 5 x 2

1 MRI "Non-Ferromagnetic" Disposable Titanium #11 Scalpel - This scalpel is safe to use for any interventional procedure for the initial puncture of the skin

1 MRI "Non-Ferromagnetic" Needle 20g 9cm - This needle is completely safe for use as a puncture or injection needle.

Non-Clinical testing demonstrated that this product is MR conditional and can be used in the MRI environment according to the following conditions:

1. Static magnetic of 3-Tesla or less
2. Highest spatial gradient magnetic field of 720-Gauss/cm or less




Model Description

BS-1014 MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit (for use as a puncture or injection needle), **1 of Each**

BS-1015 MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - **Case of 10 Trays**

BS-1016 MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - **Case of 20 Trays**



MRI Non-Magnetic Biopsy Instruments

Fig Model Description

A TW-3012 Titanium Mosquito Clamp, Curved, 5 Inch

B TW-3013 Titanium Webster Needle Holder, 5 Inch

B TW-3014 Titanium Vascular Needle Holder, 7 Inch

C TW-3015 Titanium Metzenbaum Scissors, Curved, 7 Inch

D TW-3016 Titanium Mayo Scissors, Straight, 5.5 Inch

E TW-3017 Titanium Scissors, Lahey, Straight, 6 inch

F TW-3018 Titanium Forceps, Adson, Toothed, 4 3/4 inch

G TW-3019 Titanium Dissector, Penfield #1

G TW-3020 Titanium Dissector Penfield #4

H MT-6003 MRI Scissors



MR SAFE




MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Instruments

Fig	Model	Des.	Description
A	TW-5006		Disposable 5" Dressing Forceps, 10 Per Case
A	TW-5014		Disposable Sterilized 5" Dressing Forceps, 10 Per Case
A	TW-5021		Disposable Sterilized 5" Dressing Forceps, 100 Per Case
B	TW-5000		Disposable 9 1/2" Sponge Forceps, 10 Per Case
B	TW-5008		Disposable Sterilized 9 1/2" Sponge Forceps, 10 Per Case
B	TW-5015		Disposable Sterilized 9 1/2" Sponge Forceps, 100 Per Case
C	TW-5003		Disposable 5 1/4" Straight Hemostat, 10 Per Case
C	TW-5011		Disposable Sterilized 5 1/4" Straight Hemostat, 10 Per Case
C	TW-5018		Disposable Sterilized 5 1/4" Straight Hemostat, 100 Per Case
D	TW-5004		Disposable Foam Nose Clip, 10 Per Case
D	TW-5012		Disposable Sterilized Foam Nose Clip, 10 Per Case
D	TW-5019		Disposable Sterilized Foam Nose Clip, 100 Per Case
E	TW-5005		Disposable 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5013		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5020		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 100 Per Case
F	TW-5002		Disposable 5 1/4" Curved Hemostat, 10 Per Case
F	TW-5010		Disposable Sterilized 5 1/4" Curved Hemostat, 10 Per Case
F	TW-5017		Disposable Sterilized 5 1/4" Curved Hemostat, 100 Per Case
G	TW-5001		Disposable 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5009		Disp. Sterilized 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5016		Disp. Sterilized 5" Non-Perforating Towel Clamp, 100 Per Case
H	TW-7021		8.25" Smooth Straight 1mm tip Titanium Round Bayonet Forceps

MRI Titanium Mayo Scissors

Model	Description
IN-3026	Straight, 150mm-6"
IN-3027	Straight, 170mm-6 3/4"
IN-3028	Straight Blunt-Sharp, 150mm-6"
IN-3029	Curved 150mm-6"
IN-3030	Curved 170mm-6 3/4"

These instruments comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Mayo

MRI Titanium Leriche Hemostatic Forceps

Model	Description
IN-3031	Straight Tip, 150mm-6"
IN-3032	Curved Tip, 1x2" Teeth 150mm-6"
IN-3033	Straight Tip, 1x2" Teeth 150mm-6"
IN-3034	Forceps, Curved Tip, 150mm-6"



Leriche

MRI Titanium Stevens Scissors

Model	Description
IN-3023	Straight/Blunt 110mm-4 1/2"
IN-3024	Curved/Blunt 110mm-4 1/2"



Stevens

MRI Titanium Suture Scissors

Model	Description
IN-3025	Straight, 140mm-5 1/2"



Suture

Color Coded Instrument Marking Tape


Model	Description
IN-1050	No Lettering, 1/4" W X 200" L, Core Size 1" (1 Roll)
IN-1000	No Lettering, 1/4" W X 200" L, Core Size 1" (3 Rolls Per Set)
IN-1051	"MRI" in White Lettering, 1/2" X 500" (1 Roll)
IN-1001	"MRI" in White Lettering, 1/2" X 500" (3 Rolls Per Set)
IN-1052	"MRI" in White Lettering, 3/4" X 500" (1 Roll)
IN-1002	"MRI" in White Lettering, 3/4" X 500" (3 Rolls Per Set)

Dark Green, Autoclavable






The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Potts

MRI Titanium Potts Micro Scissors


Model	Description
IN-3000	Angulated 25(degrees),185mm-7 1/4"
IN-3001	Angulated 45(degrees),185mm-7 1/4"
IN-3002	Angulated 60(degrees),185mm-7 1/4"
IN-3003	Angulated 90(degrees),185mm-7 1/4"
IN-3004	Angulated 130(degrees),185mm-7 1/4"



Malis

MRI Titanium Malis Micro Scissors

Model	Description
IN-3005	Curved Down 220mm-8 5/8"
IN-3006	Curved Up 220mm-8 5/8"
IN-3007	Curved Up, Fine Tip 220mm-5 5/8"
IN-3008	Straight 220mm-8 5/8"
IN-3009	Straight , Fine Tip 220mm-8 5/8"



Adson

MRI Titanium Adson Dissecting Forceps

Model	Description
IN-3010	Without Teeth, 120mm- 4 3/4"
IN-3011	Without Teeth, TCI 120mm- 4 3/4"
IN-3012	With 1x2 Teeth, 120mm- 4 3/4"
IN-3013	With 1x2 Teeth, Delicate 120mm- 4 3/4"
IN-3014	With 1x2 Teeth, TCI Delicate 120mm- 4 3/4"
IN-3015	With 1x2 Teeth, TCC Delicate 120mm- 4 3/4"



Metzenbaum

MRI Titanium Metzenbaum Scissors

Model	Description
IN-3016	Straight 150mm-6"
IN-3017	Straight 180mm-7 1/8"
IN-3018	Straight 230mm-9"
IN-3019	Curved 150mm-6"
IN-3020	Curved 180mm-7 1/8"
IN-3021	Curved, Delicate 180mm-7 1/8"
IN-3022	Curved, 230mm-9"



MRI Single Basin

Stainless steel water basin
with 2" plastic twin wheels.
37" tall, 14" water bowl



Model	Des.	Description
BA-1000		Single Basin



Mayo Stand

Stainless Steel
Adjusts from 31" to 51"
2" twin plastic wheels



Model	Des.	Description
TA-1000		13" x 19" Tray Size

Generation Pink Exam Gloves

The new Generation Pink exam glove uses the patented 3G technology, an advanced polymer formulation that offers outstanding sensitivity with a unique softness and flexibility at a price you love. Don't miss this opportunity to show patients, staff and your community that you support breast cancer awareness.

Latex-Free, 3G vinyl exam gloves

1000 Per Case

Model	Designation	Description
BL-1002		Extra Small
BL-1003		Small
BL-1004		Medium
BL-1005		Large



GentleGuard Latex Powder Free Gloves

Contain less than 50 Micrograms of water soluble protein per gram

Lightly textured finish insures firm grip of instruments

100% Powder Free reduces skin irritation

Layer packed allows for easy dispensing, reduces wrinkles and clumping


Beaded cuff allows for easy donning of glove

High tensile strength creates less chance of tearing

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2001-XS		Extra Small
GL-2001-SM		Small
GL-2001-MD		Medium
GL-2001-LG		Large
GL-2001-XL		Extra Large





Accu-Draw IV Clamp

MRI ACCU-DRAW™ provides one-handed access to non-sterile vials while maintaining sterility. ACCU-DRAW keeps vial labels visible at all times, and angles vials so they can be completely emptied. Made of brass, plastic, and aluminum. How it Works: The durable plastic holder accommodates two single-dose and three multi-dose vials at a time. Clamps onto any table surface. Vials that run out can be replaced with fresh ones at any time during the procedure. You'll know vials are secure because they click and lock into place. Holds vials at the perfect angle, allowing complete emptying and reducing medication waste.

Model	Description
FO-1117	Accu-Draw IV Clamp



MRI Non-Ferromagnetic 3 Gal. Sharps Container

Has a dual-purpose lid, which allows the container to remain open for code situations or in a free-fall position for normal, one-handed operation. Lid features a needle key for safe removal of needles when necessary. Safely stands on table top or cart.



MRI Non-Ferromagnetic 2 Gal. Sharps Container

Provides open access for disposal of a variety of shapes and sizes of sharps, (i.e. needles and syringes, vials, test tubes and glass slides). Lid features a needle key for safe removal of needles when necessary. Can be wall mounted or safely stands on table top or cart.



MRI Non-Ferromagnetic 3 Qt. Sharps Container

The rotating cylinder top permits convenient, one-handed disposal of sharps. The rotating lid automatically drops needles and syringes in a horizontal position to maximize capacity. Lid remains closed when not in use. A built-in needle key permits the safe removal of needles when necessary. Units lock onto a wall bracket and are removed with a master bracket key.



Wall Safe Bracket for SH-1014 with Key



Wall Safe Bracket for SH-1016 with Key

Model	Designation	Description
SH-1015	MR	3 Gallon (6 Per Case)
SH-1014	MR	2 Gallon (5 Per Case)
SH-1016	MR	3 Quart (6 Per Case)
SH-1019	MR	Wall Safe with Key for SH-1014
SH-1018	MR	Wall Safe with Key for SH-1016

High Capacity Storage Bin with Shelves

Storage bins are an easy and affordable way to organize your lab. Bins are ready to use; no assembly required. Attractive design instantly improves lab appearance. 14 adjustable dividers to create the right sized bins for your supplies. Two shelves to store bottle, gloves or other larger items. This supply bin is 24" long, 20" tall and 10" deep. Bright white PVC plastic makes the area look clean and supplies stand out for easy use. Durable PVC construction with smooth, non-scratching surface. Mounting tape included and holds 8-10lbs. Optional, hinged lids come in multiple colors, choose from below.

Model	Description
PC-1017	Storage Bin



Glove Box Holders

Made of white styrene plastic construction that is tough and durable. Affordable and patient friendly way to encourage safety within the MRI environment. Wall mountable with double sided tape included. **These are only single glove box holders, but double and triple holders are also available in all designs please call for pricing on them.**
Size: 10.75" x 5.5" x 3.88"

Model	Description
PC-1520	Sea Turtle Glove Box Holder
PC-1521	Pelican Glove Box Holder
PC-1522	Seagull Glove Box Holder
PC-1523	Cat Lovers Glove Box Holder
PC-1524	Dog Lovers Glove Box Holder
PC-1525	Dolphin Glove Box Holder



Side Loading Acrylic Glove Box Holders

Right or left filling. These glove box holders are perfect for your organized lab. Available in three different configurations. The compartments are designed to fit most types of glove boxes. Prefabricated holes make mounting this holder in your lab easy. Holds 8-10lbs, mounting tape not included.

Model	Description
PC-1504	Single, 1 Compartment 5.6" x 10.4" x 4.4"
PC-1503	Double, 2 Compartments 10" x 10.4" x 4.4"
AC-1015	Glove Box Insert



PC-1504


PC-1503



AC-1015

DuoFLEX®

Multipurpose and efficient. Work smarter.



Administrators

INVEST IN YOUR BOTTOM LINE

Replace multiple costly coils with one DuoFLEX® Coil Suite. DuoFLEX® extends the life of your MRI equipment, increases productivity, and delivers a quantifiable ROI. You will measurably – and cost effectively – improve efficiency and the standard of care for your patients.



Technologists

FREE YOUR IMAGINATION

Spend less time between scans replacing and preparing different surface coils and produce more high-quality, diagnostic images. The DuoFLEX® Coil Suite is flexible enough to scan any body part without causing patient discomfort. If you can imagine it, you can scan it.



Radiologists

SEE THE DIFFERENCE

Deliver definitive diagnosis on sub-optimal anatomy and hard-to-scan patients. The DuoFLEX® Coil Suite acquires the quality images you need time after time, without compromise.



Apparel / Hairnet Dispensers

Keep protective and sanitary apparel in an easy-to-reach location. Can be used for anything from headset covers (**RA-1006**) and shoe covers to wet wipes and goggles. Mounts easily wherever you most need it with tape. Top-loading for easy refilling, Clear acrylic to easily see contents, Center hole for pulling items out.

Model	Description
PC-1027	Small - 8.5" x 11" x 4"
PC-1103	Medium - 15" x 17" x 6"



Large 3-in-1 Acrylic Apparel Dispenser

Keep disposable protective wear where it is needed most. Ear plugs (**RA-1009**), headset covers (**RA-1006**) and eye shades (**RA-6000**) at lab entry way in a wall-mountable dispenser. Acrylic front for easy viewing.

Model	Description
PC-1086	20" wide, 18" tall and 6" deep



OX-1909



OX-1911



OX-1913



OX-1910




OX-1912



OX-1914

MRI Safe Accu-Rate Flowmeters

Model	Description
OX-1909	Oxygen 0-40 LPM Flowmeter with Diss Female Handtight Connector (no flow indicator)
OX-1910	Air 0-40 LPM Flowmeter with Diss Female Handtight Connector (no flow indicator)
OX-1911	Oxygen 0-40 LPM Flowmeter with Chemetron Quick Connect (no flow indicator)
OX-1912	Air 0-40 LPM Flowmeter with Chemetron Quick Connect (no flow indicator)
OX-1913	Oxygen 0-40 LPM Flowmeter with Ohmeda Quick Connect (no flow indicator)
OX-1914	Air 0-40 LPM Flowmeter with Ohmeda Quick Connect (no flow indicator)



Oxygen Regulators / Flowmeter

Model	Description
OX-1021	Nut & Nipple Style, 50 PSI Oxygen Regulator (M cylinder)
OX-1020	Yoke Style, 50 PSI Oxygen Regulator
OX-1022	Yoke Style (Most E-Cylinders), 0-15 LPM Regulator w/ Flow Control Knob
OX-1023	Nut & Nipple Style (Most M-Cylinders), 0-15 LPM Regulator w/ Flow Control Knob
OX-1024	Yoke Style, 0-15 LPM Regulator w/ Flow Control Knob, for AIR
OX-2002	Yoke Style, 50 PSI Preset Oxygen Regulator
OX-2003	Yoke Style, 0-15 LPM Regulator w/ Flow Control Knob, for Oxygen
OX-6000	THIS ITEM IS CE CERTIFIED Click Style - Dome Handle, 0-15 LPM Regulator

Quick Connects



Ohmeda



Puritan



Chemtron

OX-1025
OX-1026
OX-1027
OX-1040



OX-1017
OX-1018
OX-1019
OX-1041



Oxygen & Air Flow Meters

Model	Description
OX-1045	Quick Connect for Ohmeda
OX-1046	Quick Connect for Chemtron
OX-1047	Quick Connect for Puritan
OX-1025	Oxygen Flowmeter with DISS Connection
OX-2007	Oxygen Flowmeter with Female Nut & Nipple DISS Connection for M Cylinders
OX-1053	Air Flowmeter, 0-15 LPM, with DISS Inlet Connection
OX-1026	Oxygen Flowmeter with Ohmeda or Hillrom Connection
OX-1055	Air Flowmeter, 0-15 LPM with Ohmeda Quick Connect Inlet
OX-1027	Oxygen Flowmeter with Chemtron Connection
OX-1054	Aluminum Air Flowmeter, 0-15 LPM with Chemtron Connection
OX-1040	Oxygen Flowmeter with Puritan Bennett Connection
OX-1056	Aluminum Air Flowmeter, 0-15 LPM with Puritan Bennett Connection
OX-1017	Manifold with Dual Flowmeters & DISS Connection
OX-1018	Manifold with Dual Flowmeters & Ohmeda Connection
OX-1019	Manifold with Dual Flowmeters & Chemtron Connection
OX-1041	Manifold with Dual Flowmeters & Puritan Bennett Connection




Model # OX-8005
Wall Mount
Cylinder Holder




Model # OX-8006
Free Standing
Cylinder Holder



OX-1011
Wall Mount
Bracket



OX-1014
Check Valve
Manifold



OX-1012
Pole Mount
Bracket

Mounting Brackets

Model	Description
OX-8005	Wall Mount Cylinder Holder
OX-8006	Free Standing Cylinder Holder
OX-1011	Bio Medical Device Blender or Bird Blender, Wall Mount
OX-1012	Bio Medical Device Blender or Bird Blender, Pole Mount
OX-1014	Check Valve Manifold on Wall Mount Bracket 1 Input - 4 Output



Model #
OX-1031





Model #
OX-1057



CGA 540 valve is ok for
MRI use and accepts
nut & nipple regulators

Oxygen Cylinders & Wrenches

Model	Designation	Description
OX-1028		Oxygen E Cylinder, 25" x 4 1/2", Accepts Yoke Regulators
OX-1058		Air E Cylinder, 25" x 4 1/2", Accepts Yoke Regulators
OX-1029		Oxygen M Cylinder, 36 1/4" x 8", Accepts Nut & Nipple Regulators
OX-1031		Small E Cylinder Wrench
OX-1057		E & M Cylinder Wrench

Complete Oxygen Cart

Includes:


E Cylinder

Cart

Cylinder Wrench

Regulator with 0-15 LPM Flowmeter

Fig	Model	Description
A	OX-5000	Round Gauge
B	OX-5001	Tube Gauge
C	OX-5002	Click Style



Oxygen Labels

Oxygen warning stickers, package of 10.

Model	Des.	Description
MT-4014		Oxygen Labels (10 per set)



MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench

Oxygen cart for D or E size cylinders made of aluminum with wheels. Adjustable height handle from 36 1/2" to 40 1/2", Width-wheel to wheel is 11 1/2" and Depth is 10 1/2"

MADE IN USA
1 YR WARRANTY



Model # OX-4502

Model	Des.	Description
OX-4500		MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench
OX-4501		MRI Non-Magnetic Adjustable Oxygen Cart for D or E Cylinder
OX-4502		MRI Click Style Regulator-1/4-25 LPM, CGA-870 Yoke with Barb




Sample Draw O2 Monitor

The Air check O2 Deficiency Monitor is a compact sample draw gas monitoring system that's ideal for the continuous monitoring of inert gas storage areas, confined spaces, and other locations where low oxygen levels may pose a hazard to personnel.

Model	Description
OX-9000	Sample Draw O2 Monitor
OX-9015	24 VDC 1.0 Amp Power Supply - Int.





I.V., Ventilator & Equipment Stands

Model	Designation	Description
IV-1000		2 Hook I.V. Pole, Plastic Base w/ Five Casters, Adjustable Height 59"-88"
IV-1003		4 Hook I.V. Pole, Plastic Base w/ Five Casters, Adjustable Height 59"-88"
IV-1006		2 Hook I.V. Pole, Aluminum Base w/ Five Casters, Adjustable Height 59"-88"
IV-1007		4 Hook I.V. Pole, Aluminum Base w/ Five Casters, Adjustable Height 59"-88"
OX-1007		Magellan & Tau Omni Ventilator Stand w/ Dual D/E Cylinder Holder & Top Tray, Aluminum Base, 1 1/4" Diameter Pole
OX-1008		Ventilator Stand w/ Dual D/E Cylinder Holders, Aluminum Base, 60" High, 1 1/4" Diameter Pole
OX-1059		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Casters
OX-1060		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Casters
OX-1061		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Rubber Tips
OX-1062		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Rubber Tips



Model # OX-1005
Cylinder Floor Stand



Model # OX-1006
Wall Mount
Cylinder Holder



Model # OX-1050
Oxygen Stand, 6 Tank



Model # OX-1003
Oxygen Stand, 4 Tank



Model # OX-1000
Stainless Steel Cylinder Cart



Model # OX-1001
Heavy Duty Cylinder Cart
with Bed Hook











Model # OX-1002
Oxygen Cart - Dual Tank



Model # OX-1004
Oxygen Cart - Large Cylinder

Oxygen Cylinder Carts & Stands


Model	Des.	Description
OX-1000		Stainless Steel Oxygen Cart for D or E Cylinders, Adjustable Handle 38½" to 44", 6" Plastic Wheels
OX-1001		Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1002		Dual Tank Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1050		6 Tank Oxygen Stand for D or E Cylinders
OX-1003		4 Tank Aluminum Oxygen Stand for D or E Cylinders, White Powdered Coat Finish
OX-1004		Oxygen Cart with Heavy Duty Bed Hook for M/M60 Cylinders, White Powder Coat Finish
OX-1005		Plastic Floor Cylinder Stand for D or E Cylinders, Impact Resistant, Green
OX-1006		Wall Mount Cylinder Holder for D or E Cylinders, White Epoxy Powder Coated Aluminum



Model # OX-8004
Deluxe Oxygen Cart, M/M60 Cylinders



Model # OX-8003
Oxygen Stand, 6 Tank



Model # OX-8007
Oxygen Cart 8" Dia.
Cylinders



Model # OX-8001
Oxygen Cart - Dual Tank



Model # OX-8002
Aluminum Cart for 4 Cylinders



Model # OX-8000
Aluminum Cylinder Cart

Aluminum Oxygen Cylinder Carts & Stands

Model	Description
OX-8000	Aluminum Oxygen Cart on Wheels for D or E Cylinders, 38" H x 12" W x 10" L
OX-8001	Aluminum Dual Oxygen Cart on Wheels for D or E Cylinders, 38.5" High
OX-8002	4 Tank Aluminum Oxygen Cart for D or E Cylinders, 38.5" H x 13.75" W x 13.25" L
OX-8003	6 Tank Aluminum Oxygen Cart for D or E Cylinders, 40.25" H x 13.75" W x 16.75" L
OX-8004	Deluxe Aluminum Oxygen Cart for M/M60 Cylinders
OX-8007	Aluminum Oxygen Cart on Wheels for M Cylinders, (8" diameter Cylinders) 38" H x 14" W x 13" L

Du-O-Vac Plus, Suction System

0-350 mm hg of suction, 2 each 50 PSI power take off, 500 ml collection canister with built in filter.
Powered by 50 PSI gas source

Model	Description
OX-1049	Hill-Rom Wall Connection
OX-1032	DISS Wall Connection
OX-1033	Ohmeda Wall Connection
OX-1039	Chemtron Wall Connection
OX-1034	Puritan Bennett Wall Connection
OX-1038	10 pack Replacement Canisters, w/ frosted writing strip with 100 ml increments to 500 ml



Replacement Canisters



Du-O-Vac Plus with Regulator and Flowmeter, Suction System

Includes: main body, collection canister, O₂ flowmeter, oxygen regulator.

Model	Description
OX-1037	With Regulator & Flowmeter



Vacuum Slide Wall Bracket for Disposable Suction Canisters

Accepts the plastic rings that hold the disposable suction canisters.

Model	Description
OX-1072	Wall Bracket



Du-O-Vac Plus Code Cart, Suction System

Includes: Du-O Vac Plus, Regulator, Cylinder Cart, E Cylinder Option, 0-15 lpm Flowmeter

Model	Description
OX-1035	With E Cylinder
OX-1036	With Out E Cylinder



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MO-1402
MO-1403

Penlon SC760 MRI Suction Controller

The lightweight plastic design body of the SC760 Suction Controller provides excellent performance with uncompromising safety.

Penlon SC760 MRI Suction Controller features and benefits:

Lightweight construction

0 – 86 kPa high suction range - Ideal for tracheal and bronchial application

Direct or remote connector options - Multiple off the wall mounting options

Supplied with BactiTrap anti-bacterial filter - High performance filter offering central pipeline protection

Vacuum adjustment and separate on/off switch - Simple dual control for maximum performance

MRI Compatible - Can be used in all clinical environments

BactiTrap Anti-bacterial Filters

High Performance anti-contaminate unit for your Vacuum Pipeline System, combining filtration of airborne and droplet borne bacteria with protection from aspirated material overflow

Model	Description
MO-1400	SC760 MRI Suction Controller 6 1/2 FT (2M) Hose
MO-1401	SC760 MRI Suction Controller 13 FT (4M) Hose
MO-1402	BactiTrap Anti-bacterial Filter (Qty 1)
MO-1403	BactiTrap Anti-bacterial Filters (Qty 48)

MRI Non-Magnetic Emergency and Transport Ventilator

The emergency ventilator is designed for caregivers wherever breathing failure emergencies occur: in hospitals, industrial or commercial setting, transport situations, or remote locations. The unit's simplicity, portability, and safety make it the ideal choice for emergency ventilation. A single control for setting the frequency and tidal volume, including a click-stop setting at the recommended adult position, enables rapid set-up in demanding circumstances. Auto/manual controls, a patient demand system, MRI compatibility, and other features provide the means to manage respiratory emergencies.

Technical Specifications:

Tidal Volume and Frequency:

150 ml/25 bpm
300 ml/20 bpm
450 ml/15 bpm
600 ml/12 bpm (detent)
750 ml/11 bpm
900 ml/10 bpm
1050 ml/10 bpm

Flow Range: 11-32 L/min

Air Mix: No

Pressure Relief with Pneumatic Alarm:

40 cm H₂O standard
60 cm H₂O optional when purchased

Dimensions:

Length: 6.69 inches (170 mm)
Width: 3.74 inches (95 mm)
Height: 3.94 inches (100) including patient valve

1 Year Warranty



Model	Description
VE-4004	MRI Non-Magnetic Emergency and Transport Ventilator

MRI Non-Magnetic VentiPac with Integrated Alarms

1 Year Warranty

Designed specifically for use by respiratory therapists, paramedics, and trained emergency personnel. VentiPac enables greater control of breathing parameters. The dual controls allow easy selection of tidal volume and frequency to match your patient's ventilatory requirements. MRI compatibility gives maximum flexibility for transport within the hospital.

Model	Description
VE-4001	VentiPac with Integrated Alarm



MRI Non-Magnetic ParaPac with Integrated Alarms

1 Year Warranty

Designed specifically for use by respiratory therapists, paramedics, and trained emergency personnel. ParaPac enables greater control of breathing parameters. The dual controls allow easy selection of tidal volume and frequency to match your patient's ventilatory requirements. MRI compatibility gives maximum flexibility for transport within the hospital.

Model	Description
VE-4003	ParaPac with Integrated Alarms



MRI Non-Magnetic BabyPac with Integrated Alarms

1 Year Warranty

BabyPac is specially designed to deliver ventilation to small, fragile lungs of patients ranging from neonates through pediatrics up to 20kg with precision and confidence. It has a sophisticated range of ventilation controls including CPAP, variable I:E ratio and variable oxygen concentration. The latter is particularly important in neonatal intensive care and transport since high oxygen concentrations over a prolonged period can be harmful. Baby Vent also incorporates a comprehensive range of alarms.

Model	Description
VE-4005	MRI Non-Magnetic BabyPac



For Technical Specifications on our MRI Ventilators visit www.MRIequip.com
or call 1.866.529.3526 to speak to our Customer Service representatives



MRI Carbon Dioxide Fire Extinguisher

MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B Flammable Liquids and is Electrically Non-Conductive-Wall Hanger Included

5 Year Warranty

All metal Valve Construction

Rust Free Aluminum Cylinder with High Gloss Polyester Powder Paint

Approved for use in MRI Facilities to 7 Tesla

Wall Hanger included

Model	Des.	Description
FE-1008		MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B

ABC Dry Chemical Fire Extinguishers

Attaches to a wall or column with a single fastener (not included). Includes the button hook which allows the extinguisher to rotate nearly 90 degrees in either direction without falling.

Features

Discharge time: 22 seconds and initial range: 10-15 ft.

Made of aluminum and stainless steel

Durable powder coat finish

Labeled per UN1044 requirements

Serviced same as others, per NFPA 10 requirements

Made in the USA from 85%+ domestic materials

ADA, IFC, ANSI A117.1, AODA, and ISO 21542 Compliant

Model	Des.	Description
FE-4000		Dry chemical Fire Extinguisher - 10 Lb capacity
FE-4001		Dry chemical Fire Extinguisher - Slim 3" Profile



FE-4000



FE-4001

De-Ionized Water Fire Extinguisher

The ultimate extinguisher for class A fires, especially where a potential Class C (electrical) hazard exists. The fine spray from the unique misting nozzle provides safety from electrical shock, greatly enhances the cooling and soaking characteristics of the agent and reduces scattering of the burning materials. Unequivocally the best extinguisher for hospital environments, telecommunications facilities and "clean room" manufacturing facilities.

User Friendly:

Wand provides greatest operator safety
Maximum visibility during discharge
No electrical conductivity back to the operator
No thermal or static shock
Minimal training - simplest to use, least expensive agent available

Clean:

No toxicity
No respiratory concerns
De-ionized water extinguishing agent
Exclusive crevice free, butt welded cylinder
Antiseptic white paint finish (easy to clean interior & exterior)
No powder residue

Specifications:

	FE-1004	FE-1000
Capacity	1 3/4 Gallon	2 1/2 Gallon
Application	Hose & Wand	Hose & Wand
U/L Rating	2A:C	2A:C
Extinguishing Height	18 1/2"	24 1/2"
Height with Hose & Wand, Installed in Clips	25"	27 1/2"
Width with Hose & Wand, Installed in Clips	14"	14"
Depth (diameter)	7"	7"
Range (feet)	10'-12'	10'-12'
Discharge Time	72 Seconds	80 Seconds
Standard Bracket	Wall	Wall



FE-1002

Complete Kits

Includes:

2 Bottles De-Ionized Water
1 Fill Adapter






Model	Designation	Description
FE-1006*		1 3/4 Gallon Fire Extinguisher
FE-1003*		2 1/2 Gallon Fire Extinguisher

* Filling requires the use of a nitrogen pressurizing source set at no more than 125 PSI. The Fill Adapter is required for the refilling process and replaces the wand during such process. This will be needed by most professionals to handle the refilling process.

Extinguishers are not shipped filled.

Contact a local filling service near you.

Replacement Components

Model	Designation	Description
FE-1004		1 3/4 Gallon Fire Extinguisher
FE-1000		2 1/2 Gallon Fire Extinguisher
FE-1002		Fill Adapter
FE-1005		Two 1 3/4 Gallon Bottles De-Ionized Water
FE-1001		Two 2 1/2 Gallon Bottles De-Ionized Water

MR Conditional At 7T Or Less

Products from MRlequip Determined to be MR Conditional at 7-T or Less

NISSWA, MN, DECEMBER 21, 2017

MRlequip, an industry leader in innovating non-metallic MR Safe and non-magnetic or weakly magnetic MR Conditional equipment, announces that many of its patient support products have been tested by Dr. Frank G. Shellock. Dr. Shellock is the President of Shellock R & D Services, Inc. and an established MRI safety expert. The results indicated that these products are MR Conditional at 7-T or less.

Using the first clinically approved 7-Tesla MR system (Terra, Siemens Medical Systems), Shellock R & D Services, Inc. examined the magnetic field interaction for each style and type of non-magnetic or weakly magnetic equipment in association with this very-high-field scanner. Dr. Shellock stated, "I am pleased to report that every one of the products that underwent testing, including the relatively larger items such as the stainless steel stretcher, wheelchair, and utility table, passed our test procedures and, thus, are deemed MR Conditional at 7-Tesla or less. Importantly, the items that we tested represent many of the important patient support products that are commonly used in the clinical MRI environment."

"As the first 7-Tesla MRI scanner approved by the Food and Drug Administration hit the market, MRI facilities need to be prepared with new equipment to permit proper patient care in this special setting." Says Erich Schulz, President and Chief Executive Officer of MRlequip. "Today it's necessary to take extra precautions because 7-Tesla MR systems pose more than twice the magnetic field-related issues than the 3-Tesla MR systems."

MRlequip's line of non-metallic, non-magnetic, and weakly magnetic equipment, currently used in MRI facilities around the world, allows for the safe transferring of patients as well as for their proper management within every clinically utilized, MRI suite and includes essential accessories such as oxygen tank holders, gurneys, and IV poles. Determining this equipment to be MR Conditional at 7-T or less allows for their use in the same room as all current FDA approved MRI scanners.



ABOUT MRlequip

MRlequip has been an industry leader in providing non-magnetic MR Safe and MR Conditional equipment for more than 15 years. Working directly with MRI facilities to work on their specific issues, needs and requirements, MRlequip innovates products to work within every MRI setting.

ABOUT SHELLOCK R & D SERVICES, INC.

Shellock R & D Services, Inc. (www.magneticresonancesafetytesting.com and www.mrisafety.com) is the World's most experienced MRI testing company that conducts comprehensive evaluations of implants, devices, objects, and materials. Shellock R & D Services, Inc. has access to MR systems operating from 0.2-Tesla to 7.0-Tesla, including dedicated-extremity and interventional MR systems.

Screening Magnet

Powerful Rare-Earth Handheld Magnet for Magnetic Resonance Screening/Sites:

Magnetic Resonance (MR) professionals must be able to screen patients, devices, and implants for possible ferromagnetic properties prior to allowing them to enter clinical and research magnetic resonance imaging (MRI) environments and magnet rooms (so-called, "Zone III and IV" regions). It has also been proposed that all MR sites have ready access to powerful, more than 1,000 gauss hand held magnets that they can use for such testing purposes. This magnet has been specially designed by experienced clinical and research MR practitioners and leaders in the field of MR safety to meet the needs of busy MR sites. The more than 1,200 gauss magnetic field of the magnet exerts a sufficiently powerful magnetic field to sensitively test even weakly ferromagnetic objects. The magnet itself is also composed of a neodymium - a so-called rare earth magnet - that permits it to lose its strength extremely slowly, at a rate of a 1% loss every 100 years. The recessed magnet in a custom foam-fitted housing, the form fitted handle, and the surface ball bearing mounts allow for ready removal of the magnet - by anyone - should it become inadvertently attached to large ferromagnetic objects, such as oxygen tanks, wheelchairs, etc. The bright red anodized coloring of the magnet housing contrasts well with the silver labeling clearly stating that the magnet is not MR safe and should not be brought into the MR magnet room/Zone IV regions. This magnet was developed in part with the help of **Dr. Emanuel Kanal**, Department of Radiology, University of Pittsburgh Medical School, and is field tested to provide years of reliable MR safety and compatibility testing under typical clinical and research MRI settings. Also optionally available is a foam padded carrying and storage case to protect the magnet between uses.

Specifications:

Weight: 2 lbs

Color: Red, Silver lettering

Magnetic Field Strength: 1,200 gauss

Dimensions: 3 1/2" height x 3" width x 5 1/2" length

Model	Designation	Description
MG-1000		Screening Magnet
MG-1001		Carrying Case



NOT MR SAFE

This product is magnetic

Due to the strength of magnet, only regular ground shipping is available



NOT MR SAFE

This product is magnetic




Ferromagnetic Detection System HALO II Plus MRI Entry System

FerrAlert™ HALO II - Ferromagnetic Detector complies with ACR and JCAHO standards to protect the magnet room against moderate to large size ferromagnetic projectiles. This product significantly helps to protect the investment in the magnet and to avoid a catastrophic accident. FerrAlert™ HALO II ENTRY has been certified by Siemens Medical Solutions for installation and use inside the magnet room for both 1.5T and 3.0T MRI magnets.

Plus System reduces alarm fatigue by sensing direction of personnel and accepts Ferromagnetic Incident Log Manager (F.I.L.M.)

OPERATION:

The Green LED HALO array illuminated around the MRI entrance indicates that the detector is scanning and there are no ferromagnetic threats detected. A Yellow beacon light indicates that a threat is approaching the portal. The Red LED HALO array flashes the entire portal, indicating a major threat such as a ventilator or oxygen cylinder has approached the portal. The greater the threat, the further away the warning is activated.



SPECIFICATIONS:

Dimensions: Height 83" (211cm), Depth 2.25" (5.7cm)
Adjustable Width: 42" (107cm) to 52" (132cm)
Inside Width: 47" (119cm) to 57" (145cm) Outside
Complies with ES60601-1-8 International Standards for Medical Device Alarms
Complies with IEC 60101-1:2005 Medical Device Specifications Requirements
Medical Power Supply: 100 to 240 VAC, 47 to 63 HZ, 42 Watts
Sensitivity: Adjustable
Audio Alarm: In Portal
Photoelectric Beam: Activates Alarm Function mode when moving object enters Portal

Model	Description
MG-2510	HALO II Plus Entry System

The FerrAlert™ Encompass Incident Log Manager

The FerrAlert™ Encompass automatically detects and logs unintended ferromagnetic objects entering Zone IV. It is the only system that provides a photographic stream and does not require manual logging, thus allowing the technologists to perform uninterrupted patient care without wasting time with self-reporting. The data analysis software allows effortless generation of reports for The Joint Commission inspections. It also allows for the analysis of safety trends that can be shared throughout the entire hospital system.

Features:

- Adjustable width 25-52 Inches.
- Sorting of data to identify unintended ferromagnetic objects.
- Easily implemented connectivity and expandability.
- Records images before, during and after the Ferromagnetic threat enters the magnet room.

Model	Description
MG-2516	Encompass Incident Log Manager



GaussAlert Magnetic Field Strength Alarm System

GaussAlert is designed to help keep MR Conditional equipment outside of the MRI exclusion zone. GaussAlert is programmed to alarm when the preset magnetic field strength is exceeded. It produces an attention-getting audio alarm when MR conditional equipment is too close to the MRI magnet. GaussAlert can also be useful as an alert for MR unsafe equipment, such as a crash cart or an emergency resuscitator, which can be kept near, but should not be taken into the MRI magnet room.

See web site for more information.

Model	Description
MG-2504	10 Gauss Threshold
MG-2505	30 Gauss Threshold
MG-2506	100 Gauss Threshold



MRI Hand Held Metal Detector

The PD240C is a Hand Held Metal Detector that combines high reliability and ergonomics with advanced detection and operator signaling features. Deep penetration for weapons and minimum metal targets, effective sensitivity to all alloys, exceeding the latest Security Standards and high immunity to external metal masses are among the main peculiarities of this new device.

Features:

- Programmable Sensitivity
- Long Detection Range
- Extended Continuous Operation Time
- Automatic Low Power Mode during Screening Pauses
- Embedded Long Life Rechargeable Batteries
- Embedded Fast and Reliable Battery Charger: no need of batteries removal
- Dedicated Holder acts as Minimum Space Table Stand
- Operator Functions can be customized by the user through PC GUI and USB

Model	Description
MG-6000	MRI Hand Held Metal Detector



Aegys Techgate MRI Signage System

TechGate allows technologists to focus on the care of patients and efficient room turnaround rather than worrying about anyone entering the MRI room behind them. Easy to use and designed for the MRI environment, TechGate is deployed via push button remote control, providing an immediate physical restriction of access to all unauthorized individuals.

Every day at hospitals and health care facilities around the world, the safety of patients, technologists and medical personnel is put in danger when an MRI environment is accidentally violated by a seemingly innocent intrusion while a procedure is in progress. When MRI warning signs fail, patients and technologists risk physical harm, while priceless equipment is jeopardized for damage or destruction by someone who unknowingly enters an unsecured or open MRI door. There is now a simple and effective way to diminish that risk: TechGate.

Model	Description
MG-6001	Techgate MRI Signage System



2019 Reference Manual for Magnetic Resonance Safety, Implants, and Devices

The Reference Manual for Magnetic Resonance Safety, Implants, and Devices: 2019 Edition is an indispensable textbook for radiologists, MRI technologists, and facility managers. This textbook includes fully updated guidelines and recommendations from the latest information in the peer-reviewed literature as well as documents developed by the International Society for Magnetic Resonance in Medicine (ISMRM), the American College of Radiology (ACR), the Food and Drug Administration (FDA), the National Electrical Manufacturers Association (NEMA), the International Electrotechnical Commission (IEC), the Medical Devices Agency (MDA), and the Institute for Magnetic Resonance, Safety, Education and Research (IMRSE). Features of the 2019 Edition include patient screening forms in English, Spanish and Arab and guidelines for scanning patients with electronically-activated devices.

Section I presents fully updated safety guidelines and recommendations.

Section II has the latest information for implants, devices, and materials tested for the MRI environment.

New information about the use of ferromagnetic detection systems in the MRI environment. An **Appendix** provides website information for a few hundred biomedical companies to facilitate finding the latest company information for implants and devices.

"The List" contains tabulated data for thousands of objects, including products tested at 3-Tesla. The scope of the content covers the full range of implants and devices encountered in patients referred for MRI procedures.

Model	Description
MT-1108-19	2019 Edition Safety Manual

MRI Safety for Non-Professionals DVD

The program "MRI Safety for Non-Professionals" features Dr. Frank Shellock, who is the founder of the Institute for Magnetic Resonance Safety, Education and Research and President of MR Safety Testing Services. This program is intended to educate individuals who may need to enter the MRI environment on a periodic or limited basis, or in a response to an emergency. These individuals may include office workers, custodial staff, transportation personnel, nurses, anesthesiologists, security officers, firefighters, site maintenance workers, patient relatives, visitors and others.

Model	Description
SF-1003	MRI Safety DVD, Spanish & French Subtitles

NON RETURNABLE

Childrens MRI Coloring Book



This activity book will help guide children through the MRI experience with fun filled activities. The idea is to give the child a fun and exciting way to learn about the MRI experience. With the goal of having a more relaxed and calm patient and overall better MRI experience.

Activities Include:

Crossword Puzzles	Maze Challenge
Connect the Dots	Coloring
Photo Hunt	And More!



Model	Des.	Description
CL-2000	MR	50 Coloring Books
CL-2001	MR	100 Coloring Books



MRI Safe - Do Not Remove From MRI Area - Warning Stickers

- Die Cut
- Permanent Adhesive
- Laminated



Available in **Red** or **Green**



Model	Des.	Description
MT-1065		Red - 5 Large, 5 Medium, 5 Small
MT-1092		Green - 5 Large, 5 Medium, 5 Small
MT-1066		Red - 6 Large, 9 Medium, 15 Small
MT-1093		Green - 6 Large, 9 Medium, 15 Small

Multiple quantities available on www.MRlequip.com

DANGER! NOT MRI Safe Warning Stickers

- Die Cut
- Permanent Adhesive
- Laminated

Model	Des.	Description
MT-1105		Red - 5 Large, 5 Medium, 5 Small
MT-1106		Red - 6 Large, 9 Medium, 15 Small



Multiple quantities available on www.MRlequip.com

DANGER! NOT MRI Safe Warning Hang Tags

- Read "DANGER NOT MRI SAFE" White, Red, Black.
- 7" H X 3" W
- Unrippable Vinyl Material.
- Printed on both sides.


Model	Des.	Description
MT-1189		Not MRI Safe Hang Tag
MT-1195		Not MRI Safe Hang Tags, 25
MT-1191		Not MRI Safe Hand Tag - RED
MT-1196		Not MRI Safe Hang Tag - RED, 25



Ferromagnetic Detection Systems Identification

- Clearly Identify your MR Facility Equipment
- Non-Tearable Vinyl or Rigid Plastic
- 6"H x 4"W
- Badge Slot is .125 x 1.5
- Pack of 25

Model	Des.	Description
MT-1950		Vinyl Tag, This Item Passes
MT-1951		Vinyl Tag, This Item Does Not Pass
MT-1952		Plastic Tag, This Item Passes
MT-1953		Plastic Tag, This Item Does Not Pass




MT-1950







MT-1951


MR Safe Stickers

Model	Des.	Description
MT-8006-50		1/2" x 3/4", 50 Pack
MT-8006-100		1/2" x 3/4", 100 Pack
MT-8001-10		1 1/2" x 2", 10 Pack
MT-8001-50		1 1/2" x 2", 50 Pack
MT-8001-100		1 1/2" x 2", 100 Pack
MT-8000-10		3 1/2" x 4", 10 Pack
MT-8000-50		3 1/2" x 4", 50 Pack
MT-8000-100		3 1/2" x 4", 100 Pack

MR Conditional Stickers







Model	Des.	Description
MT-8007-50		1/2" x 3/4", 50 Pack
MT-8007-100		1/2" x 3/4", 100 Pack
MT-8003-10		1 1/2" x 2", 10 Pack
MT-8003-50		1 1/2" x 2", 50 Pack
MT-8003-100		1 1/2" x 2", 100 Pack
MT-8002-10		3 1/2" x 4", 10 Pack
MT-8002-50		3 1/2" x 4", 50 Pack
MT-8002-100		3 1/2" x 4", 100 Pack

Not MR Safe Stickers

Model	Des.	Description
MT-8008-50		1/2" x 3/4", 50 Pack
MT-8008-100		1/2" x 3/4", 100 Pack
MT-8005-10		1 1/2" x 2", 10 Pack
MT-8005-50		1 1/2" x 2", 50 Pack
MT-8005-100		1 1/2" x 2", 100 Pack
MT-8004-10		3 1/2" x 4", 10 Pack
MT-8004-50		3 1/2" x 4", 50 Pack
MT-8004-100		3 1/2" x 4", 100 Pack

Multi-Packs

Multi-packs include many different sizes and styles of stickers.

Model	Des.	Description
MT-8010-SM		3 of Each Style, 27 Total
MT-8010-MD		6 of Each Style, 54 Total
MT-8010-LG		10 of Each Style, 90 Total
MT-8010-XL		20 of Each Style, 180 Total
MT-8011		1/2" x 3/4", 25 of Each Style
MT-8009		1/2" x 3/4", 50 of Each Style



MRI Zone IV 17" Floor Sticker

Reads: DANGER! MRI Zone IV, Screened MRI Patients under constant direct supervision of trained MRI personnel only

17" Diameter

White / Red / Black





Model	Des.	Description
MT-1923		Zone Floor Sticker



8" Round "Danger Restricted Access" Gauss Line Sticker

8" Diameter

White / Red / Black

Model	Des.	Description
MT-2500		5 Gauss Line
MT-2501		10 Gauss Line
MT-2502		30 Gauss Line
MT-2503		100 Gauss Line



Floor Sticker Warning Signs

Size: 3' x 5'

Pressure Sensitive Vinyl, Self adhesive
Laminate is Flextrack, Non-skid

Model	Des.	Description
MT-1128		Powerful Magnet Always On



17" Round MRI Warning Stickers

Model	Des.	Description
MT-1061		17" Diameter Floor Sticker Magnet Always On
MT-1929		17" Diameter Do Not Cross, Magnet Always On



MT-1061

MT-1929

Custom Slip-Guard Floor Stickers

Slip-Guard floor signs are available with your message and symbol/logo.

When ordering, specify size, message, design layout, symbol/logo, background color, 2 color choices and quantity.

Call for Quantity Discounts.

Model	Des.	Description
MT-1018*		8" Diameter, 2 Color Custom Slip-Guard Floor Sticker
MT-1019*		17" Diameter, 2 Color Custom Slip-Guard Floor Sticker



MRI COMPLETED

MRI Completed Labels - 1.875" x .875"

Great for use on patient folders.

Lime Green, Black Lettering



1.875" x .875"

Model	Des.	Description
MT-1400		MRI Completed Labels 500 Per Roll

Danger Powerful Magnet Always On Stickers

*Codes are effective in varying states, contact your local fire dept. for more information.

4" x 8" Stickers in Spanish and English

Model	Des.	Description
MT-1043		4" x 8" English Magnet Is Always On
MT-1116		4" x 8" Reflective , English Magnet Is Always On
MT-1044		4" x 8" Spanish Magnet Is Always On
MT-1117		4" x 8" Reflective , Spanish Magnet Is Always On

Emergency Magnet Quench Button Stickers (Set of 10)

Reads: Emergency Magnet Quench Button, Use only in an Emergency to kill the magnetic field
Yellow and Black 3" x 4"

Model	Des.	Description
MT-1171		Emergency Magnet Quench Button Stickers (10 per set)

Caution, Restricted to Screened MRI Patients & MRI Personnel

Black / Yellow, 4" x 11"

Model	Des.	Description
MT-1166		Sticker
MT-1165		Plastic Sign

Danger, Must Be Accompanied by Trained MRI Personnel

Black, Red and White, 4" x 11"

Model	Des.	Description
MT-1168		Sticker
MT-1167		Plastic Sign

Notice, Approaching MRI Restricted Area

Blue and White, 4" x 11"

Model	Des.	Description
MT-1170		Sticker
MT-1169		Plastic Sign



MRI Sign

"No Food, No Drink, No Cellphone"
Black with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10



MRI Sign

"No Food, No Drink, No Cellphone"
Red with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10



MRI Symbols Sign

(No Watch, No Microphones, No
Pacemaker, No Keys/Scissors, No
Credit Cards, No Fire Extinguisher)
8 X 10, Yellow




Model	Des.	Description
MT-1926		MRI Sign- "No Food, No Drink, No Cellphone" Black
MT-1927		MRI Sign- "No Food, No Drink, No Cellphone" Red
MT-1928		MRI Symbols Sign 8 x 10, Yellow

MRI Warning Sign-English and Spanish Translation

MRI Warning Sign-IF YOU ARE PREGNANT, OR THINK YOU MAY
BE, TELL THE MRI TECHNOLOGIST BEFORE HAVING AN MRI
TAKEN-English and Spanish Translation both included on the sign.
Red with White Lettering. 8" H X 10" W

Model	Description
MT-1156	MRI Warning Sign 8" H X 10" W



MRI Rigid Plastic Signs

MRI Sign, 12" H X 18" W
Rigid Plastic .050
Mounts with tape

MT-1172



MT-1173

Model	Des.	Description
MT-1172		Do Not Enter, MRI Personnel Only
MT-1173		Warning, Entering Magnetic Field Zone

Hanging Equipment Signs

Identify your MR facility equipment with these large plastic placards.
This visual aid ensures technicians to remove magnetic equipment
before entering MR room.

Features:

Plastic
White / Red / Black
8"H x 10"W

Model	Description
MT-1198	Danger Item Magnetic Sign, 8" H X 10" W





MT-1025




MT-1026



MT-1033



MT-1034



Sign Detail of MT-1025 & MT-1026



MT-1041



MT-1042

New codes are requiring facilities to use **Reflective** Warning Stickers and Signs in case of fire or power outage*.

Plastic Signs

12" x 18" Signs in Spanish and English

Hardware is NOT included

Custom Signs Available - Call for More Details

Model	Des.	Description
MT-1025		12" x 18" English - Items Not Allowed
MT-1118		12" x 18" Reflective , English - Items Not Allowed
MT-1026		12" x 18" Spanish - Items Not Allowed
MT-1119		12" x 18" Reflective , Spanish - Items Not Allowed
MT-1136		18" x 24" -Combination of MT-1025 & MT-1026
MT-1033		12" x 18" English - No Unauthorized Entry
MT-1120		12" x 18" Reflective , English - No Unauthorized Entry
MT-1034		12" x 18" Spanish - No Unauthorized Entry
MT-1121		12" x 18" Reflective , Spanish - No Unauthorized Entry
MT-1137		18" x 24" -Combination of MT-1033 & MT-1034
MT-1041		4" x 8" English - Magnet Is Always On
MT-1114		4" x 8" Reflective , English - Magnet Is Always On
MT-1042		4" x 8" Spanish - Magnet Is Always On
MT-1115		4" x 8" Reflective , Spanish - Magnet Is Always On

Split, Swinging Stop Sign

Mounts separately from the door. Even with the door open, the sign continues to block the entrance and then can be pushed through separately.

Hinges are different than pictured

Fits a Standard 48" door opening

Sign is 42" in Diameter

Model	Des.	Description
MT-5000		English
MT-5001		Spanish

For use outside
MR Room

NOT MR SAFE
This product is magnetic

Visit www.MRlequip.com for more specifications.



Retractable Wall Mount Belt Barrier with Belt Receiver

2" Wide/ 7ft 6" long. Satin Black Wall unit finish. Mount to outside of doorway leading into the MRI suite-can only be used if no screening system is in place.

NOT MR SAFE

Model	Des.	Description
RA-1031		Belt Barrier - 2" Wide, 7' 6" Wide
RA-1032		Belt Barrier - 2" Wide, 13' Wide



MRI Lighted Signs

Choose from "MAGNET IN USE", "MAGNET ALWAYS ON" or create a Custom Message. Sign must be hard wired in and comes with a battery backup.

Comes with a spider plate for mounting-can be used on the top, side or back.

Another way of mounting are t-bars when they connect it directly to a junction box.

Size of Sign:

11" W x 9" T x 2-1/4" D

Mounting Bracket:

5-3/4" x 4-1/2" x 1-1/8" Tall



Two Sided and Custom Signs Available - call for pricing.

Model	Des.	Description
MT-1006		Red, "MAGNET IN USE", One Sided
MT-1008		Red, "MAGNET ALWAYS ON", One Sided



MRI Luminous 1 Sided Sign, "Magnet Always On"

9"H X 12"W


Red background with Yellow font

Rounded Corners

3MM Styrene-Glow last

Model	Des.	Description
MT-1138		MRI Luminous Sign





MRI Zone Sign, Zone 1

Aluminum

General Public - White with Black lettering

Model	Des.	Description
MT-1152		10" x 14"
MT-1174		5" x 7"
MT-1250		10" x 14" - Spanish Sign

MRI Zone Sign, Zone 2

Rigid Plastic

Unscreened MRI Patients - White/Blue and Black lettering

Model	Des.	Description
MT-1153		10" x 14"
MT-1175		5" x 7"
MT-1251		10" x 14" - Spanish Sign

MRI Zone Sign, Zone 3

Rigid Plastic

Caution - Screened MRI Patients and Personnel Only

Yellow with Black lettering

Model	Des.	Description
MT-1154		10" x 14"
MT-1176		5" x 7"
MT-1252		10" x 14" - Spanish Sign

MRI Zone Sign, Zone 4

Rigid Plastic

Danger - Screened MRI Patients Under Constant Direct

Supervision of Trained MRI Personnel Only

White/Black/Red with White and Black lettering

Model	Des.	Description
MT-1155		10" x 14"
MT-1177		5" x 7"
MT-1253		10" x 14" - Spanish Sign

MRI Zone Sign, Complete Set

Set of one each of all four Zone Signs

Model	Des.	Description
MT-1160		10" x 14"
MT-1178		5" x 7"
MT-1260		10" x 14" - Spanish Signs


MRI Zone Sign General Diagram

12" High x 18" Wide

White background with black lettering

Rigid plastic with foam tape for hanging

Model	Des.	Description
MT-1161		Zone General Diagram



Yellow Insert Signs

Thumb notch on pocket allows for easy removal of inserts (inserts sold separately)

Brass grommets for easy mounting

Can hold one header and multiple inserts of your choice

Header Insert - 3 1/2" x 8" Inserts - 1 3/4" x 8"

Model	Des.	Description
MT-1180		3 Pocket, 12 1/2" x 8"
MT-1181		5 Pocket, 16 1/2" x 8"



Warning, Controlled Area Sign For Hazardous Gas

Warning, Controlled Area ANSI style sign for hazardous gas.

Thick Plastic Core with Aluminum face

12" X 18"

Pole Mountable

Orange, Black and White

Model	Des.	Description
MT-1139		Hazardous Gas Sign



Insert Sign Headers

3 1/2" x 8"


Model	Des.	Description
MT-1182		CAUTION
MT-1183		DANGER



Insert Sign Inserts

1 3/4" x 8"

Model	Description
MT-1184	"HIGH RADIATION AREA"
MT-1185	"NO ENTRY BY UNAUTHORIZED PERSONNEL"
MT-1186	"RADIATION AREA"
MT-1187	"RESTRICTED AREA"
MT-1188	Customize your own With Minimum Order of 2



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Carpeted Floor Mat and Custom Carpet

MRI floor mat - Magnet is Always On, as shown in picture to the right. Made of indoor material. Carpeted floor mats are now available with your message and symbol/logo. When ordering, specify message, background color, if for indoor or indoor/outdoor use and symbol/logo to be shown on carpet.



Model	Des.	Description
MT-1045		Powerful Magnet Always On
MT-1129		Restricted Area MRI Zone IV
MT-1122		Custom Carpeted Floor Mat



Floor Mat Carpet Warning Sign "Caution! Entering MRI Restricted Area"

3' x 5' Yellow background with black lettering.

Model	Des.	Description
MT-1124		Yellow Floor Mat



MRI Indoor/Outdoor Logo Mats

3' x 5' Vertical or Horizontal Format

Logo Mats offer a superior printing surface for your company logo or promotional message.

Popular messages are UV stable and very durable.

100% Nitrile Rubber Backing resist exposure to grease and animal fats.

Environmentally friendly with 20% recycled Nitrile rubber.

Easiest message mat ever to clean by hosing off, or machine washing.

Beautiful multi-color messages will get everyone's attention promoting plant safety.

Available in vertical and horizontal format.


Model	Description
MT-1200	MRI Indoor/Outdoor Logo Mats, 3x5 Vertical or Horizontal format

Plastic Name Badge Clip

Set of 25, of one color.

Choose yellow, white, red, green, black or royal blue

Model	Des.	Description
BD-2000-CL		Name Badge Clip (25 per case)



"MRI Cleared" Badge-Unrippable

Size: 3" X 4.125"

Use with BD-2000, BD-2001 name badge clips or MT-1800 Lanyards

Model	Des.	Description
BD-2020		Unrippable Vinyl Badge, Case of 25
BD-2001		Uni-Clip Badge Clip, Set of 25



BD-2020



BD-2001

MRI Non-Magnetic Silicone Horizontal ID Badge Holders

Set of 10 of one color (Black, Royal Blue)

Durable, non-metal Silicone construction

Easy functioning slide-in and out protective backer

Holds multiple ID cards or one card and several business cards

Washable

Can be used with the BD-2000 Badge Clips or MT-1800 Lanyards

Model	Des.	Description
BD-3000-CL		MRI Silicone Horizontal ID Badge Holders (10 per set)



Vinyl Event Credential Holders

With slot and chain holes so you can easily attach any lanyard

Welded edges for added durability. Carry your credential, as well as other small items when attending a trade show or event.

Insert size: 3.00" x 4.00"

Model	Des.	Description
BD-2002		25 Per Pack, Black



Lanyard with Breakaway Cord/Bulldog Clip

10 per case - says MRlequip.com unless otherwise specified


Have your name custom imprinted on each lanyard with a minimum order of 100 each.

Model	Des.	Description
MT-1800		Lanyard (10 per case)



Brass Pin for Name Badges

Model	Des.	Description
BD-1002		Brass Pin Only (pack of 10)





Cleaning Wand & Pads Kit

MT-4550 Cleaning Kit Includes:

- 1 wand with disposable pad attached
- 25 additional disposable pads
- 1 32 Oz Pure Hard Surface bottle

Pure Hard Surface Disinfectant

Pure hard surface disinfectant and food contact sanitizer delivers broad spectrum power to eliminate dangerous germs and food borne pathogens in food processing, food preparation and public eating places.

- Fast kill times
- GRAS status as contact biocide
- Eliminates bacteria, viruses and fungi
- 24-Hour residual protection
- Odorless, no skin irritation, non-flammable
- No rinse required
- Ideal for use in food processing, food preparation and hospitality

Model	Des.	Description
MT-4550		MRI Cleaning Kit
MT-4551		Cleaning Wand with 1 Pad
MT-4552		100 Replacement Pads
MT-4553		400 Replacement Pads
MT-4554		800 Replacement Pads
MT-4508		Pure Disinfectant, 32oz Spray Bottle

MagnaWand™ Cleaning Wand

A non-magnetic tool designed specifically to clean and disinfect MRI and CAT scan machines. Finally hospitals will be able to easily clean between patients without losing valuable scanning time.



The cleaning wand reaches inside the MRI magnet bore or CAT scan gantry to clean and disinfect those difficult to reach places in seconds. **Disinfectant cleaner protects against: MRSA, s.aureus, and more**



This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Des.	Description
MT-4500		Kit includes one wand, 25 pads and one 24 oz. bottle of spray disinfectant
MT-4506		Cleaning Pad Dispenser w/30 Pads
MT-4501		100 Cleaning pads
MT-4504		400 Cleaning pads
MT-4505		800 Cleaning pads
MT-4507		MagnaWand Wand Hook
MT-4503		Cleaning wand only



CaviCide Disinfectant Cleaner

Surface Disinfectant/Decontaminant Cleaner CaviCide® is a convenient, ready-to-use, intermediate-level disinfectant which is effective against TB, HBV, viruses (hydrophilic and lipophilic), bacteria (including MRSA and VRE) and fungi. It is safe for all areas of the facility including NICU, operating rooms, isolation rooms, patient care areas and laboratories. CaviCide® is safe for use on non-porous surfaces. It is perfect for cleaning and decontamination of environmental and medical device surfaces

CaviCide is Effective Against:

Mycobacterium tuberculosis var: bovis (BCG)	Kill Time: 5 Min
Staphylococcus aureus	Kill Time: 3 Min
Pseudomonas aeruginosa	Kill Time: 3 Min
Salmonella choleraesuis	Kill Time: 3 Min
Trichophyton mentagrophytes	Kill Time: 3 Min
Methicillin Resistant Staphylococcus aureus (RSA)	Kill Time: 3 Min
Hepatitis B Virus (HBV)	Kill Time: 3 Min
Herpes simplex virus types 1 and 2	Kill Time: 3 Min
Human Immunodeficiency Virus (HIV-1)	Kill Time: 2 Min
Canine parvovirus	Kill Time: 3 Min
Vancomycin Resistant Enterococcus faecalis (VRE)	Kill Time: 3 Min



Model	Description
MT-3001	CaviCide 8 oz. Spray Bottle (case of 12)
MT-3005	CaviCide Wipes 160 per canister (pack of 12)
MT-3006	CaviCide 1 Gallon (each)
MT-3007	CaviCide 24 oz. Spray Bottle (each)

CT Natural Contrast Cleaner-Environmentally Sustainable Cleaner for CT and MRI Contrast Media

Cleans Imaging Contrast spills whether they are fresh, or nasty spills that have built up over time. Spray it on, let it sit for a few seconds, Spray the mop, a “swiffer” type mop works best. then just mop or wipe it up.

Features:

Non-Toxic “Green Formula” is safe for use in all Clinical environments.
CT Natural is an environmentally sustainable cleaner for imaging contrast media.
No oily, sticky, or chalky residue is left behind.

Model	Description
MT-4510	CT Natural Contrast Cleaner (Case of 6)






Non-Magnetic Safety Padlock

Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key
All components are non-sparking and non-magnetic - plastic, copper, brass
1 1/2" wide 1 3/4" tall Xenoy green or red body, plastic shackle w/ 1 1/2" clearance
Designed exclusively for Lockout/Tagout applications
Durable, lightweight, non-conductive Xenoy lock body

Model	Description
PL-1000	Green
PL-1001	Red



Broom/Mop Holders

Model	Description
MT-1916	Stick-On Holder, Single
MT-1917	Green Plastic Holder, Multi



Lobby Dustpan with Broom and Squeegee

The dustpan set has the following advantages: It is stable in both closed and open positions. Holds 0.3 Liters of liquid when in an open position. Due to its capacity it can hold large quantities of waste. Easily separated and can be cleaned in a dishwasher.

Model	Description
MT-1918	Lobby Dustpan with Broom and Squeegee

Mop Handle and Heads

Model	Description
MT-1048	Mop Handle Only
MT-1049	Mop Head Only (6 per case)
MT-1909	Cotton Blend Saddle Loop Mop



Mop/Duster Frame & Handle

70" Extension Pole

Model	Description
MT-7010	18" Frame
MT-7011	24" Frame



Rubbermaid Mop/Duster Frame & Handle

58" Pole, 24" Head has a squeegee

Model	Description
MT-1146	18" Frame
MT-1147	24" Frame



Mop/Duster Pads

5 Per Case

Model	Description
MT-7012	6" x 20" (5 per case)
MT-7013	6" x 26" (5 per case)



Trash Can w/Foot Pedal

This trash can was specifically designed to be utilized in areas where MRI equipment is being used. Cans come in three different sizes and offer hands-free sanitary waste management. **Choose White, Beige, or Red.**

Specifications:

Assists in complying with OSHA regulation;
29 CFR 1910.1030 "Occupational Exposure to Blood borne Pathogens"
Factory Mutual (FM) approved
Tight-fitting, overlapping lid to help contain odors.
Quiet, heavy-duty pedal for hands-free sanitary use.
Tough, puncture-resistant, all-plastic construction.
Easy Wipe Surface

Model	Description
MT-1003-CL	8 Gallon, 16" x 16" x 17" Tall
MT-1004-CL	12 Gallon, 16" x 16" x 24" Tall
MT-1005-CL	18 Gallon, 20" x 16" x 27" Tall



Dust Mop Press Wringer

Will not wring 24" mop head

Specifications:

Height w/casters: 15 1/2"
Width: 13 1/2"
Length: 23 1/2"

Wringer Specifications:

Length: 21 1/2"
Width: 6"

Model	Description
MT-1144	Mop Bucket Press Wringer



MRI Kick Bucket

Specifications:

12 Quart Pail

Model	Des.	Description
KB-2000		Kick Bucket



Mop Pail With Wringer

MRI Non-Magnetic Mop Pail with Wringer Features a divided bucket with a heavy-duty snap-on cone wringer. Wringer slides from side to side accessing both compartments.

Features:

Divided Bucket
Four 2" Casters
15 Quart Bucket

Wringer Specifications:

Works with up to 16 oz. Mop Heads
Mop Head Available MT-1909

Model	Description
MT-1907	Mop Pail With Wringer

Janitorial Cart

This Janitor's cart was specifically designed to be utilized in areas where MRI equipment is being used. The cart is completely non-ferrous and is non-magnetic, so it will not interfere with MRI equipment usage. All components are made from plastics and/or non-ferrous metals (aluminum and stainless steel) to ensure top quality and to be completely nonmagnetic.

Specifications:

55" x 30" x 38"

Grey with yellow 25 gallon vinyl bag

MR Conditional at 3-Tesla or less



Model	Des.	Description
MT-1922		Janitorial Cart

Caution Floor Sign

Twenty-six inch high, easel-type, yellow with a two sided imprint. Accepts barrier chain and common barrier tape for connecting multiple signs and cordoning off an area. Will hang on Janitorial Cart MT-1922

Specifications:

6 Per case, 26" High

Model	Des.	Description
MT-1904		Caution Floor Sign (6 per case)



"Do Not Enter" Floor Cones

Complete Kit Contains:

Set of 2 Cones, 10' of Chain, Lock in Caution Sign (10" x 10") with Exclamation Point

Model	Des.	Description
MT-1612		Complete Kit
MT-1605		"Do Not Enter" Floor Cones
MT-1606		Barrier Chain
MT-1611		Lock in Sign w/Exclamation Point

For more stanchion posts and options please visit www.MRlequip.com





Pliers & Cutters

Fig	Model	Des.	Description
A	TL-1759		7" Diagonal Cutting Pliers
B	TL-1029		7" Long Nose Cutter Pliers
C	TL-1031		6½" - 5/16" Max Pliers
C	TL-1032		8" - ½" Max Pliers
D	TL-1027		10" Groove Joint Pliers, 1½" Max
D	TL-1028		12" Groove Joint Pliers, 2½" Max
E	TL-1521		8½" Side Cutting Pliers, Lineman's



MRI Non-Magnetic Tool Kit for GE Medical System MRI Units

Kit includes:

- 1 - TL-1782 - 8" Adjustable End Wrench
- 1 - TL-1783 - 10" Adjustable End Wrench
- 1 - TL-1032 - Adjustable Combination Pliers, 8" Long 1/2" opening
- 1 - TL-1029 - Long Nose Pliers with Cutter
- 1 - TL-1027 - Groove Joint Pliers, 10" Long 1 1/2" opening
- 1 - TL-1759 - Diagonal Cutting Pliers, 7" Long


Model	Des.	Description
TL-1811		MRI Non-Magnetic Tool Kit



Loctite® Threadlocker 1 each to secure hardware

Model	Description
RP-1152	.34 oz. Bottle
RP-1153	1.69 oz. Bottle

Hammers

Model	Des.	Description
TL-1040		14" Ball Peen, 1.5 lbs
TL-1041		14¼" Ball Peen, 2 lbs
TL-1042		14½" Ball Peen, 2.25 lbs
TL-1043		14½" Ball Peen, 2.75 lbs
TL-1037		14" Claw, .75 lbs
TL-1038		14" Claw, 1 lbs
TL-1039		14" Claw, 1.25 lbs



10 Piece Allen Wrench Set

Set includes one each of the following:

1/16", 5/64", 3/32", 5/32", 7/32", 5/16", 1/8", 3/16", 1/4", 3/8"

Model	Des.	Description
TL-1013		10 Piece Allen Wrench Set



7 Piece Combination Wrench Set

Set includes one each of the following:

3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8"

Model	Des.	Description
TL-1012		7 Piece Combination Set



Allen Wrench Sets

Model	Des.	Description
TL-1722		5 Piece Standard Set, Includes: 9/16", 5/8", 11/16", 3/4", 7/8"
TL-1721		13 Piece Standard Set, Includes: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
TL-1746		4 Piece Metric Set, Includes: 12 mm, 14 mm, 17 mm, 19 mm
TL-1745		9 Piece Metric Set, Includes: 2 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 14 mm



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

3T Safe



Titanium Combination Wrench Sets

Metric

Set includes one each of the following:

10 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm.

S.A.E.

Set includes one each of the following:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2231		6 Piece, Metric Set
TL-2230		7 Piece, S.A.E Set

Titanium Wrench Sets

Metric

Set includes one each of the following:

6 x 7 mm, 8 x 9 mm, 10 x 12 mm, 11 x 13 mm, 13 x 15 mm, 14 x 16 mm, 17 x 19 mm.

S.A.E.

Set includes one each of the following:

7/32" x 1/4", 3/8" x 7/16", 1/2" x 9/16", 1/2 x 11/16"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2232		7 Piece, Metric Set
TL-2233		4 Piece, S.A.E Set

3T Safe



Titanium Hex Key Sets

Metric

Set includes one each of the following:

1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm.

S.A.E.

Set includes one each of the following:

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2234		9 Piece, Metric Set
TL-2235		10 Piece, S.A.E Set

Individual Titanium Pliers, Cutter, Wrench & Wire Stripper


Model	Des.	Description
TL-2122		Needle nose Pliers
TL-2167		Side Cutters
TL-2052		Adjustable Wrench
TL-2168		Wire Strippers

TL-2122

TL-2167

TL-2052

TL-2168



Titanium Phillips 18 Piece T-5 Gyroscan Tool Kit

Includes:

Hex Key Wrenches:	1.5mm, 3mm, 4mm & 5mm
Open End Wrenches:	5x5.5mm, 6x7mm, 8x9mm,
Combination Wrenches:	10mm, 13mm, 17mm & 19mm
Flatside Screwdrivers:	3/32 x 3", 3/16" x 6" & 1/4" x 5"
Also:	Needle Nose Pliers, Folding Ruler, Tweezers and a Case

Model	Des.	Description
TL-2118		18 Piece Phillips Tool Kit



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Titanium Siemens 32 Piece Standard Tool Kit

Includes:

Hex Key Wrenches:	1/16", 3/16", 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm & 10mm
Open End Wrenches:	6x7mm, 8x9mm, 9x11mm, 10x12mm, 13x15mm, 14x16mm, 17x19mm, 18x20mm, 21x22mm, 24x27mm & 30x32mm
Flatside Screwdrivers:	3/32" x 3", 1/8" x 6", 3/16" x 6" & 5/16" x 6"
Phillips Screwdrivers:	#1 x 3", #2 x 6" & #3 x 6"
Also:	Needle Nose Pliers, Side Cutter, Tweezers and a Case

Model	Des.	Description
TL-2243		32 Piece Siemens Tool Kit



Titanium Phillips Screwdriver Set

Set includes one each of the following:

3" blade w/ #0 tip, 3" blade w/ #1 tip, 6" blade w/ #2 tip, 6" blade w/ #3 tip, 1 1/2" blade w/ #2 tip

Model	Des.	Description
TL-2237		5 Piece Phillips Set



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Titanium Standard Screwdriver Set

Set includes one each of the following:







3/32" w/ 6" blade, 1/8" w/ 6" blade, 3/16" w/ 6" blade, 1/4" w/ 8" blade.

Model	Des.	Description
TL-2236		4 Piece Standard Set



Adjustable Pipe Wrench

Aluminum, 3T Safe

Model	Des.	Description
TL-1044		Fits Pipe up to 1"
TL-1045		Fits Pipe up to 1 1/2"
TL-1046		Fits Pipe up to 2"
TL-1047		Fits Pipe up to 2 1/2"
TL-1048		Fits Pipe up to 3 1/2"
TL-1049		Fits Pipe up to 5"





The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Tweezers, 3T Safe

Model	Des.	Description
TL-2222		Titanium Tweezers

Titanium Ruler Set

2 Piece set includes: 6" Ruler and 78" (2m) Folding Fiberglass Ruler

Model	Des.	Description
TL-2242		Ruler Set

Titanium Speed Handle

Model	Des.	Description
TL-2221		3/8" Drive

Bronze Sockets for 1/4" Drive, 1.5T Safe

Metric

Set includes one each of the following:

7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm.

S.A.E.

Set includes one each of the following:

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"

Individual pieces and other sizes available upon request.

Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2239		7 Piece, Metric Set
TL-2238		8 Piece, S.A.E Set

Bronze Sockets for 3/8" Drive, 1.5T Safe

Metric

Set includes one each of the following:

8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm.

S.A.E.

Set includes one each of the following:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2241		8 Piece, Metric Set
TL-2240		8 Piece, S.A.E Set

Bronze Universal Joints

Model	Des.	Description
TL-2216		3/8" Drive

100% non-magnetic • Hypo allergenic • Non-sparking • Rustproof • 45% Lighter than steel
 • Stronger than Stainless Steel • More resistant than chrome Molybdenum • Extremely acid resistant

Titanium Combination Pliers

Model	Des.	Description
TL-2503		Combination Pliers, 160 mm
TL-2504		Combination Pliers, 200 mm



Titanium Long Nose Pliers

Model	Des.	Description
TL-2505		Long Nose Pliers, 180 mm
TL-2506		Long Nose Pliers, 200 mm




Titanium Diagonal Cutting Pliers

Model	Des.	Description
TL-2507		Cutting Pliers, 160 mm



Titanium Crimping Pliers

Model	Des.	Description
TL-2509		Crimping Pliers, 200 mm



Titanium Multi-Position Automatic Pliers

Model	Des.	Description
TL-2511		Multi-Position Pliers, 375 mm



Titanium Slip Joint Pliers

Model	Des.	Description
TL-2513		Slip Joint Pliers, 200 mm



Titanium Circlip Pliers

Model	Des.	Description
TL-2515		Circlip Pliers, 180 mm





These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Reversible Ratchet Handle

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than chrome
Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2500		1/4" Ratchet Handle
TL-2501		3/8" Ratchet Handle
TL-2502		1/2" Ratchet Handle



Titanium Ball Peen Hammer, 450 gr.

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than
chrome Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2514		Ball Peen Hammer



4 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener

Model	Des.	Description
TL-1007		4 Piece Set



6 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener,
#2 Phillips Screwdriver, #10 Groove Joint Pliers

Model	Des.	Description
TL-1008		6 Piece Set



6 Piece Screwdriver Set

Standard Screwdriver, 5/16" Tip, 3" Blade, Standard Screwdriver,
7/16" Tip, 6" Blade, Standard Screwdriver, 25/64" Tip, 8" Blade,
#1 Phillips Screwdriver, #2 Phillips Screwdriver, #3 Phillips Screwdriver

Model	Des.	Description
TL-1010		6 Piece Screwdriver Set

17 Piece Toolkit with Bucket

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 5-3/4" Blade, 12" Groove Joint Pliers, 7" Long Nose Pliers w/Cutters, #3 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 8" Adjustable Wrench, 12" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 1-1/2" x 15", Putty Knife, 9" Crate Opener, 12" Tin Snips, 12" Bung Wrench

Model	Des.	Description
TL-1002		17 Piece Set



16 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, 6-1/2" Combination Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 10" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 2" x 12", 5/16" x 3/8" Box Wrench, 7/16" x 1/2" Box Wrench, 9/16" x 5/8" Box Wrench, 3/4" x 7/8" Box Wrench

Model	Des.	Description
TL-1001		16 Piece Set



11 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 6" Adjustable Wrench, 10" Adjustable Wrench, 8" Adjustable Pipe Wrench. Toolbox color is grey.

Model	Des.	Description
TL-1000		11 Piece Set



Toolbox Color is Grey



Custom Socket Sets Available

Build to your maintenance needs

Ratchets: 1/4", 1/2" and 3/4"

Hinged Wrenches: 1/2" and 3/4"

Extensions: 4" and 17"

Universal Swivel Joints for 1/2" Drive

Please call MRlequip for pricing and more information at 866-529-3526.

SAE Sizes Available: 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 9/16", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8" & 2"

Metric Sizes Available: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 32mm, 36mm, 38mm, 41mm, 46mm, 50mm, 55mm & 60mm



MR SAFE



MR CONDITIONAL



MR UNSAFE


view www.MRlequip.com



Waterproof Case

Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage.

Made Exclusively For MRlequip.com



TL-1980



TL-1980



TL-1981



TL-1981

Non Magnetic Non Sparking Toolkits

Our Non-Magnetic MRI toolkits are tested and meet the requirements by the US government for Non-Magnetic Hand tools. The MRI toolkits are for use in 3T magnets and below, so they are deemed MR Conditional. This enables the non-magnetic tools to be used near sensitive equipment. Waterproof Case 5" Deep is injection molded and utilizes ultra high-strength polypropylene copolymer resin. Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage. It also features a molded-in hinge, patent pending trigger release latch system, a comfortable snap-down rubber over-molded cushion grip handle, and an automatic ambient pressure equalization valve.

Model	Des.	Description
TL-1980		23 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - SAE / Metric
TL-1981		28 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - Metric



Aluminum

Fiberglass

Our versatile ladders can handle a variety of jobs in and around your MRI suite.

MRI LADDERS ARE CUSTOM MADE TO ORDER AND ARE NON-RETURNABLE



A



B



C



D



E

MRI Double Sided Step Stool Ladders

Duty Rating: IAA 375, ANSI Sticker: A14.2

Aluminum
375 lb Weight capacity

Fiberglass
375 lb Weight capacity

Fig	Model	Des.	Description
A	LA-1012		MRI Double Sided Step Stool Ladders, Aluminum, 4 Foot
A	LA-1000		MRI Double Sided Step Stool Ladders, Aluminum, 5 Foot
A	LA-1001		MRI Double Sided Step Stool Ladders, Aluminum, 7 Foot
A	LA-1002		MRI Double Sided Step Stool Ladders, Aluminum, 6 Foot
A	LA-1013		MRI Double Sided Step Stool Ladders, Aluminum, 8 Foot
B	LA-1008		MRI Double Sided Step Stool Ladders, Fiberglass, 4 Foot
B	LA-1009		MRI Double Sided Step Stool Ladders, Fiberglass, 5 Foot
B	LA-1010		MRI Double Sided Step Stool Ladders, Fiberglass, 6 Foot
B	LA-1011		MRI Double Sided Step Stool Ladders, Fiberglass, 7 Foot
B	LA-1014		MRI Double Sided Step Stool Ladders, Fiberglass, 8 Foot
C	LA-1005		16" Non-Folding Stand, Double Climbing Side, Aluminum, 8½ lbs
C	LA-1006		24" Non-Folding Stand, Double Climbing Side, Aluminum, 10 lbs
D	LA-1003		18" Folding Stand, Single Climbing Side, 18" x 8" platform size, Aluminum, 9 lbs
D	LA-1004		24" Folding Stand, Single Climbing Side, 24" x 8" platform size, Aluminum, 11½ lbs
E	LA-1007		Safe Flex Stand 16" High, 8 1/2 lbs, Aluminum, No Intermediate Steps, Flexible



Breast Shield

Today, CT Scans play a critical role in the diagnosis and management of most patients with complex thoracic and cardiopulmonary diseases. As the use of CT imaging increases, however, so does the risk for latent carcinogenic effects of ionizing radiation on radiosensitive tissue including the female breast. The recently redesigned AttenuRad Breast Shield System consists of a thin (1 mm) piece of bismuth impregnated synthetic rubber covering that mounts firmly on an offset quarter inch foam base. The breast shield system offers up to a 57% reduction of radiation exposure during a CT scan without significant changes in image quality, including artifacts and beam hardening effects. The single-piece AttenuRad CT Breast Shield is designed for multiple uses.

Model	Description
MO-3002-MD	Medium Breast Shield
MO-3002-LG	Large Breast Shield

Adult Breast Shield Covers - Case of 10

Fits both **MO-3002-MD** & **MO-3002-LG**.

Plastic, Latex Free Covers comes in a Package of 10

Introducing MRlequip.com's new disposable covering for the Adult Breast Shield System. The new plastic covering is cost-effective alternative to the single-use Adult Breast Shield, reducing the risk of contamination while still providing an artifact and streak-free image.

2 ml thick




Model	Description
MO-3014	Breast Shield Covers (10 per case)



CT Breast Shield System

Studies have indicated that infants and children are as much as 10 times more susceptible to carcinogenesis from radiation than adults. Breast tissue exposed to radiation from CT procedures involving the chest or abdomen is an area of particular concern for young females. The CT Breast Shield System provides significant in-plane breast shielding (57%) for pediatric MDCT, without qualitative or quantitative changes in the CT image. The use of the system's offset foam base gives the shields additional substance and durability, making them easy to use. The use of the elevating foam also decreases the patient's exposure to scattered radiation.



Model	Description
MO-3010	Neonatal (Box of 10)
MO-3011	1 Year Old (Box of 8)
MO-3012	5 Year Old (Box of 6)
MO-3013	10 Year Old (Box of 4)

Thyroid Shields - Case of 10

Positioned over the Adam's Apple, the AttenuRad CT Thyroid shield is designed to provide maximum protection to the radio sensitive thyroid gland. To ensure tight positioning, a curved notch in the center of the shield is placed around the Adam's Apple and an adhesive backing holds the shield firm as the patient breathes and swallows. The AttenuRad CT Thyroid shield, when used for the soft tissues of the neck, is cut to a thickness of 1 mm allowing for a 60% dose savings to the Thyroid.

Model	Description
MO-3001	Thyroid Shield (10 per case)





Eye Shields - Case of 20

The lens of the eye is sensitive to radiation during routine Cranial CT. Patient undergoing routine CT scans of the head are especially vulnerable to complications. The AttenuRad CT Eye Shield is a single-piece bismuth impregnated synthetic rubber covering designed to provide significant protection. The shield molds over the patients nasal bridge with the shielding portions laying flat over the patients closed eyes. Adhesive material ensures a tight seal with minimal air gaps. This shield is cut to a thickness of 1 mm, allowing for 50% dose savings to the eye lens. The AttenuRad CT eye shield, which can be used both for adults and pediatrics, is intended to be a single use product because of potential biological contamination.

Model	Description
MO-3000	Eye Shield (20 per case)



CT Markers, Blue CT Wire Mark

Model	Des.	Description
MA-1030		2.0mm Blue CT Wire Markers (300 per box)
MA-1031		2.3mm Blue CT Wire Markers (110 per box)
MA-1032		4.0mm Blue CT Wire Markers (50 per box)

NOT MR SAFE
This product is magnetic



MRlequip.com proudly introduces a revolutionary patent pending draping system for Stereotactic Tables.


These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.



Accufit Fischer/Siemens Table Drape

25 per Case
CE Certified


Model	Des.	Description
BS-1500		Table Drape (25 per case)



Accufit Fischer/Siemens Autoguide Drape

25 per Case
CE Certified

Model	Des.	Description
BS-1501		Autoguide Drape (25 per case)



Accufit Lorad Table Drape System

Includes table cover and footrest drape
20 per Case
CE Certified

Model	Des.	Description
BS-1502		Lorad Table Drape System (20 per case)



Accufit Lorad Stage Drape System

Includes needle guidance drape, stage drape and control panel cover. The Lorad® Two Piece Stage Drape offers complete coverage including the camera face, stage and needle guide. This option completely protects the patient and the equipment. Worried about MRSA or other bodily fluids? This system is the complete coverage option.

20 per Case
CE Certified

Model	Des.	Description
BS-1503		Lorad Stage Drape System (20 per case)



Accufit Lorad One Piece Stage Drape System

Designed to accommodate the technologist for an easy, quick and cost effective alternative to our BS-1503 Lorad Two Piece Drape System. May be used as a two piece for older systems by tearing the drape at the perforations and attaching on the back of the paddle and the front of the paddle. System also includes the control panel cover.

20 per Case
CE Certified

Model	Des.	Description
BS-1506		Lorad One Piece Stage Drape System (20 per case)



MR Conditional At 7T Or Less

Products from MRlequip Determined to be MR Conditional at 7-T or Less

NISSWA, MN, DECEMBER 21, 2017

MRlequip, an industry leader in innovating non-metallic MR Safe and non-magnetic or weakly magnetic MR Conditional equipment, announces that many of its patient support products have been tested by Dr. Frank G. Shellock. Dr. Shellock is the President of Shellock R & D Services, Inc. and an established MRI safety expert. The results indicated that these products are MR Conditional at 7-T or less.

Using the first clinically approved 7-Tesla MR system (Terra, Siemens Medical Systems), Shellock R & D Services, Inc. examined the magnetic field interaction for each style and type of non-magnetic or weakly magnetic equipment in association with this very-high-field scanner. Dr. Shellock stated, "I am pleased to report that every one of the products that underwent testing, including the relatively larger items such as the stainless steel stretcher, wheelchair, and utility table, passed our test procedures and, thus, are deemed MR Conditional at 7-Tesla or less. Importantly, the items that we tested represent many of the important patient support products that are commonly used in the clinical MRI environment."

"As the first 7-Tesla MRI scanner approved by the Food and Drug Administration hit the market, MRI facilities need to be prepared with new equipment to permit proper patient care in this special setting." Says Erich Schulz, President and Chief Executive Officer of MRlequip. "Today it's necessary to take extra precautions because 7-Tesla MR systems pose more than twice the magnetic field-related issues than the 3-Tesla MR systems."

MRlequip's line of non-metallic, non-magnetic, and weakly magnetic equipment, currently used in MRI facilities around the world, allows for the safe transferring of patients as well as for their proper management within every clinically utilized, MRI suite and includes essential accessories such as oxygen tank holders, gurneys, and IV poles. Determining this equipment to be MR Conditional at 7-T or less allows for their use in the same room as all current FDA approved MRI scanners.



ABOUT MRlequip

MRlequip has been an industry leader in providing non-magnetic MR Safe and MR Conditional equipment for more than 15 years. Working directly with MRI facilities to work on their specific issues, needs and requirements, MRlequip innovates products to work within every MRI setting.

ABOUT SHELLOCK R & D SERVICES, INC.

Shellock R & D Services, Inc. (www.magneticresonancesafetytesting.com and www.mrisafety.com) is the World's most experienced MRI testing company that conducts comprehensive evaluations of implants, devices, objects, and materials. Shellock R & D Services, Inc. has access to MR systems operating from 0.2-Tesla to 7.0-Tesla, including dedicated-extremity and interventional MR systems.

Office Hours:

Monday thru Friday 7:00 am to 4:30 pm (CST)

Terms:

Our terms are NET 45 DAYS on all new and current accounts. C.O.D. if not current. Payments become due 45 days after the invoice date, if the order is complete or not. Shipments will be held if an account contains invoices over 45 days past due. The account will go on permanent C.O.D. when there is a history of past dues. Third party collection fees and legal fees must be paid in full before an account can be reopened.

Freight:

Freight will be prepaid and added to your invoice. Freight charges are part of your invoice and are due accordingly. Freight charges are not discountable.

Proof Of Delivery:

We will provide proof of delivery within 30 days of shipment upon request.

Claims For Damage Or Shortage:

Must be made within 48 hours of receiving. Shipping containers must be kept if shipment is damaged or short.

Shipments Arriving Via LTL Truck (Not UPS Or Fedex Ground):

The packages must be opened and inspected at time of delivery for any concealed damage.

Prices:

All prices are subject to change without notice. Prices reflect single unit cost, except where noted.

Returns:

No item will be accepted for return after 30 days from date of purchase. All returns must be labeled with a return authorization number which can be obtained from our customer service department. Claims for shortage, breakage or any other reason must be made within 48 hours of receipt. Shipping containers must be kept if shipment is damaged or short. All returns are subject to a minimum 15% up to a 35% restocking fee. The customer is responsible for all freight charges incurred.

Custom Products are NOT Returnable.

Cancellation Charges:

Orders may be canceled without charge providing your request is received prior to shipment except custom orders. If the merchandise has been shipped there will be up to a 35% restocking fee, plus all freight charges incurred. Please get cancellation confirmation to avoid these charges.

Other Order Information:

We reserve the right to split shipments. We sell on first come first serve basis. Where available, substitutions will be shipped if the product ordered is not available or discontinued.

Purchase Orders Accepted Via:

E-mail customerservice@mriequip.com

Phone 866-529-3526

Fax 888-433-5174



Hospitals:

No credit application required

Signed company policy agreement form

Standalone Clinics and Physician Owned Offices:

Credit application required

Signed company policy agreement form

Resale Distributors:

Credit application required

Signed company policy agreement form

Provide resale certificate

DUNS # 140786828

Cage: 3M5A0

6248 Bittersweet Lane
Nisswa, MN 56468

Toll Free 866-529-3526

Fax Free 888-433-5174

Purchase Orders Accepted



MRlequip.comTM is proud to announce
that we ship worldwide.



Featuring Great and Friendly Customer Service.
Let us help find what you are looking for.

Presorted Standard
U.S. Postage
Paid
Ripon, WI
Permit No. 100

10G

MRI MACHINE



COIL CARTS

TECHNICIAN'S
DESK



SOUND SYSTEMS PAGES 67-68



WHEELCHAIRS PAGES 1-8.52



STEP STOOLS PAGES 24-25

Visit www.MRlequip.com for many more products and options.