



Optimized and Tailored Care Solutions to Meet the Needs of Kyphotic and Obese Patients. 2



MRI HEADSET COVERS 89



MRI STEP STOOLS 33

YOUR SAFETY IS OUR BUSINESS

At MRlequip.com, our goal is to offer the most extensive selection of MRI products and accessories in the industry.



NON-FERROMAGNETIC EQUIPMENT

MRlequip is proud to offer the largest array of non-ferromagnetic products available in the market today.



FEATURING MRI EQUIPMENT MR CONDITIONAL AT 7T OR LESS

MRlequip.com is proud to introduce MRI products that are MR conditional at 7 Tesla or less. Look for this identification through out the catalog.



MRI STAINLESS STEEL WHEELCHAIR 8



FERROMAGNETIC DETECTION 120



WEIGHTED SANDBAGS 75

What can we do for you?

Upon initial contact we will customize a package based upon the procedures performed as well as the strength, weight capacity and brand of MR system(s) used. We will take into account specific product requests and determine the most cost effective solution to our customers needs. We present a quotation on a full custom package including freight, rather than a pre-packaged kit that is incomplete and contains items that may go unused. We specialize in custom non-ferrous products that may require additional time for production. We will provide the necessary lead time and discuss a final purchase order date that will allow for delivery before a grand opening or re-opening. Once a purchase order has been received, upon the customers request; we may hold all products to be delivered at one time or have it delivered as available. Products in stock at the time of order will be immediately tagged for that order and held until the release date. This eliminates the possibility of a stock item at order date becoming out of stock on the release date. We supply MSDS sheets on pertinent products for our customer's records. Two days before release date, we will contact our customer to verify they're ready for the delivery. If there is a delay in the facilities opening, we will hold the product until needed at no additional charge.

Above all else, we will take that extra step in providing our customers with knowledgeable advice, low prices, on-time delivery and excellent customer service. We recognize that each of these attributes are vital to a smooth transaction and a satisfied customer.

Before ordering, please read our company terms and policies.

Tested and Certified Products

Our core products have been tested and certified for use in rooms with MR Systems operating at 7T or less. All of our products are tested either with a magnet or ferromagnetic detection system.

View www.mrisafety.com for more information on testing products, a list of tested medical implants, safety training, and other important safety information provided by a leader in MR Safety, Frank G. Shellock, Ph.D.

Safety is our Business!

Safety is at the core of everything we do, every single day of the week—it's the foundation of our livelihood. All products in our warehouse are checked on entry and then re-checked on exit. Products drop shipped from our manufacturers directly to your door are brought in randomly and re-tested for safety verification. We also maintain an ongoing partnership with all manufacturers to uphold the highest standards of safety and accurate product designation.

Icon Designation



MR Safe

Any item that poses no known hazards in all MR environments.



MR Conditional

Any item that has been demonstrated to pose no known hazards in a specified MR environment with specified conditions of use. Field conditions that define the specified MR environment include field strength, spatial gradient, dB/dt (time rate of change of the magnetic field), radio frequency (RF) fields, and specific absorption rate (SAR). Additional conditions, including specific configurations of the item, may be required.



MR Unsafe

Any item that is known to pose hazards in all MR environments.

Products **NOT** marked with a designation have been tested under the past methods and are currently being re-evaluated under the new ASTM Standards. Products will be updated continually.



CE Certified

These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Non-Ferromagnetic Items

See Page 57-58 for
Non-Ferromagnetic
Detection Systems

Now, at your fingertips, is a diverse line of Non-Ferrous and PVC products for your MRI environment. MRlequip.com was established to provide the highest quality MRI compatible equipment with price tags significantly lower than the current marketplace. In the past, it was a priority to clear the room of all ferrous materials that pose an immediate risk. Now, a majority of those items can be replaced, in extent saving time and creating a friendlier environment for both the patients and the providers. Beyond the standard items, such as wheelchairs, i.v. poles and stools, a whole new world of products has opened up. Ranging from sound systems to furniture, these products increase patient comfort while decreasing concerns for injury and liability.

At MRlequip.com, we are constantly researching new products and welcome any suggestions you might have. If you can't locate what you require, let us know. Our design teams are ready for their next challenge.

Section	Page	Section	Page	Section	Page
Aluminum Stretchers & Acc	67-68	Laryngoscopes & Blades	93	Sanitation	137-138
Aluminum Wheelchairs & Acc	65-66	Lights	94	Scalpel/Needle Kit	98
Biopsy Tray	97-98	Markers / Needles	74	Scan Bands	79-81
Blood Pressure	70-71	Mayo Stand/Basin	102	Scissors	98-101
Breast Coil Draping	95-96	Medication Carts	47-49	Screening Magnet	119-122
Camera System	82	Medication Cart Accessories	50	Sharps Containers	103
Carts	40-53	Metal Detector	58, 119-122	Sleep Masks	87
Cleaning Wands	137-138	Mop Buckets	140	Sound System Headsets	83-89
Clipboards	136	Multi Use Carts/Linen Carts	49	Sound Systems	83-86
Coil Carts	40-41, 106	MRI Coloring Book	122	Step Stools	33-36, 66
CT Modality	152-154	Multi-Modality Markers	74	Stereotactic Table Drapes	154
Curtains & Tracking	57-62	Neonatal Guards	86	Stethoscopes	73
Doctor Stools	30-32	Neuroimaging Support Sys.	76	Stretchers/Gurneys	19-25, 67-68
Ear Plugs	84	Non-Ferromagnetic Equip.	63-69	Stretchers/Gurney Acc	19-24, 67-68
Electrodes	72-73	Overbed Table	102	Suction	115-116
Equipment Stands	110-114	Oxygen Cylinder Carts & Stands	109-114	Supply Carts	43-49
Ferromagnetic Detection	63-64, 119-122	Oxygen Flowmeters	107-109	Tapes	159
Ferromagnetic Detection ID	124	Oxygen Mounting	109	Titanium Biopsy Instruments	98-101
Fire Extinguishers	117-118	Oxygen Regulators	107-108	Titanium Forceps	100-101
Floor Safety Cones	137	Padlocks	14, 139	Titanium Tools	142-150
Floor Mats/Signs	126, 129-134	Paper Clips	136	TMJ Device	75
Furniture	37-39	Patient Comfort	79-91	Tools	142-150
GaussAlert Alarm System	121	Patient Monitors	82-84	Trash Cans	141
Glove Box Holders	104	Patient Transfer	27-29	Transfer Belt	26
Gloves	104, 156-158	Phantom Cradles	105	Transport Wheelchairs	7
Hampers	55, 56, 69	Positioners/Armboards	76-81, 90	Trays	103
Headset Covers	89	PPE & Supplies	137-140	Utility Carts/Tables	42-49, 106
Identification	124, 135	Prism Glasses	87	Ventilators	115-116
Injection Stand	102	Privacy Curtains	61-62	Ventilator Stands	112-113
Instrument Brushes	97	Privacy Screens	57	Walkers	26, 66
Instruments, Disposable Ins.	97-101	Pulse Oximeter, BP Monitor	71	Walking Aids	26
IV Clamp	103	PVC Carts	51-58	Wall Murals	82
IV Stands	66, 69, 105, 111	PVC Gurneys	24	Water Basin	102
Janitorial Supplies	139-141	Safety Manuals & Videos	122	Wheelchairs	5-12, 65
Kypholift	2	Safety Signs	125-132	Wheelchairs, Bariatrics	11-12
Ladders	151	Safety Stickers	123-125	Wheelchairs Accessories	13-14
Lanyards	135	Sand Bags	75	Wheelchairs Parts	15-18
				Zone Signs/Diagrams	129-132

Specialized MRI Catalogs!

Call to request your copy today or e-mail
your request to cs@MRlequip.com



Product Parts Catalog



Pediatric Products



Disposable Products



Non-Ferromagnetic Products



Toll Free: 866-529-3526 Fax Free: 888-433-5174
6248 Bittersweet Lane Nisswa, MN 56468

Office Hours:

Monday thru Friday 7:00 am to 4:30 pm (CST)

Terms:

Our terms are NET 45 DAYS on all new and current accounts. C.O.D. if not current. Payments become due 45 days after the invoice date, if the order is complete or not. Shipments will be held if an account contains invoices over 45 days past due. The account will go on permanent C.O.D. when there is a history of past dues. Third party collection fees and legal fees must be paid in full before an account can be reopened.

Freight:

Freight will be prepaid and added to your invoice. Freight charges are part of your invoice and are due accordingly. Freight charges are not discountable.

Proof Of Delivery:

We will provide proof of delivery within 30 days of shipment upon request.

Claims For Damage Or Shortage:

Must be made within 48 hours of receiving. Shipping containers must be kept if shipment is damaged or short.

Shipments Arriving Via LTL Truck (Not UPS Or Fedex Ground):

The packages must be opened and inspected at time of delivery for any concealed damage.

Prices:

All prices are subject to change without notice. Prices reflect single unit cost, except where noted.

Returns:

No item will be accepted for return after 30 days from date of purchase. All returns must be labeled with a return authorization number which can be obtained from our customer service department. Claims for shortage, breakage or any other reason must be made within 48 hours of receipt. Shipping containers must be kept if shipment is damaged or short. All returns are subject to a minimum 15% up to a 35% restocking fee. The customer is responsible for all freight charges incurred.

Custom Products are NOT Returnable.

Cancellation Charges:

Orders may be canceled without charge providing your request is received prior to shipment, except custom orders. If the merchandise has been shipped, there will be up to a 35% restocking fee, plus all freight charges incurred. Please get cancellation confirmation to avoid these charges.

Other Order Information:

We reserve the right to split shipments. We sell on first come first serve basis. Where available, substitutions will be shipped if the product ordered is not available or discontinued.

Purchase Orders Accepted Via:

E-mail customerservice@mriequip.com

Phone 866-529-3526

Fax 888-433-5174

**Hospitals:**

No credit application required
Signed company policy agreement form

Standalone Clinics and Physician Owned Offices:

Credit application required
Signed company policy agreement form

Resale Distributors:

Credit application required
Signed company policy agreement form
Provide resale certificate

DUNS # 140786828

Cage: 3M5A0

Company Policy



MRI KyphoLift

Elevating patients, elevating care.

- MRI conditional 3T or less
- Foot pump & carrying case must remain outside of the 200 gauss line
- Please view the KyphoLift on MRlequip.com for additional information.



WITHOUT KYPHOLIFT



WITH KYPHOLIFT

Kypholift; the safe method for “no lift” care. Elevating patients, elevating care.

Difficulty in properly positioning kyphotic and obese patients can extend MRI scan times and reduce overall operational efficiency, creating scheduling delays and increased costs and liability for healthcare facilities.

KyphoLift



KyphoLift revolutionizes patient throughput in Radiology, reducing “non-value” added time. Patient centered care is designed into KyphoLift for safe and optimal results.

Empowering a single technologist to deliver efficient “no-lift” care, especially in limited-staff and on-call situations. We focus on ensuring patient comfort by using stable platforms that keep the patient’s center of gravity as close to the imaging table as possible.


By optimizing value-added time, we aim to create efficient, predictable, and compassionate outcomes while minimizing lifting liabilities for care teams.

KyphoWedge interlocking-height adjustable 7 Pad System use with Kypholift

The KyphoWedge kit is the perfect leg positioner for any use. With an interlocking adjustable height system, you can set any patient in the perfect position. Also prevent burns and leg movement with the KyphoWedge kit with straps and comfort pads.

KyphoWedge Kit Includes:

- 1 Knee Wedge Pad
- 3 Height Adjustment Blocks
- 3 Burn Prevention Comfort Pads
- 1 Leg Stabilizing Strap
- 1 Carrying Case



Model	Des.	Description
FO-7130		MRI KyphoLift
FO-7133		MRI KyphoWedge Kit



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Danger Restricted Access Area Door Sign

The New MRI Danger Restricted Access Area is a critical safety measure for any facility operating Magnetic Resonance Imaging (MRI) equipment. Crafted from durable materials, this sign is designed to withstand the demands of a busy medical environment while maintaining high visibility. 24" Wide x 36" Tall

Model	Des.	Description
MT-5005-VL		Vinyl Sticker
MT-5005-PL		Plastic
MT-5005-RE		Reflective



MRI Danger Restricted Access Floor Sticker


MRI Danger Restricted Access Floor Sticker (Coming Soon) is a critical safety measure for any facility operating Magnetic Resonance Imaging (MRI) equipment. Crafted from durable materials, this sign is designed to withstand the demands of a busy medical environment while maintaining high visibility.

Model	Des.	Description
MT-5006		24" x 42"



MRI Swinging Stop Sign

MRI Stop Sign is a cafe-style door that is always closed, so the sign is always readily viewable by people entering the room. The sign swings in and out, and returns to a closed position every time it is used. Constructed of the highest grade anti-microbial, opaque red polymer with non-magnetic hinges and screws. The Safety Stop sign is 42" in diameter and fits a standard 48" door opening.

Model	Des.	Description
MT-5000		English
MT-5001		Spanish

MRI Conditional ABS 5 Drawer Cabinet

MRI Conditional ABS 5 Drawer Cabinets are meticulously crafted to offer both functionality and safety in MRI environments. This cabinet is specifically designed to meet the strict requirements of MRI suites, ensuring compatibility with magnetic resonance imaging equipment while providing ample storage space for essential supplies.

MRI ABS 5 Drawer Cabinet Features:

- 2 - 5" Locking casters
- 2 - 5" Non-Locking Casters
- Cart Weight: 105lbs
- MRI Conditional



Model	Des.	Description
TA-1470		40"H x 37"W x 21"D





MRI Non-Ferromagnetic Step Stools New

MRI Non-Ferromagnetic Step Stools offer a safe, durable solution for MRI environments. Designed with high-quality, non-ferrous materials, they provide stability and security during patient procedures while ensuring compatibility with MRI safety standards.

Single Step Stool Features: Double Step Stool Features:

- | | |
|-------------------------------------|-------------------------------------|
| 16"W x 12"D x 39"H | 16"W x 23"D x 47 1/2"H |
| 8.5" Per step | 8.5" per step |
| Weight Capacity 550 lb. | 41" sturdy handrail |
| Anti-slip tape applied to each step | Weight capacity 550 lb. |
| MRI safe | Anti-slip tape applied to each step |
| No metal fasteners | MR safe |
| Sturdy handrail | No metal fasteners |

Model	Des.	Description
SS-1015		16"W x 12"D x 39"H
SS-1016		16"W x 23"D x 47 1/2"H



Large Sanitary Head Set Covers

Fits models RA-1013, RA-1001, RA-1002, RA-2003, RA-1057, RA-1061, RA-1062, and RA-1071

Small fits model RA-3505

1000 per case, Available in White or Black

NON RETURNABLE ONCE PACKAGE IS OPENED

Model	Des.	Description
RA-1006		White (1000 per case)
RA-1006		Purchase 1-9 cases
RA-1006		Purchase 10-999 cases
RA-1006		Purchase 1,000+ cases
RA-1058		Black (1000 per case)

RA-1006 Size:
5" Circumference
2 1/2" Band Circumference

RA-1058 Size:
4" Circumference
1 1/2" Band Circumference





Chair With Fixed Footrests

18" Wide

Overall Width: 26"
Wheelchair, With Fixed Footrest
 Removable Full Length Padded Arms
 Fixed Footrests



Back View

See pages 13-18 for wheelchair parts and accessories



Specify Color



Burgundy



Green



Dark Blue

Specifications:

Seat To Floor Height:	19 1/4"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	44" w/footrest
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	44 lbs w/footrest

Weight Capacity: 250 lbs

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Model	Designation	Description
WC-1000		Burgundy Chair With Footrests
WC-5000		Green Chair With Footrests
WC-6000		Dark Blue Chair With Footrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

18" Wide

Overall Width: 26"

Wheelchair, With Flip-Up Arms

Flip-Up Desk Length Padded Arms
Swingaway, Detachable Footrests or
Swingaway, Elevating, Detachable Legrests



Back View

Chair With Footrests



See pages 13-18 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	20"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	31" w/o front rigging
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	40 lbs w/o footrest
Weight Capacity:	250 lbs

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue

Chair With Legrests



Model	Designation	Description
WC-1001		Burgundy Chair With Footrests
WC-1021		Burgundy Chair With Legrests
WC-5001		Green Chair With Footrests
WC-5021		Green Chair With Legrests
WC-6001		Dark Blue Chair With Footrests
WC-6021		Dark Blue Chair With Legrests



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Chair With Footrests



Back View

20" Wide

Overall Width: 25"

Transport Wheelchair

Removable Full Length Padded Arms, Swingaway, Detachable Footrests or Swingaway, Elevating, Detachable Legrests



See pages 13-18 for wheelchair parts and accessories



Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	25"
Overall Depth:	27" w/o front rigging
Seat Depth:	16"
Overall Height:	35.75"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	12.50" x 2.50"
Wheel Locks:	pull to lock
Weight:	45lbs
Weight Capacity:	250 lbs

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue



Chair With Legrests

Model	Designation	Description
WC-1027		Burgundy Chair With Footrests
WC-1028		Burgundy Chair With Legrests
WC-5027		Green Chair With Footrests
WC-5028		Green Chair With Legrests
WC-6027		Dark Blue Chair With Footrests
WC-6028		Dark Blue Chair With Legrests

20" Wide

Overall Width: 28"

Wheelchair, With Full Length Arms

Removable Full Length Padded Arms
Swingaway, Detachable Footrests or
Swingaway, Elevating, Detachable Legrests



Back View



Chair With Footrests



See pages 13-18 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	33" w/o front rigging
Seat Depth:	16"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	250 lbs

Warranty:

5 Years on Frame and Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue

Chair With Legrests



Model	Designation	Description
WC-1004		Burgundy Chair With Footrests
WC-1022		Burgundy Chair With Legrests
WC-5004		Green Chair With Footrests
WC-5022		Green Chair With Legrests
WC-6004		Dark Blue Chair With Footrests
WC-6022		Dark Blue Chair With Legrests



MR SAFE



MR CONDITIONAL



MR UNSAFE



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

view www.MRIequip.com



Chair With Footrests



Back View

22" Wide

Overall Width: 30"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



See pages 13-18 for wheelchair parts and accessories



Specifications:

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	33" w/o front rigging
Seat Depth:	18"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	350 lbs


Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue



Chair With Legrests

Model	Designation	Description
WC-1002		Burgundy Chair With Footrests
WC-1023		Burgundy Chair With Legrests
WC-5002		Green Chair With Footrests
WC-5023		Green Chair With Legrests
WC-6002		Dark Blue Chair With Footrests
WC-6023		Dark Blue Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

24" Wide

Overall Width: 32"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Back View

Chair With Footrests



See pages 13-18 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	32"
Overall Depth:	33" w/o front rigging
Seat Depth:	18"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	350 lbs

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue

Model	Designation	Description
WC-1024	⚠	Burgundy Chair With Footrests
WC-1025	⚠	Burgundy Chair With Legrests
WC-5024	⚠	Green Chair With Footrests
WC-5025	⚠	Green Chair With Legrests
WC-6024	⚠	Dark Blue Chair With Footrests
WC-6025	⚠	Dark Blue Chair With Legrests

Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Chair With Footrests



Back View

24" Wide

Overall Width: 33"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



See pages 13-18 for wheelchair parts and accessories



Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	33"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	58 lbs w/o footrest
Weight Capacity:	550 lbs

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue



Chair With Legrests

Model	Designation	Description
WC-1029		Burgundy Chair With Footrests
WC-1030		Burgundy Chair With Legrests
WC-5029		Green Chair With Footrests
WC-5030		Green Chair With Legrests
WC-6029		Dark Blue Chair With Footrests
WC-6030		Dark Blue Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

26" Wide

Overall Width: 35"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Back View

Chair With Footrests



See pages 13-18 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	20"
Seat Width:	26"
Overall Width:	35"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	61 lbs w/o footrest

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame and Crossbraces

1 Year on Moving Parts

90 Days on Soft Goods

Specify Color



Burgundy



Green



Dark Blue

Model	Designation	Description
WC-1003		Burgundy Chair With Footrests
WC-1026		Burgundy Chair With Legrests
WC-5003		Green Chair With Footrests
WC-5026		Green Chair With Legrests
WC-6003		Dark Blue Chair With Footrests
WC-6026		Dark Blue Chair With Legrests

Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MR SAFE



MR CONDITIONAL




MR UNSAFE

view www.MRlequip.com

MRI Wheelchair Accessories



A Legrests



D Custom Stenciling

Custom Stenciling, add your company name and/or other info on back of wheelchair



B Anti-Tippers



C Oxygen Tank Holder



E Anti-Theft Clamp






















F

Anti-Theft Bars

Product may differ from picture shown



When ordering wheelchair parts or accessories, please provide serial number if available. If no serial number is provided, parts are non-returnable.

Fig	Model	Des.	Description
A	RP-1110-L-CL RP-1110-R-CL	 	Elevating Legrest for 18" Wide Flip Back Arms, 20" Wide, 22" Wide & 24" Wide Wheelchairs - Choose Color - (10) Burgundy, (50) Green, (60) Blue
A	RP-1112-L-CL RP-1112-R-CL	 	Elevating Legrest for 26" Wide Heavy Duty Wheelchair Choose Color - (10) Burgundy, (50) Green, (60) Blue
B	RP-1053		Anti-Tippers
C	WC-1102		Oxygen Tank Holder MR CONDITIONAL TO 7 TESLA
D	WC-1110		Custom Stenciling (Company Name, etc.)
E	RP-1114		Anti-Theft Clamp for 24" and 26" Wide Heavy Duty Wheelchairs, Set of 2
F	RP-1061-18	  	Anti-Theft Bar for 18" Wheelchairs
G	WC-1100		I.V. Pole MR CONDITIONAL TO 7 TESLA
H	WC-1101		I.V. & Oxygen Tank Holder MR CONDITIONAL TO 7 TESLA
I	PL-1005		MRI Non-Magnetic 15ft Yellow Plastic Chain with Green Padlock
J	PL-1006		MRI Non-Magnetic 15ft Yellow Plastic Chain with Red Padlock
K	RP-1090-18 RP-1090-20 RP-1090-22 RP-1090-24	   	Wheelchair Safety Belt for 18" Wide Chairs Wheelchair Safety Belt for 20" Wide Chairs Wheelchair Safety Belt for 22" Wide Chairs Wheelchair Safety Belt for 24" and 26" Wide Chairs

**A****B****C****D****E****F****G**

MRI Wheelchair Bearings

Fig Model Des. Description

A	RP-1013		Bearing (Plastic Bushing), 1/2" ID x 1-1/16" OD with Flange for Fork / Caster Stem, for MRI Compatible Wheelchairs
B	RP-1011		Bearing (Plastic Bushing), 5/16" ID x 29/32" OD for Front 8" x 1" Wheel, for 18" to 24" Wide Standard MRI Wheelchairs
C	RP-1163		Bearing (Plastic Bushing), 5/16" ID x 7/8" OD for Front 8" x 2" Wheel, for Heavy Duty 24" Wide and 26" Wide MRI Wheelchairs
D	RP-1018		Plastic Bearing for Rear Wheel 7/16" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 18" W and 20" W Wheelchairs
E	RP-1019		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 22" Wide and 24" Wide Wheelchairs
F	RP-1080		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Double Flange, for MRI Compatible 24"W & 26"W HD Wheelchairs
G	RP-1156		Ceramic Ball Bearing for Rear Wheel (5/8" axle), Size: 5/8" ID x 1 1/4" OD with 1-3/8" Flange, for MRI Compatible HD Wheelchairs



Back, Wheelchair Upholstery

Fits **Stainless Steel** Wheelchair Sizes Below
Attaching Hardware Included
Hole Punch, On Sizes Listed Below
From Top to Bottom:
3/4" - 5 1/2" - 5 1/2" - 5 1/2"

Model	W	H
RP-1030-CL	18"	18"
RP-1093-CL	20"	18"
RP-1032-CL	22"	18"
RP-1088-CL	24"	19"

Seat, Wheelchair Upholstery

Fits **Stainless Steel** Wheelchair Sizes Below
Attaching Hardware Included
Hole Punch, On Sizes Listed Below
From Front to Back for 18" and 20" Wide:
2" - 4" - 4" - 4"
From Front to Back for 22" and 24" Wide:
3" - 4" - 4" - 4"

Model	W	D
RP-1028-CL	18"	16"
RP-1094-CL	20"	16"
RP-1029-CL	22"	18"
RP-1089-CL	24"	18"

Back, HD Wheelchair Upholstery

Fits **Stainless Steel** Wheelchair Sizes Below
Attaching Hardware Included
Hole Punch, One on Top, Slides Over Wheelchair Canes

Model	Width	Height
RP-1149-CL	24"	19"
RP-1052-CL	26"	19"

Solid Seat, HD Wheelchair Upholstery

Fits **Stainless Steel** Wheelchair Sizes Below
Attaching Hardware Hooks Included

Model	Width	Depth
RP-1131-CL	22"	20"
RP-1051-CL	24"	20"



Back, Wheelchair Upholstery

Fits **Aluminum** Wheelchair Sizes Below
Attaching Hardware Included
Hole Punch, One on Top, Slides Over Wheelchair Canes

Model	W	H
RP-5017-CL	20"	18"
RP-5018-CL	22"	19"

Seat, Wheelchair Upholstery

Fits **Aluminum** Wheelchair Sizes Below
Attaching Hardware Included
Hole Punch, On Sizes Listed Below
From Front to Back for 20" Wide:
5/8" - 2" - 4 3/4" - 4 3/4" - 3 1/4"
From Front to Back for 22" Wide:
3/4" - 2 1/4" - 4 3/4" - 4 3/4" - 4 3/4"

Model	W	D
RP-5014-CL	20"	16"
RP-5015-CL	22"	18"

Back, HD Wheelchair Upholstery

Fits **Aluminum** Wheelchair Size Below
Attaching Hardware Included
Hole Punch, One on Top, Slides Over Wheelchair Canes


Model	W	H
RP-5019-CL	25"	19"

Solid Seat, HD Wheelchair Upholstery

Fits **Aluminum** Wheelchair Sizes Below
Attaching Aluminum Base Included

Model	W	H
RP-5016-CL	22"	20"

Specify Color





When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.



MRI Wheelchair Parts - Guides, Grips, & Caps - MR Conditional



Fig	Model	Des.	Description
A	RP-1169		Rail Glide, White Plastic for MRI Wheelchairs
B	RP-1167		Seat Guide, Black Plastic for MRI Wheelchairs
C	RP-1168-L RP-1168-R		Seat Guide with Arm Socket, Black Plastic for MRI Wheelchairs Choose Left or Right
D	RP-1081		Brake / Wheel Lock Grip, Black Rubber for MRI Wheelchairs Grip Slot Size: $\frac{5}{8}$ " x $\frac{1}{8}$ "
E	RP-1082		Hand Grip, Black for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
F	RP-1083		Kick Tube Cap, Black Rubber for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
G	RP-1126		Journal Cap, Black Plastic for MRI Wheelchairs Cap Size: $1\frac{13}{64}$ " ID
H	RP-1020-LG		Black Plastic Hub Cap for 18" to 26" Wide Standard MRI Wheelchairs
I	RP-1095-SM		Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs Older Than 2013
J	RP-1154		Foot/Legrest Rubber Bumper Fits: $\frac{3}{4}$ " I.D. Tubing



MRI Wheelchair Parts - Armrest Assembly - MR Conditional



Fig	Model	Des.	Description
A	RP-1046		Button Lock for Removable Arms on MRI Wheelchairs, Stainless Steel Button Size: $\frac{3}{8}$ " Long
B	RP-1099		Release Lever Assembly for Flip Back Arms on MRI Wheelchairs Black Plastic
C	RP-1038-CL		Desk Length Padded Armrest, Hole Spacing: $3\frac{5}{16}$ " Overall Length: $10\frac{1}{4}$ " Brass Inserts Choose Color - (10) Burgundy, (50) Green, (60) Blue
D	RP-1035-CL		Full Length Padded Armrest, Hole Spacing: 9" Overall Length: $14\frac{1}{2}$ " Choose Color - (10) Burgundy, (50) Green, (60) Blue
E	RP-1043		Skirt / Clothing Guard for Desk Length Removable Arms, Stainless Steel Size: $13\frac{1}{4}$ " Long x 6" High
F	RP-1058		Skirt / Clothing Guard for Full Length Removable Arms, Stainless Steel Size: $19\frac{1}{4}$ " Long x 6" High
G	RP-1044-X-CL		Complete Desk Length Flip-Back Arm Assembly w/ Padded Armrest for 18" Wide Wheelchairs, Choose Side / Color - (10) Burgundy, (50) Green, (60) Blue
H	RP-1100-X-CL		Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 18" & 20" Wide Wheelchairs, Choose Side / Color - (10) Burgundy, (50) Green, (60) Blue
I	RP-1063-X-CL		Complete Desk Length Detachable Arm Assembly w/ Padded Armrest for 22" & 24" Wide Wheelchairs, Choose Side / Color - (10) Burgundy, (50) Green, (60) Blue
J	RP-1062-X-CL		Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 24" & 26" Wide HD Wheelchairs, Choose Side / Color: Burgundy - 10 Green - 50 Dark Blue - 60



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.

For model numbers containing a "X", choose left or right.



MRI Wheelchair Parts - Front Rigging - MR Conditional

Specify Color




Fig	Model	Des.	Description
A	RP-1004-X		Clamp-On Style MRI Replacement Extension Tube Assembly & Footrest for 18" Fixed Chair, L or R
B	RP-1000-X		Detachable Swing-Away Footrest w/ Heel Loops for 18" and 20" Wide Wheelchairs, L or R
C	RP-1002-X		Detachable Swing-Away Footrest w/ Heel Loops for 22" & 24" Wide Std. Wheelchairs, L or R
D	RP-1075-X		Detachable Swing-Away Footrest w/ Heel Loops for 24" & 26" Wide HD Wheelchairs, L or R
E	RP-5003-X		Aluminum Detachable Swing-Away Footrest with Heel Loops for Aluminum Wheelchairs, L or R
F	RP-1110-X-CL		Detachable Swing-Away Legrest w/ Calf Pad for 18" to 24" Wide Std. Wheelchairs, L or R, Color
G	RP-1112-X-CL		Detachable Swing-Away Legrest w/ Calf Pad for 24" to 26" Wide HD Wheelchairs, L or R, Color
H	RP-1122		Footplate for Standard 18" to 24" Wheelchairs, Silver Aluminum Heel Loop NOT Included
I	RP-1164		Footplate for Heavy Duty 24" to 26" Wheelchairs, Silver Aluminum Heel Loop NOT Included
J	RP-1007		Heel Loop for Footrest, Universal Fit for L or R, for 18" to 24" Standard Wheelchairs, w/ Hardware
K	RP-1166-X		Heel Loop for Footrest, for 24" to 26" Heavy Duty Wheelchairs, w/ Hardware Choose Side
L	RP-1121-X		Silver Aluminum Footplate and Heel Loop for Standard 18" to 24" Wheelchairs, Choose Side
M	RP-1165-X		Silver Aluminum Footplate and Heel Loop for Heavy Duty 24" to 26" Wheelchairs, Choose Side
N	RP-1115		Locking Kit for Foot/Legrest, Black Plastic, Fits 1/4" Frt. Rigging Pin, Sold in Pr., Allen Wrench Incl.
O	RP-7016		Footplate Tension "O" Ring for Foot / Leg-rests, Black Rubber, Fits all MRI Wheelchairs
P	RP-7017		Screw for Footrest or Legrest Bumper, holds bumper in and prevents footplate from sliding off. Fits All MRI Wheelchairs
Q	RP-1154		Foot/Legrest Bumper, black rubber, Inserts in the end of the footplate tube. Fits: 3/4" I.D. Tubing
R	RP-1068		Foot/Legrest Roller Bumper for HD Front Rigging ONLY, Inserts in the end of the footplate tube, black rubber and plastic
S	RP-1084-CL		Padded Calf Pad for Legrest, Universal, Hole Spacing: 2" Color - (10) Burgundy, (50) Green, (60) Blue

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.



Fits All **Stainless Steel** Wheelchairs

Model	Des.	Side	Price
RP-1025-L		Left	\$43.51 ea.
RP-1025-R		Right	\$43.51 ea.

Determine Left or Right When Sitting In Chair




Fits All **Aluminum** Wheelchairs
















Model	Des.	Side	Price
RP-5000-L		Left	\$56.69 ea.
RP-5000-R		Right	\$56.69 ea.



Rear View



MRI Wheelchair Parts - MR Conditional

Fig	Model	Des.	Description
A	RP-1014		Axle and Nut for 8" Front Wheel on MRI Wheelchairs, Axle Size: 5/16" x 3 1/4" Long
B	RP-1021		7/16" Axle and Nut for 24" Rear Wheel on Standard MRI Wheelchairs, 5" Long
C	RP-1022		5/8" Axle and Nut for 24" Rear Wheel on Heavy Duty MRI Wheelchairs, 5" Long
D	RP-1020		Black Plastic Hub Cap for 18" to 24" Wide Standard MRI Wheelchairs
E	RP-1095		Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs
F	RP-1023		Hand Rim Screws and Spacers for MRI Wheelchairs, includes 8 screws and 8 plastic spacers
G	RP-1117		Vice Tire Setter for Snap-On-Tires, Wheel Sizes: 8", 20", 22", and 24" THIS ITEM IS MAGNETIC
H	RP-1012		Front Fork with Nut, for Standard and Heavy Duty Wheelchairs
I	RP-1010		8" x 1" Front Wheel for 18" to 24" Wide Standard Wheelchairs
J	RP-1048		8" x 2" Front Wheel for 24" and 26" Wide Heavy Duty Wheelchairs
K	RP-1009		8" x 1" Wheel Assembly for 18" to 24" Wide Standard Wheelchairs
L	RP-1047		8" x 2" Wheel Assembly for 24" and 26" Heavy Duty Wheelchairs, with Semi-Pneumatic Wheel
M	RP-1016		24" Rear Wheel Complete for Standard MRI Wheelchairs 18" to 20" Wide, with 7/16" Bearings
N	RP-1017		24" Rear Wheel Complete for Standard MRI Wheelchairs 22" to 24" Wide, with 5/8" Bearings
O	RP-1081		MRI Non-Magnetic Replacement Brake Grip

Fixed Gurneys



ST-2000 5" Casters



Black Fusion Stretcher Pads

Black Fusion stretcher pads offer a sleek design. The fusion material is smooth and comfortable.

Fixed Gurneys

Stainless Steel construction
Drop down side rails
4-5" Total Lock Casters or 2-8" swivel & 2-8" locking casters
Grounding chain
Storage tray
Full surround rubber bumper
Adjustable headrest
3" pad included

Specifications:

Height	30 1/4"
Height with Rails up	42"
Height of Rails	9"
Length	77"
Rail Length	49"
Width:	30"
Storage Tray	22" x 27"
Weight:	100 lbs.
Back Adj. Range	0-75 Degrees
Number of Positions:	11
Weight Capacity:	600 lbs

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Optional Oxygen Holder Available
See page 22



Optional IV Pole Available
See page 22

Fixed Gurneys

Green Stretcher Pads

Green stretcher pads are made with heavy duty naugahyde material. With high resistance to wear and tear this material is best for a long lasting Stretcher pad.



Hand Crank ST-2004

Hand Crank

Our Non-Magnetic heavy duty Fowler Crank provides ease when adjusting head rest with multiple stopping positions.

8" Casters

Our robust heavy duty 8" casters allow for smoother movement. Offering two 8" casters and two 8" locking casters, this is a beneficial upgrade.



ST-2002 5" Casters



ST-2001 8" Casters

Stainless Steel Gurneys / Stretchers With 5" Casters

Model Des. Description

ST-2000		Fixed Gurney, 5" Total Lock Casters, Black Pad
ST-2002		Fixed Gurney, 5" Total Lock Casters, Green Pad
ST-2004		Fixed Gurney, 5" Casters - Includes Crank Assembly, Black Pad
ST-2014		Fixed Gurney, 5" Casters - Includes Crank Assembly, Green Pad

Stainless Steel Gurneys / Stretchers With 8" Casters

Model Des. Description

ST-2001		Fixed Gurney, Two 8" Swivel & Two 8" Locking Casters, Black Pad
ST-2003		Fixed Gurney, Two 8" Swivel & Two 8" Locking Casters, Green Pad
ST-2013		Fixed Gurney, Two 8" Casters & Two 8" Locking Casters - Includes Crank Assembly, Black Pad
ST-2015		Fixed Gurney, Two 8" Casters & Two 8" Locking Casters Includes Crank Assembly, Green Pad



MR SAFE




MR CONDITIONAL



MR UNSAFE


view www.MRlequip.com



Stainless Steel Stretcher Accessories

Fig	Model	Des.	Description
C	ST-2008		Safety Straps, Set of 3
D	ST-2006		Stainless Steel I.V. Pole

Specify Color



Side Rail Pads for MRI Stainless Steel Stretcher

Pad Size - 49"L x 12"H, Sold In Pairs
Custom Sizes Available Upon Request

Model	Des.
ST-2007-CL	

A

B


Stretcher Pad, Burgundy Naugahyde

73½" Long x 23" Wide x 3" Thick

Model Des.

ST-2005-10




Stretcher Pad, Green Naugahyde

73½" Long x 23" Wide x 3" Thick

Model Des.

ST-2005-50



Stretcher Pad, Dark Blue Naugahyde

73½" Long x 23" Wide x 3" Thick

Model Des.

ST-2005-60



Stretcher Pad, Black Fusion

73½" Long x 23" Wide x 3" Thick

Model Des.

ST-2005-46



Oxygen Holder

This non-magnetic MRI Oxygen Holder for MRI Stretcher model ST-2000 is constructed entirely of non-magnetic materials. It is specifically suited for use in MRI rooms. All materials including fasteners are either non-magnetic metals or special polymers.

Fits ST-2000, ST-2001, ST-2002 or ST-2003, ST-2004, ST-2014, ST-2013, and ST-2015 only.

Warranty: 2 years



Model	Des.	Description
ST-2009		Oxygen Holder

Other Replacement Stretcher Pads

Replacement stretcher pads covered with black Sure-Check Fusion III material. Available with square corners or angle cut corners. Stretcher pads are **Non-Returnable**. Custom sizes available



Square Corner Pad

Model	Des.	Description
ST-4000		24" W x 73½" L x 2" T
ST-4001		24" W x 73½" L x 3" T
ST-4002		24" W x 73½" L x 4" T
ST-4003		26" W x 73½" L x 2" T
ST-4004		26" W x 73½" L x 3" T
ST-4005		26" W x 73½" L x 4" T
ST-4006		28" W x 73½" L x 2" T
ST-4007		28" W x 73½" L x 3" T
ST-4008		28" W x 73½" L x 4" T



Cut Corners Pad

Model	Des.	Description
ST-4009		24" W x 73½" L x 2" T
ST-4010		24" W x 73½" L x 3" T
ST-4011		24" W x 73½" L x 4" T
ST-4012		26" W x 73½" L x 2" T
ST-4013		26" W x 73½" L x 3" T
ST-4014		26" W x 73½" L x 4" T
ST-4015		28" W x 73½" L x 2" T
ST-4016		28" W x 73½" L x 3" T
ST-4017		28" W x 73½" L x 4" T

MR Adjustable Height Stretcher, MR Conditional to 7 Tesla



MR Adjustable Height Stretcher, MR Conditional to 7 Tesla

The Trendelenburg Trolley MRI Stretcher accommodates patients and MRI environments with ease. Tested at 7-Tesla, the stretcher features an adjustable backrest-gas-spring assisted-and an upgraded low-maintenance hydraulic dual-pedal pump for added comfort and easier adjustment.

High-quality, non-marking, easy-steer casters and foot-operated brakes allow for ease of mobility, while corner buffering provides added protection. The stretcher comes with a high-density Sure-Check mattress material that wipes clean to reduce the spread of infection, as well as an oxygen-cylinder holder and an IV pole with four fixing points.

Features:

- New wider bed platform.
- Weight Cap 500 lbs.
- Oxygen cylinder holder included.
- Gas spring operated adjustable backrest.
- Finished in hardwearing epoxy powder coating.
- Gas Spring Operated Trendelenberg Feature.
- Stretcher fitted with corner buffering for protection.
- IV pole with four fixing points as standard.

Benefits:

- Hydraulic dual pedal pump for ease of elevation and patient comfort.
- New Folding cot sides meets FDA height requirement for the bed rails.
- New and Improved non-marking Easy Steer low rolling casters and foot operated brakes.
- Flame retardant, Sure-Check Fusion III High Density mattress to prevent the spread of infection.

ST-3054



ST-3055



Warranty:

- 5 Years on Frame
- 1 Year on hydraulics
- 90 Days on Soft Goods & Moving Parts

Model	Designation	Description
ST-3050		MR Adjustable Height Stretcher, MR Conditional to 7 Tesla
ST-3054		IV Pole for MR Adjustable Height Stretcher, MR Conditional to 7 Tesla
ST-3055		O2 Holder for MR Adjustable Height Stretcher, MR Conditional to 7 Tesla

MRI Folding Walkers

18" Wide, Depth 17"

250 lb weight capacity

Warranty: 3 years - excludes tips



Model	Designation	Description
WA-1000		Adult - Height Adj. 32" to 36"
WA-1001		Junior - Height Adj. 28" to 32"



MRI Heavy Duty / Extra Wide Folding Walker

24" Wide, Depth 21"

550 lb weight capacity

Warranty: 3 years - excludes tips

Model	Des	Description
WA-1002		Extra Wide - Height Adj. 32" to 38 1/2"



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

MRI Non-Magnetic Set of 2 Gliders for the MRI Walkers

Durable composite construction ensures long life. Allows walker to slide easily and smoothly over most surfaces. Replaces rubber tip. Fits walkers with 1" OD tubing

Model	Designation	Description
WA-1011		MRI Set of 2 Gliders for the MRI Walkers



5" Adjustable Walker Wheels

Converts folding walker into wheeled walker. 8 height adjustments
For WA-1000 & WA-1001 Only

350 lb weight capacity

Model	Designation	Description
WA-1010		5" Walker Wheels



MRI Non-Magnetic Cane

Wooden canes are made from the finest hardwoods. The cane is kiln-cured for maximum strength. Rubber tips provide additional safety


Specifications:

1" x 36"

250 lb weight capacity



Model	Description
CN-1000-82	MRI Non-Magnetic Cane - Oak
CN-1000-83	MRI Non-Magnetic Cane - Mahogany
CN-1000-86	MRI Non-Magnetic Cane - Walnut



GB-1000



GB-1003

MRI Transfer / Gait Belt

Model	Designation	Description
GB-1000		2" x 60" Transfer/Gait Belt
GB-1003		2" X 80" Safety Belt





TR-1011



TR-1012



TR-1013



TR-1014



TR-1016



TR-1017



TR-1018



TR-1019



TR-1020



TR-1021

Fig.	Model	Des.	Weight Cap	Description
A	TR-1011		300 lbs	MRI Bariatric Transfer Board, 72"L x 32"W x 1/4" Thick, White
B	TR-1012		250 lbs	MRI Bariatric Patient Shifter, 72"L x 38"W x 3/16" Thick, Teal
C	TR-1013		250 lbs	MRI Anti Static Bariatric Patient Shifter, 72"L x 38"W x 3/16" Thick, Black
D	TR-1014		250 lbs	MRI Slide Board Patient Transfer Sheet, 31"L x 23"W x 1/8" Thick, White
E	TR-1016-SM		300 lbs	MRI Plastic Transfer Board, 23"L x 12.5"W x 3/16" Thick, White
E	TR-1016-LG		300 lbs	MRI Plastic Transfer Board, 30"L x 12.5"W x 3/16" Thick, White
F	TR-1017		250 lbs	MRI Curved Banna Trasfer Board, 28"L x 10.5"W x 3/16" Thick,
G	TR-1018-SM		250 lbs	MRI Static Treated Transfer Board, 72"L x 18"W x 3/16" Thick, Aqua
G	TR-1018-LG		250 lbs	MRI Static Treated Transfer Board, 72"L x 22"W x 3/16" Thick, Aqua
H	TR-1019-SM		250 lbs	MRI Anti Static Transfer Board, 72"L 18"W x 3/16" Thick, Charcoal Grey
H	TR-1019-LG		250 lbs	MRI Anti Static Transfer Board, 72"L 22"W x 3/16" Thick, Charcoal Grey
I	TR-1020		250 lbs	MRI Static Treated Transfer Board, 72"L x 22"W x 3/16" Thick, White
J	TR-1021			MRI Transfer Device Storage Rack, 18"L x 2.5"H x 1"D



PVC Body Transfer Board

Specifications:

71" Long x 23 1/2" Wide x 1/4" Thick
Made of high density polyethylene
Weight capacity: 400 lbs

Warranty: 6 Months

Model	Designation	Description
PV-1121		PVC Body Transfer Board



Shockless Shifter

Won't build up a static charge, radiolucent, can't damage electronics, 100% shock protection. Surprise zaps aren't just painful and dangerous for patients, they can jeopardize expensive electronic medical equipment and cause power outages.

Weight Capacity: 350 lbs

Model	Designation	Description
TR-1003		Shifter 18" Wide x 72" Long, Aqua



Bariatric Patient Shifter

Bariatric Shifter makes lateral transfers for patients up to 600 lbs. easier and safer. Reduce caretaker back strain by minimizing friction on transfer services.

Weight capacity: 600 lbs

Must ship by truck

Dimensions: 28" W x 72" L x 3/16"

Features:

Helps reduce back strain

Ergonomic design

Extra wide for better support of excess tissue

Model	Designation	Description
TR-1600		Bariatric Patient Shifter

Patient Wheelchair Transfer Board

12 1/2" Wide x 30" Long

The transfer board bridges the gap between two transfer points.

The board's anti-slip tape enables it to remain immobile during

transfer procedures. The upper side of the board is slick to

allow the patient to slide easily.

Flexible plastic.

The board is radiotranslucent.

Weight Capacity: 300lbs

Warranty:

2 Years

Model	Designation	Description
TR-1010		Transfer Board



Transfer Pivot Disc

Model	Designation	Description
TR-2003		15" Diameter, 400Lbs. Capacity
TR-2004		18" Diameter, 400Lbs. Capacity



MRI Non-Magnetic Slipp Patient Mover

Make efficient use of the patient's weight. Its unique design lets the patient (regardless of size) literally "slip" on a comfortable surface of sealed fluid that reduces normal friction to a minimum.

100% LATEX FREE!

Includes Carrying Case and Instructional Video

Weights Less Than 4 lbs.

*****PLEASE CHOOSE VHS OR DVD FOR INSTRUCTIONAL VIDEO*****

Warranty:

1 Year

Model	Designation	Description
TR-1500		72"x28" Slipp Patient Mover
TR-1501		76"x45" Bariatric Slipp Patient Mover






MRI Pediatric Immobilization Board

MRI Pediatric Immobilization Board is a crucial component in pediatric MRI imaging, designed to offer maximum support and comfort to young patients. This board allows immobilization of infants and children with spinal injuries. The heavy duty nylon cover is durable and will withstand harsh field treatment.

Model	Des	Description
FO-4070		MRI Pediatric Immobilization Board



MRI Pediatric Immobilization Board

MRI Pediatric Immobilization Board is a crucial component in pediatric MRI imaging, designed to offer maximum support and comfort to young patients. This board allows immobilization of infants and children with spinal injuries. The heavy duty nylon cover is durable and will withstand harsh field treatment.

Model	Des	Description
TR-1025-SM		Small
TR-1025-MD		Medium
TR-1025-LG		Large

Friction Reducing Patient Transfer Sheet

Friction reducing patient transfer and re-positioning sheet designed to prevent disabling back injuries to healthcare workers.

Features:

Accessibility

Individually wrapped Z-Sliders fit comfortably in scrub pockets, making it easily accessible when you need it and enhances team compliance by eliminating the need to locate a transfer device.

Restrictions

This item **CANNOT** be left under patients during an MRI or for long periods of time as it can cause damage and tissue breakdown and possibly some artifacts in some imaging modalities.

Model	Des.	Description
TR-1200		Friction Reducing Patient Transfer Sheet



CH-8058



CH-8056



CH-8057



CH-8052



MRI Stools **Warranty:** 5 Years on Frame, 1 Year Moving Parts, 90 Days on Soft Goods

Stainless steel stools with solid non-slip material mounted into recess of stool seat. Seat diameter is 14". Comes with rubber tips or casters. Choose from a fixed height stackable stool or heights that adjust with threaded stem, from 15" to 21" or 21" to 27".

Model	Des.	Description
CH-8058	⚠	Fixed Height Stool w/ Rubber Tips, 18"
CH-8050	⚠	Adjustable Stool w/ Rubber Tips, 15"-21"
CH-8054	⚠	Adjustable Stool w/ 2" Casters, 15"-21"
CH-8051	⚠	Adjustable Stool w/ Rubber Tips, 15"-21" & Back
CH-8055	⚠	Adjustable Stool w/ 2" Casters, 15"-21" & Back
CH-8052	⚠	Adjustable Stool w/ Rubber Tips, 21"-27"
CH-8056	⚠	Adjustable Stool w/ 2" Casters, 21"-27"
CH-8053	⚠	Adjustable Stool w/ Rubber Tips, 21"-27" & Back
CH-8057	⚠	Adjustable Stool w/ 2" Casters, 21"-27" & Back



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Doctor Stools

View our doctor stool options, features and specifications on page 30.



Doctor Stools

Doctor stools are a specialized chair designed for use in magnetic resonance imaging (MRI) rooms. It is typically constructed with non-magnetic materials to ensure compatibility with the MRI environment, allowing doctors to work effectively and comfortably during MRI procedures.



Features:

4" Padded Seat
Burgundy Naugahyde Upholstery
Stainless Steel Construction
5 Leg Design for Maximum Stability
Padded Armrests (on selected models)
2" Dual Wheel Casters (on selected models)
Weight Capacity: 250 lbs

Specifications:

Seat Diameter 15"
Height from Seat to Top of Back 14.5"
Width Between Arm Rests 19"
Weight Capacity: 250 lbs

Warranty:

5 Years on frame
1 Year on Moving Parts
90 Days on Soft Goods



All stools featured on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Adjusts 15" to 21" with Rubber Tips

Burgundy	Green	Blue	Description
CH-8030	CH-9030	CH-6030	Stool w/ Rubber Tips
CH-8031	CH-9031	CH-6031	Stool w/ Rubber Tips & Back
CH-8032	CH-9032	CH-6032	Stool w/ Rubber Tips, Back & Arms



Adjusts 21" to 27" with Rubber Tips

Burgundy	Green	Blue	Description
CH-8033	CH-9033	CH-6033	Stool w/ Rubber Tips
CH-8034	CH-9034	CH-6034	Stool w/ Rubber Tips & Back
CH-8035	CH-9035	CH-6035	Stool w/ Rubber Tips, Back & Arms



Adjusts 16" to 22" with Casters

Burgundy	Green	Blue	Description
CH-8036	CH-9036	CH-6036	Stool w/ Casters
CH-8037	CH-9037	CH-6037	Stool w/ Casters & Back
CH-8038	CH-9038	CH-6038	Stool w/ Casters, Back & Arms



Adjusts 22" to 28" with Casters

Burgundy	Green	Blue	Description
CH-8039	CH-9039	CH-6039	Stool w/ Casters
CH-8040	CH-9040	CH-6040	Stool w/ Casters & Back
CH-8041	CH-9041	CH-6041	Stool w/ Casters, Back & Arms



All Stools are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
CH-8920 	Extra Hardware Set for Stools w/Loctite

Custom Stenciling Option

Customize your doctor stool. Add your facility name, department name or any information you would like.

Model	Description
CH-8914	Custom Stenciling Option





MRI Step Stools

Specifications:

16" Wide x 12" Deep Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Non-Ferromagnetic Step Stools

Features:

Anti-slip tape applied to each step

MRI Safe

No metal fasteners

Weight Capacity: 550 lbs

Model	Des.	Description
SS-1000		Without 41" Handrail
SS-1001		With 41" Handrail

Model	Des.	Description
SS-1015		Single Step Stool
SS-1016		Double Step Stool



MRI Bariatric Step Stool

Specifications:

30" Wide x 12" Deep Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs



Warranty:

5 Years on Frame

90 Days on Soft Goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Des.	Description
SS-1733		Without 41" Handrail
SS-1734		With Single 41" Handrail
SS-1005		With Dual 41" Handrail

More options and sizes of Step Stools available online at www.MRlequip.com, including PVC options with casters and higher weight capacities.

MRI Narrow Double Step Stools

Specifications:

16" Wide X 12" Deep Top Step

16" Wide X 24" Deep Base

Handrail: 47" Tall x 26" Deep

8 1/2" Step Height

Weight: 20 lbs

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



Model	Des.	Description
SS-1007		Narrow Step Stool without Handrail
SS-1008		Narrow Step Stool with Handrail



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

MRI Double Step Stool With 41" Handrail

Specifications:

36" Wide X 12" Deep Top Step

36" Wide X 24" Deep Base

8 1/2" Step Height

Weight: 47 lbs

Weight Capacity: 550 lbs

Warranty:

5 Years on Frame

90 Days on Soft Goods



Model	Des.	Description
SS-1002		With Dual 41" Handrail



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

MRI Bariatric Step Stool - No Handle

MRI safety step stools are 100% aluminum, meaning it's non-ferrous and non-magnetic, a necessity in MRI rooms. Those needing extra support to get on and off the patient table can step safer with our MRI Safety Step.

Features:

8" High

19" L X 15" W Base

Weights 6.5 lbs

Weight Capacity: 1,000 lbs



Model	Des.	Description
SS-1009		MRI Bariatric Step Stool - No Handle



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Safe Polyethylene Step Stool - 1 Step

Polyethylene Step Stool - 1 Step is designed to make your daily tasks easier and safer. Crafted from durable polyethylene, it offers exceptional durability, resistance to chemicals, and long-lasting performance. This step stool is perfect for any environment where a little extra height can make all the difference.

Model	Des	Description
SS-1500		1 Step



MRI Safe Polyethylene Step Stool - 2 Step

Polyethylene Step Stool is the ultimate solution for accessing elevated areas with ease and confidence. Whether you're in the warehouse, the workshop, or MRI suite, this sturdy step stool is your dependable companion. Make your everyday tasks simpler and safer with our Polyethylene Step Stool - 2 Steps. Crafted from durable polyethylene, it offers exceptional longevity, chemical resistance, and enhanced functionality, making it perfect for a variety of environments.

Model	Des	Description
SS-1501		2 Step




MRI Safe Polyethylene Step Stool - 3 Step

Polyethylene Step Stool is your trusted solution for accessing high shelves and elevated areas with convenience and safety. Crafted from durable polyethylene, this step stool is designed for longevity, chemical resistance, and versatile functionality. Upgrade your reach and productivity with the Polyethylene Step Stool with 3 steps. It's a reliable, user-friendly tool designed for safety and practicality. Whether you're a professional tradesperson, a DIY enthusiast, or just need a helping hand at home, you can count on this step stool.

Model	Des	Description
SS-1502		3 Step

MRI Non-Magnetic PVC Single Step Stool

MRI Non-Magnetic PVC Single Step Stool is a crucial addition to any MRI suite, providing a safe and stable platform for patients and staff. Crafted from durable PVC, this step stool is lightweight yet robust, ensuring long-lasting performance without compromising safety. Its non-magnetic properties make it perfectly suited for use in MRI environments, eliminating any risk of interference with sensitive equipment.

Model	Des	Description
PV-1138		Single Step



MRI Non-Magnetic PVC Single Step Stool with 41" Handrail


MRI Non-Magnetic Heavy Duty PVC Step Stool with Handrail ensures safety and stability in MRI environments with its non-magnetic construction, heavy-duty design, and supportive handrail.

Model	Des	Description
PV-1137		Single Step
PV-1139		Heavy Duty



MRI Non-Magnetic PVC Double Step Stool

MRI Non-Magnetic PVC Double Step Stool is a crucial accessory for any MRI suite. Its robust construction and thoughtful design prioritize both safety and functionality. The double steps are reinforced with rubber tips to prevent slipping, and the handrails on both sides provide users with additional stability, making it easier and safer to access higher areas.

Model	Des	Description
PV-1128		Double Step
PV-1157		Double Step



MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request.

Choose from 4 fabric options



24" Standard Chair



29" Wide

Specifications:

Cushion Width: 24"
29" W x 22 1/2" D
Seat Height: 20"
Arm Height: 28"
250 lb Weight Capacity
Warranty: 2 Years

26" Bariatric Chair



31" Wide

Bariatric Chair Specifications:

Cushion Width: 26"
31" W x 22 1/2" D
Seat Height: 20"
Arm Height: 28"
500 lb Weight Capacity
Warranty: 2 Years

16" Pediatric Chair (No Arms)



16" Wide

Specifications:

Cushion Width: 13"
16" W x 14" D
Seat Height: 10"
Burgundy Naugahyde
250 lb Weight Capacity
Warranty: 2 Years

You may supply your own fabric at NO extra charge, except Pediatric Chair

53" Sofa



53" Wide

Specifications:

Cushion Width: 48"
53" W x 24 1/2" D
Seat Height: 20"
Arm Height: 28"
350 lb Weight Capacity
Warranty: 2 Years

Fabric Choices



Model	Des.	Description
FR-1001		29" Wide Standard Chair 24" Inside Width (Between Arms)
FR-1004		31" Wide Bariatric Chair 26" Inside Width (Between Arms)
FR-1005		16" Pediatric Chair, Burgundy Naugahyde
FR-1000		53" Sofa

MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request.



Coffee Table

Specifications:
24" W x 48" L
24" High
Warranty: 2 Years



End Table



End Table Specifications:
22 1/2" W x 22 1/2" L
Table Height: 24"
Warranty: 2 Years

Pediatric Table Solid Oak



Pediatric Table Specifications:
25 1/2" W x 21" L
Table Height: 18"
Warranty: 2 Years

Model	Des.	Description
FR-1002		End Table
FR-1003		Coffee Table
FR-1006		Pediatric Table

Purchase 1 Pediatric Table and
2 Pediatric Chairs SAVE \$50.00



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Indoor/Outdoor Furniture

MRI Indoor/Outdoor Furniture refers to specially designed furniture intended for use in Magnetic Resonance Imaging (MRI) suites within medical facilities. The furniture is constructed to meet the unique requirements of MRI environments, considering both indoor and outdoor areas associated with the suite.



A



B



C



D










E



F



FIG.	Des.	Model	Description	Size: H x W x D
A		FR-1010	MRI Side Round Table	18" x 21" x 21"
B		FR-1011	MRI Side Square Table	18" x 21" x 21"
C		FR-1012	MRI Andure Flex Armchair	34.5" x 26" x 25"
D		FR-1014	MRI Jefferson Chair	35" x 24.5" x 24.5"
E		FR-1018-36	MRI Dining Table Round	36"
E		FR-1018-42	MRI Dining Table Round	42"
F		FR-1019-36	MRI Dining Table Square	36"
F		FR-1019-42	MRI Dining Table Square	42"

MRI Universal Oak Wood Coil Carts

Solid oak coil cart with 5" casters (except 8' carts) must add 5" to height for all carts, casters not available on carts 8' and over. Can be custom made to any size and number of shelves. Bordeaux nylon cover (must be ordered separately) attaches to cart with hook and loop velcro. Top is considered as one of the shelves.



Carts are custom made and non-returnable

Non-Ferromagnetic Casters



2 Shelf



3 Shelf



5 Shelf

FR-2200

FR-2028

Non-Magnetic

Model	Designation	Size: D x H x L	# Of Shelves
FR-2011		2' x 3' x 2'	2
FR-2012		2' x 3' x 3'	2
FR-2013		2' x 3' x 4'	2
FR-2000		2' x 4' x 2'	3
FR-2001		2' x 4' x 3'	3
FR-2002		2' x 4' x 4'	3
FR-2003		2' x 6' x 2'	4
FR-2004		2' x 6' x 3'	4
FR-2005		2' x 6' x 4'	4

Non-Ferromagnetic

FR-2511		2' x 3' x 2'	2
FR-2512		2' x 3' x 3'	2
FR-2513		2' x 3' x 4'	2
FR-2500		2' x 4' x 2'	3
FR-2501		2' x 4' x 3'	3
FR-2502		2' x 4' x 4'	3
FR-2503		2' x 6' x 2'	4
FR-2504		2' x 6' x 3'	4
FR-2505		2' x 6' x 4'	4



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

MRI Solid Oak Shelving













MRI solid oak shelving comes in a variety of sizes. All sizes have 6 legs, with or without casters. The shelves are 2' wide, 3' to 6' in height, and 6' or 8' long. The top is considered as one of the shelves. No Assembly Required

5" Casters



Shelves are custom made and non-returnable
Call For Shipping Information and Pricing



Model	Des.	Size: D x H x L	# Of Shelves	With Casters
FR-2020		2' x 3' x 6'	3	Yes
FR-2021		2' x 4' x 6'	3	Yes
FR-2022		2' x 6' x 6'	3	Yes
FR-2023		2' x 3' x 8'	3	Yes
FR-2024		2' x 4' x 8'	4	Yes
FR-2025		2' x 6' x 8'	4	Yes
FR-2120		2' x 3' x 6'	3	No
FR-2121		2' x 4' x 6'	3	No
FR-2122		2' x 6' x 6'	3	No
FR-2123		2' x 3' x 8'	3	No
FR-2124		2' x 4' x 8'	4	No
FR-2125		2' x 6' x 8'	4	No



A



B



C



D

Tables/Carts with Two Shelves and Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
With Rails 36 3/4" High
Assembly Required

Tables/Carts with Two Shelves and No Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required

Tables/Carts with Top Shelf and Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
With Rails 36 3/4" High
Assembly Required

Tables/Carts with Top Shelf and No Rails

Specifications:

Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required

Fig.	Model	Designation	Description
A	TA-5007		18" x 24" W/O Rails
B	TA-5001		18" x 24" W/ Rails
C	TA-5019		18" x 24"
D	TA-5013		18" x 24"

All carts can be assembled for additional \$50.00.

All Tables are sold complete with hardware. Use hardware kit for replacement hardware.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

MRI CORE DX Cart

White Polyethylene MRI Core DX Lab Cart offers a MRI safe, non-ferrous, efficient way to safely sort, store, organize, lock and transport a wide variety of supplies. It has 3 full extension drawers, shelves and bulk storage features. Document and tool holder snaps on back. Constructed from tough, non-reactive polyethylene and ABS this lab cart glides smoothly on 4 heavy duty 3 inch non-marking rubber casters. The small footprint Core DX allows it to be stored easily out of the way. Push and Pull with comfortable built-in handles.



- Features:
- Organizes and stores project supplies
 - Economical MRI Safe cart
 - Polyethylene and ABS plastic construction
 - 3 full extension drawers
 - Drawer: 12 3/4" W x 3 5/8" H x 15 7/8" D
 - 2 glove dispensers



- 3 inch braking casters
- Bulk storage area
- Smooth handles cut into top
- 23" W x 33" H x 19" D
- 6 side shelves
- 58 lbs.

Model	Designation	Description
PC-2470		Core DX Cart



MRI Non-Magnetic Space-Saving Cart

White Polyethylene MRI Core SP Space Saving Lab Cart with Clear Door provides a large amount of extra storage and workspace in a small footprint. This all white cart carries almost three times its weight and the innovative sliding door provides access to your supplies in cramped rooms or tight hallways. Keep supplies and other equipment in one of the three full-extension drawers or bulk storage area. Built in ergonomic handles make the Core SP easy to maneuver.

- Features:
- Nonferrous Core SP Cart
 - Polyethylene and ABS plastic construction
 - Economical
 - Bulk storage area
 - Built in handles
 - 52 lbs.



- Clear PETG sliding door
- Seamless one piece top
- 3 full extension drawers
- 15" W x 35" H x 19" D
- 3" braking casters

Model	Designation	Description
PC-2468		Space-Saving Cart



MRI Locking Roll-Top Cart

A durable high density polyethylene frame made just for the harsh laboratory environment and easy-to-use roll top door make this cart a great choice. Smooth rolling tambour door features plastic slates to travel smooth up and down the tracks. Top is also HDPE for chemical resistance so it gives years of good looking service.

Casters provide easy walking speeds to help move around the laboratory. Reliable push-brakes secure cart when necessary. Built-in handle for easy moving. Lockable cart with disappearing roll top door. Six removable drawers for use and storage. Lockable- locking mechanism is made of brass.

11½" L x 16½" W x 35" H

Model	Designation	Description
PC-1471		Locking Roll-Top Cart



More Carts Available
at www.MRlequip.com



MRI Non-Magnetic Extra Wide Lab Cart

The MRI Extra Wide Lab Cart provides 36 x 18 1/2 inches of extra-wide mobile bench top space. This cart gives you an easy to move bench top and storage area. Whether you are in a hospital, urgent care facility, physician's office or imaging safety center, professionalism and organization are key to your success. The MRI Extra Wide Lab Cart provides three oversized drawers and a protected bulk storage area with sliding see-through door, unless color option selected and sits atop 3 inch casters. Its easy mobility and professional appearance will create instant neatness in your MRI Lab or facility.

Features:

Nonferrous extra wide lab cart
Economical
White polyethylene and ABS
3 oversized drawers
2 keys included

Clear PETG plastic viewing door
Seamless one piece top
Built in handles
Large bulk storage area
3 inch casters, 2 braking



Clear, smoke, red, orange, green and blue

Model	Designation	Description
PC-2473-CL		Extra Wide Lab Cart



MRI Access / Egress Organizer

Storage for personal gear or for entry or exit. Space for gloves, safety glasses, protective clothing and changing area supplies. Light, white, room-for-everything and built for maximum ease in and out of the lab. Hinged acrylic doors allow easy stocking and viewing of supplies. Fabricated design to hold lab gear and keep your clothes and personal items off the floor. Entire organizer is wall mountable and easy to install with built-in key holes, so you'll go from the office to the lab in no time. Features one shelf, four safety glass cubbies, 3 covered compartments, a glove box dispenser and three hooks. Mounting hardware NOT included.

18.125" L x 7.2" W x 19.875" H

Model	Designation	Description
PC-1137		Access / Egress Organizer



More Carts Available
at www.MRlequip.com



MRI Belize Lab Island Cart

MRI Belize Lab Island Cart is nonferrous to meet MRI Conditional requirements of magnetic imaging labs. The integrated locking mechanism can be locked with the use of a padlock (not included) that keeps the tambour door securely locked in place until the lock is disengaged allowing the door to roll up and into the cart. A mobile bench on wheels creates a chemically resistant durable reconfigurable work space. There are two completely separate sections each with one middle shelf.

Model	Des	Description
PC-1473		Belize Lab Cart



MRI Cayman Lab Island Cart

MRI Cayman Lab Island Cart is designed for those who need a large amount of storage and workspace. The integrated locking mechanism can be locked with the use of a padlock (not included) that keeps the tambour door securely locked in place until the lock is disengaged allowing the door to roll up and into the cart. Inside the MRI Cayman Lab Island features a generous amount of storage space with a built-in shelf that lets you keep the supplies that you use most closest to your reach. The MRI Cayman Lab Island Cart is compatible for use within the sensitive magnetic imaging environment.

Model	Des	Description
PC-1472		Cayman Lab Cart



MRI Maui Lab Island Cart

MRI Maui Lab Island Cart offers the best of both worlds with liberal storage and work space and a small foot print. Extra large five-inch rubber casters make pushing it a breeze and the high-density polyethylene construction means years of like new service. The integrated locking mechanism can be locked with the turn of a key that keeps the tambour door securely locked in place until the lock is disengaged allowing the door to roll up and into the cart. Even fully loaded, the Maui Lab Island can be easily maneuvered by one person.

Model	Des	Description
PC-1477		Maui Lab Cart



MRI Pediatric Crash Cart

MRI Pediatric Crash Cart is specifically designed for treating pediatric emergencies by using a multi-colored drawer labeling system comparable to the Broselow color coding method. Unlike traditional crash carts, each colored drawer of this cart has its own breakaway locking bar and plastic seal for easier restocking after use. This non-magnetic MRI pediatric cart uses only “weakly magnetic or non-magnetic materials such as low-ferrous, ball-bearing, full extension drawer slides and low-ferrous sealed ball-bearing casters, which gives the cart an American Society for Testing and Materials (ASTM) International designation of “MR-Conditional.

Model	Des	Description
TA-1070		Crash Cart



MRI Core Cart Extended Top with Sliding Door

MRI Core Cart Extended Top with Sliding Door is compatible for use within the sensitive magnetic imaging environment, keeping supplies mobile and organized. The cutaway ergonomic grab handles in the top make the Core DX easy to maneuver. Constructed from non-ferrous durable high density polyethylene and ABS and non-ferrous casters and screws. Provides flexible, extra storage and workspace with an extra-large 29 x 19 inch work surface.



Model	Des	Description
PC-1480		MRI Core Cart



MRI Conditional ABS 5 Drawer Cabinet

MRI Conditional ABS 5 Drawer Cabinets are meticulously crafted to offer both functionality and safety in MRI environments. This cabinet is specifically designed to meet the strict requirements of MRI suites, ensuring compatibility with magnetic resonance imaging equipment while providing ample storage space for essential supplies.

Model	Des	Description
TA-1470		5 Drawer



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

All Carts Feature:

Aluminum
Replaceable Plastic Top
Stainless Steel Pull-Out Shelf
Ball Bearing Full Extension Drawer Slides

The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Dimensions:

45 3/4" High
30 1/2" Wide
23 3/4" Deep
126 lbs.



Dimensions:

45 3/4" High
32" Wide
25" Deep
136 lbs.



Warranty:

12 Years on Carts
1 Year on Locks & Moving Parts

Dimensions:

45 3/4" High
32" Wide
25" Deep
136 lbs.

Breakaway Lock Carts

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Model	Des.	Description
CA-1000		6 Drawer Breakaway Lock Cart
CA-1002		7 Drawer Breakaway Lock Cart

Warranty:

12 Years on Carts
1 Year on Locks & Moving Parts

Keyed Lock Carts

6 Drawers

One 4", Two 3 3/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Two keys come with keyed lock carts extra keys available (see page 44)

Model	Des.	Description
CA-1004		6 Drawer Keyed Lock Cart
CA-1006		7 Drawer Keyed Lock Cart

Keyed Lock Carts with Rails and Organizers

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Two keys come with keyed lock carts extra keys available (see page 44)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers

Model	Des.	Description
CA-1005		6 Drawer Keyed Lock Cart
CA-1007		7 Drawer Keyed Lock Cart

Breakaway Lock Carts with Emergency Package

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays

Model	Des.	Description
CA-1001		6 Drawer Breakaway Lock Cart
CA-1003		7 Drawer Breakaway Lock Cart

Visit www.MRIequip.com or call customer service for more carts and options

Bins and Dividers Sold Separately. See Page 49 & 54.



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.

Narrow Design Breakaway Lock Carts

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Model	Des.
CA-1050	
CA-1052	

Warranty:

12 Years on Carts

1 Year on Top and Casters

All Carts Feature:

Aluminum, Replaceable

Plastic Top, Stainless Steel


Pull-Out Shelf, Ball Bearing

Full Extension Drawer Slides

Dimensions:

46" High x 20" Wide x 23 1/2"

Deep



Narrow Design Breakaway Lock Emergency Carts

6 Drawers: One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers: One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays

Model	Des.	Description
CA-1051		6 Drawer Breakaway Lock Cart
CA-1053		7 Drawer Breakaway Lock Cart

All Carts Ship Red Unless Color Specified from page 44

Visit www.MRlequip.com or call customer service for more carts and options

Narrow Design Keyed Lock Carts

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 44)

Model	Des.	Description
CA-1054		6 Drawer Keyed Lock Cart
CA-1056		7 Drawer Keyed Lock Cart

Narrow Design Keyed Lock Anesthesia Carts

6 Drawers

One 4", Two 3 1/4", Two 6 1/2" & One 9 3/4" Drawers

7 Drawers

One 4", Four 3 1/4", One 6 1/2" & One 9 3/4" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 44)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers

Model	Des.	Description
CA-1055		6 Drawer Keyed Lock Cart
CA-1057		7 Drawer Keyed Lock Cart



Bins and Dividers Sold Separately. See Page 49 & 54.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Optional Cart Accessories



CA-1008



CA-1009



CA-1010



CA-1011



CA-1012



CA-1028



CA-1029



CA-1033



CA-1015



CA-1016



CA-1017

CA-1018



CA-1019



CA-1022



CA-1023



CA-1013

Available Colors



Hammertone Colors



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Designation	Description
CA-1008		3 Tier Raised Back Rail
CA-1009		2 Tier Raised Back Rail
CA-1010		Side Rail
CA-1011		Cardiac Board & Mounting Brackets
CA-1012		Rail Hook
CA-1028		Key for Keyed Carts
CA-1029		Breakaway Key for Carts (package of 50)
CA-1013		I.V. Pole
CA-1033		Oxygen Tank Holder
CA-1015		Replacement Pull-Out Shelf
CA-1016		Set of 4 Utility Hooks
CA-1017		4 Tilt Bin Organizer for Raised Back Rail System
CA-1018		5 Tilt Bin Organizer for Raised Back Rail System
CA-1019		6 Tilt Bin Organizer for Raised Back Rail System
CA-1020		3 Gallon Waste Basket
CA-1022		3" Drawer Organizer (does half a drawer) (need two)
CA-1023		6" Drawer Organizer (does half a drawer) (need two)

6 Drawer Stainless Steel Cart



Shown with Optional
Organizers



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.

6 Drawer Stainless Steel Cart, MR Conditional to 7 Tesla or Less

NEW AND EXCLUSIVE FROM MRlequip.com

With both ample workspace and storage space, this six drawer stainless steel cart will ensure your MRI suite is efficient and organized. Also providing a convenient tabletop workspace in which size can double when opening the table drawer. Comes with two trash bins and trash bin holders.

Dimensions:

- 27" Wide
- 42" Tall
- 16 1/2" Deep
- 5" Casters

Warranty:
1 Year

Drawer Dimensions:

- 11" x 21 1/2" Drawers
- Two 3" Deep Drawers
- Three 4" Deep Drawers
- One 8" Deep Drawer
- One 11" x 13 1/2" Table Drawer



Model	Des.	Description
TA-1061		6 Drawer Stainless Steel Cart

Bins and Organizers Sold Separately. See Page 49 & 54.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI PVC 3 Shelf Extra-Wide Utility/Linen Cart, No Cover-With Flushed Shelves (Shelf on top of PVC)

MRI PVC Utility Linen Carts are healthcare grade; all casters are reinforced with flat shelves to provide full usable shelf space. Multi-purpose carts can be used as utility carts, activity carts, snack carts, etc.

Specifications:



3 Shelves

Width: 24"

Height between Shelves: 12"

Carrying Capacity Per Shelf: 75 lbs

Threaded Stem Casters: Rust Proof 3" Twin

Model	Des.	Description
PV-1048		(24"x25") Cart w/Flushed Shelves, No Cover
PV-1192		(24"x44") Cart w/Flushed Shelves, No Cover

Warranty:

1 Year on frame

6 Months on casters and soft goods



MRI PVC Specialty Cart w/4 Shelves

4 Shelves (Size 20" x 25") 8 Pull Out Tubs (Size 20" x 15" x 5") & Mesh or Solid Vinyl Cover with color choice.

12" Height between Shelves

48" L w/o handles, 50 1/2" L with handles X 65" H X 21 1/2" W

Model	Des.	Description
PV-1058		MRI PVC Specialty Cart w/4 Shelves

MESH COLORS



SOLID VINYL COLORS





PVC Utility Carts

Specifications:
3 shelves
Length with handle: 31-1/2"
Width between shelves: 12"
Comes with 3" twin casters
Height: 36"
Shelf Weight Capacity: 75 lbs



Actual Casters

Custom sizes available upon request

Model	Des.	Description
PV-1030		20" x 25" Shelf Size
PV-1172		24" x 25" Shelf Size



Casters are different than pictured.

PVC Universal 8 Drawer Cart

MRI PVC Universal 8 Drawer Carts allow easy access to non-magnetic utensils and supplies inside or out of your MRI Suite.

Specifications:
3 shelves
Length with handle: 31-1/2"
Width between shelves: 12"
Comes with 3" twin casters
Height: 36"
Shelf Weight Capacity: 75 lbs

Model	Des.	Description
PV-1193		28 1/2" Length x 16 3/4" Depth 49" Height



MRI Non-Magnetic PVC Janitorial Cart

MRI Non-Magnetic PVC Janitorial Cart

Specifications:
Platform for buckets: 44" W x 16" D
Shelves: 19" W x 19"D
Length w/ Handles: 51 1/2"
Depth: 20 1/4"
Height w/ Casters: 39"

Model	Des.	Description
PV-1170		51 1/2" Length x 20 1/4" Depth 39" Height

This is a Custom Made Product and is Non-Returnable



PVC Linen / Multi-Use Carts

Features:

MR Compatible

Totally enclosed carts help prevent dust build-up on expensive coils.

All carts come with solid vinyl fabric, mesh can be substituted.

Velcro closures

Caster sockets are double wall reinforced with schedule 40 one inch PVC

Caster Size: 3", Can upgrade to 5" casters for additional charge

All multi-use carts are shown with the front cover open.

Warranty:

1 Year on Frame

6 Months on Casters and Soft Goods



PV-1042



PV-1034



PV-1038

MESH COLORS



SOLID VINYL COLORS



Model	Des.	# Of Shelves	Shelf Size	HT Between Shelves	HT With Casters	Weight Cap Per Shelf
PV-1031		2	25" x 20"	12"	37"	75 lbs.
PV-1033		3	25" x 20"	12"	51 1/4"	75 lbs.
PV-1034		4	25" x 20"	12"	65 1/2"	75 lbs.
PV-1036		2	32" x 20"	12"	37"	100 lbs.
PV-1038		3	32" x 20"	12"	51 1/4"	100 lbs.
PV-1039		4	32" x 20"	12"	65 1/2"	100 lbs.
PV-1042		2	45" x 20"	16"	46"	125 lbs.
PV-1043		3	45" x 20"	16"	65"	125 lbs.
PV-1044		4	45" x 20"	16"	77"	125 lbs.
PV-1045		2	50" x 20"	16"	45 1/4"	150 lbs.
PV-1046		3	50" x 20"	16"	65"	150 lbs.
PV-1047		4	50" x 20"	16"	77"	150 lbs.

PV-1042, PV-1043 and PV-1045 Have 5" Casters

Plastic Stackable Bins

Keep small parts and medical equipment organized in less space. Ideal for work and assembly areas.

Reinforced walls for stable, non-shift stacking.

Front, back and side grips for easy handling.

Available Colors

Red - 27

Royal Blue - 68

Yellow - 32

Green - 59

White - 93

Black - 46

Clear - 00



BN-1000-05-CL BN-1000-10-CL BN-1000-15-CL BN-1000-20-CL BN-1000-25-CL BN-1000-30-CL BN-1000-35-CL



BN-1000-40-CL BN-1000-45-CL BN-1000-50-CL BN-1000-55-CL BN-1000-60-CL BN-1000-65-CL BN-1000-70-CL

Model	Des.	Description
BN-1000-05-CL		5½" x 4" x 3"
BN-1000-10-CL		7½" x 4" x 3"
BN-1000-15-CL		9½" x 6" x 5"
BN-1000-20-CL		11" x 4" x 4"
BN-1000-25-CL		11" x 5½" x 5"
BN-1000-30-CL		11" x 8" x 7"
BN-1000-35-CL		11" x 11" x 5"

Model	Des.	Description
BN-1000-40-CL		11" x 16½" x 5"
BN-1000-45-CL		15" x 5½" x 5"
BN-1000-50-CL		15" x 8" x 7"
BN-1000-55-CL		15" x 16½" x 7"
BN-1000-60-CL		18" x 8" x 5"
BN-1000-65-CL		18" x 11" x 10"
BN-1000-70-CL		18" x 16½" x 11"



Bin Dividers

Divide your bins to use one bin for multiple items. Organize with ease.

Model	Des.	Description
BN-1100-05		5½" x 3"
BN-1100-10		7½" x 3"
BN-1100-15		11" x 5"
BN-1100-20		11" x 7"
BN-1100-25		15" x 7"
BN-1100-30		18" x 9"
BN-1100-35		18" x 10"
BN-1100-40		18" x 11"



Bin Labels

Label all of your bins so you know exactly what's in each one even with a divider.

Model	Des.	Description	QTY
BN-1200-05		3" x 1"	25 pk.
BN-1200-10		4" x 1¾"	25 pk.
BN-1200-15		4" x 2¼"	25 pk.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM

Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods



Bag is NOT included, it must be ordered separately.

Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag



Stainless Steel Hampers

All Stainless Hampers Do Not Include a bag

Specifications:

Height: 36"
Inside Diameter: 16 1/2"
Outside Diameter: 18"
Casters: 2" Dual Wheel

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods










Model	Designation	Description
HA-2000		Hamper - No Lid
HA-2001		Hamper with Lid
HA-2002		Hamper with Foot Operated Lid
HA-2003		Laundry Bag

Bag is NOT included, it must be ordered separately.

PVC Hampers

All mesh hampers sent Royal Blue unless color specified.
No zipper on leak proof bags

Model	Des.	# Of Bins	Bag Type	L	W	H
PV-1000		1	14.46 Gallon Mesh / Vinyl	23"	18 1/4"	38"
PV-1001		1	14.46 Gallon Leak Proof	23"	18 1/4"	38"
PV-1007		1	42 Gallon Mesh	27"	22 1/2"	38"
PV-1002		2	28.92 Gallon Mesh	38"	18 1/4"	38"
PV-1003		2	22 Gallon Leak Proof	38"	18 1/4"	38"
PV-1004		3	43.38 Gallon Mesh	55"	18 1/4"	38"
PV-1005		3	67 Gallon Leak Proof	55"	18 1/4"	38"

PV-1001



Warranty:

1 Year on Frame, 6 Months on Casters and Soft Goods

PVC Hampers Options



PV-1003



Shown with Optional Foot Pedals

PV-1005



Foot Pedal for PVC Hampers

Foot pedal available for hampers, order one per bin, must be ordered with hamper.

Model	Designation	Description
PV-1006		Foot Pedal for PVC Hampers

Visit www.MRlequip.com or call customer service
for more laundry baskets and linen carts

PV-1006





PVC Privacy Screens

Features:

Removable Velcro Panels
Mildew Resistant
Flame Retardant
Durable Light Weight
21" x 51" Per Panel

13" Clearance from Base to Bottom of Panel
67" Total Width Expanded (3-Panels)
Folded 24" x 5"
Cleans with Damp Cloth
Available in Many Colors [See Page 51](#)

Model	Designation	Description
PV-1146		PVC Privacy Screen
PV-1147		PVC Privacy Screen w/Casters



Privacy Screens

Flame-retardant white vinyl panels wash easily. White powder coated steel frame. Measure 27" x 55" per panel and. This unit has a wide body base of 22" x 27". Without casters is 15½" from floor to bottom of screen with an overall height of 67". With casters is 17½" from floor to bottom of screen with an overall height of 69". Choose White, Blue, Green or Pink curtain.

NOT MR SAFE
This product is magnetic

Model	Designation	Description
PS-3000		Privacy Screen
PS-3001		Privacy Screen w/Casters



Folding Panel Screens

Features:

Open to full width without zig-zagging
Conserves floor space
¾" anodized aluminum tubing
Flame retardant bacteriostatic 6-mil white vinyl

Each panel adds 20" to width and ¾" to folded depth
Overall Height: 69"
Panel Width: 20"

Model	Designation	Description
PS-1000		3 Panel Screen
PS-1002		4 Panel Screen
PS-1001		3 Panel Screen, King Size

Flexible Curtain Tracking

Flexible curtain tracking gives you a quick and easy option for room renovations. Our selection of bendable curtain track comes in 8', 16', 40' & 105' lengths. Below you will find the flexible curtain track materials including all of the necessary hardware for installation. If you have any questions on our flexible curtain tracking please contact our friendly customer service. We will be happy to assist you.

Features:

A 99% recycled aluminum core and ABS (non-PVC) shell - this patented product provides a sustainable solution for your track needs.

Aluminum core and ABS shell is easily trimmed on-site with a hand saw.

The ABS material does not contain phthalates, PCBs (Polychlorinated biphenyls), or PBTs (Persistent Bioaccumulative Toxins).

Easy to install and works with virtually any ceiling type including both tegular and flush ceiling tile.

Carriers that slide quietly and effortlessly across the track.

Class A Fire Rating.

Flexible Curtain Track Case Study:

Before:

The curtain track and carrier use a plastic carrier that slides in the metal track. This style of track and carrier has a tendency to repeatedly get stuck and slide, which creates rattling, and plastic on metal contact that produces excess noise.










After Renovation Complete:


The new flexible curtain track and carriers produce **75% less sound** than the original grooved style and has been installed throughout all hospital Level III areas.



Flexible Curtain Track

CT-1060 (8)
CT-1061 (16)
CT-1062 (40)
CT-1063 (105)

Model	Designation	Description
CT-1060		Flexible Curtain Track Roll, 8 Feet
CT-1061		Flexible Curtain Track Roll, 16 Feet
CT-1062		Flexible Curtain Track Roll, 40 Feet
CT-1063		Flexible Curtain Track Roll, 105 Feet
CT-1064		Curtain Track Carrier
CT-1065		End Stop With Hook
CT-1066		End Stop
CT-1067		Track Spring Clip
CT-1068		Spring Clip With Grid Clip



Curtain Track Carrier
CT-1064



End Stop With Hook
CT-1065




End Stop
CT-1066












Track Spring Clip
CT-1067



Spring Clip With Grid Clip
CT-1068



FREE SHIPPING ON ALL CURTAIN TRACKING

Fig	Model	Des.	Description
A	Curtain Track CT-1000-S CT-1000-W		16 gauge extruded aluminum. Sold in 7'10" foot lengths. Approximately 3/4"x13/8". Choose Silver or White
B	Joining Sleeve CT-1036-S (Right) CT-1036-W (Right) CT-1037-S (Left) CT-1037-W (Left)		For suspended installations. Connects straight section of one track with curved section of adjoining track. Right and left are determined by looking up at the ceiling. Choose Right or Left and Silver or White
C	Curves CT-1020-S (90°) CT-1020-W (90°) CT-1025-S (45°) CT-1025-W (45°)		Channel bent to 12" radius. 90° and 45° one bend curves standard. Choose 90° or 45° and Silver or White
D	Splicing Clamp CT-1030-S CT-1030-W		Anodized sleeve for joining and extending track sections assuring proper alignment of track channels. 4" Choose Silver or White
E	End Stop CT-1031-S CT-1031-W		Prevents carriers from slipping out of end of track. Choose Silver or White
F	Snap Out Fitting CT-1032-S CT-1032-W		Permits easy replacement of carriers. Choose Silver or White
G	Ceiling Clip CT-1035		Recommended spacing: 2" to 6". For fastening track channel to T-bar on drop ceiling. Color: Off White.
H	Suspension Tube CT-1040-S CT-1040-W		Recommended Spacing 6". Made from 1" O.D. hollow anodized aluminum tubing. Sold in 7'10" foot lengths. Choose Silver or White
I	Screw Insert CT-1046		Inserts in end of suspension tube. Holds suspension tube to track channel. One needed for each tube.



FREE SHIPPING ON ALL CURTAIN TRACKING

Fig	Model	Des.	Description
J	Ceiling Flange CT-1045-S		Constructed of heavy-duty aluminum. For connecting suspension tube to ceiling. Fasteners required to attach flange to ceiling. Hole in side for screwing to suspension tube.
K	Nylon Wall Bracket CT-1048		For fastening track channel to wall in suspended installations.
L	T-Bracket CT-1050		For suspended installations. Joins 2 tracks into 90° connection.
M	Cross Bracket CT-1049		For suspended installation. Center piece subdivides 4 bed areas.
N	Single Carrier CT-1033		Carrier spacing: 6". Block supported from 2 nylon wheels. Plated swivel and curtain hook for effortless and quiet curtain movement. Carrier width: approximately 1/2".
N	Breakaway Carrier CT-1034		Carrier spacing: 6". Nylon block supported from 2 nylon wheels. Break weight is 15-20 lbs
O	Drop Chain CT-1051		Extension chain 18" long constructed of nickel plated steel. Used when ventilation space is required and mesh top is not feasible.
P	PVC Drop Strip CT-1052		Extension strip 18" long constructed of PVC. Hole at top slips over hook on carrier. Plated hook at bottom for attaching curtain. Used in place of mesh for ventilation at top of curtain.
Q	Curtain Tie-Back CT-1053		Chain constructed of nickel plated brass prevents billowing of curtain from track end.
R	Wall Bracket CT-1047		Wall Bracket Assembly for Curtain Tracking, 2-Piece White Plastic

FREE SHIPPING ON ALL CURTAIN TRACKING

Orbitz Privacy Curtains

Orbitz privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Orbitz privacy curtains.

The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Cabernet

Ecru

Eggnog

Federal

Garland

Kiwi

Sandstone

Zephyr

A2-WidthHeightCCL

Horizontal Width

Vertical Height


	72"	90"	108"	126"	144"	162"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
	180"	198"	216"	234"	252"	270"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh

ADDITIONAL LENGTHS AVAILABLE ONLINE AT WWW.MRIEQUIP.COM

Lineage Privacy Curtains

Lineage privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Lineage privacy curtains.

The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Chino

Horizon

A3-WidthHeightCCL

Horizontal Width

Vertical Height

	72"	90"	108"	126"	144"	162"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
	180"	198"	216"	234"	252"	270"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh

FREE SHIPPING ON ALL CURTAIN TRACKING

Bristol Privacy Curtains

Bristol privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Sunset privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Blush



Harbor



Island



Meadow



Merlot



Sunrise



Vista

S5-WidthHeightGCL

Horizontal Width


Vertical Height

		72"	90"	108"	126"	144"	162"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
		180"	198"	216"	234"	252"	270"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh


ADDITIONAL LENGTHS AVAILABLE ONLINE AT WWW.MRIEQUIP.COM

Lancaster Privacy Curtains


Lancaster privacy curtains are manufactured with inherently fire retardant (IFR) fabric; the fire retardancy lasts through the life of the cubicle curtain. Having a mesh top can be an advantage to the Audubon privacy curtains. The curtain mesh is fire resistant and it allows for a much better circulation of air in the room.



Ash Cloud




Bayleaf



Corn flower



Cream



Downy

S5-WidthHeightACL

Horizontal Width

Vertical Height

		72"	90"	108"	126"	144"	162"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
		180"	198"	216"	234"	252"	270"
84"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
84"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
90"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
90"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh
96"	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh	w/ Mesh
96"	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh	w/o Mesh



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com

20-24" Wide Non-Ferromagnetic Aluminum Wheelchairs

This Non-Ferromagnetic wheelchair consists of materials such as brass, titanium, aluminum and plastic. It has been tested and certified to pass through the pre-screen and pre-entry door systems. This is the first of its kind to have 24" wheels, which allows the patient to move independently.

Flip-up Desk Length Padded Arms
Swing-away Footrests



ACCESSORIES ON PAGE 60



This size is a fixed, non-folding wheelchair



Back of upholstery



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Specify Color



Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	36" w/footrest
Seat Depth:	16"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	31 lbs w/footrest
Weight Capacity:	300 lbs

Specifications:

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	43" w/footrest
Seat Depth:	18"
Overall Height:	37"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	33 lbs w/footrest
Weight Capacity:	300 lbs

Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	32 1/2" - Fixed, Non- Folding
Overall Depth:	44" w/footrest
Seat Depth:	20"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	43 1/2 lbs w/footrest
Weight Capacity:	500 lbs

Model	Designation	Description
WC-2002		Burgandy 20" Chair w/ Footrests
WC-2002-50		Green 20" Chair w/ Footrests
WC-2002-60		Dark Blue 20" Chair w/ Footrests
WC-2005		Burgandy 22" Chair w/ Footrests
WC-2005-50		Green 22" Chair w/ Footrests
WC-2005-60		Dark Blue 22" Chair w/ Footrests
WC-2006		Burgandy 24" Chair w/ Footrests
WC-2006-50		Green 24" Chair w/ Footrests
WC-2006-60		Dark Blue 24" Chair w/ Footrests



See Pages 63-64, 119-121
Non-Ferromagnetic
Detection Systems

Warranty:

5 Years on Frame & Crossbraces
1 Year on Moving Parts
90 Days on Soft Goods

Non-Ferromagnetic Wheelchair Accessories

MRI Non-Ferromagnetic I.V. & Oxygen Holders

Warranty: 5 years




Model	Designation	Description
WC-2100		Aluminum I.V. Pole
WC-2101		Alum. I.V. and O2 Holder
WC-2102		Alum. O2 Tank Holder



Stencil Company Name Or Other Information

Ship Weight: 5lbs

Ship Dimensions: 4" x 12" x 19"



Model	Designation	Description
WC-1110		Wheelchair Logo

MRI Non-Ferromagnetic Step Stools

Base is 16" x 12" and 8 1/2" off the floor
With or Without 41" Handle

Warranty:

5 years - Excluding Tips



Model	Designation	Description
SS-5000		MRI Step Stool, No Handle
SS-5001		MRI Step Stool with Handle

MRI Adult Non-Ferromagnetic Folding Walkers

18" Wide, Depth 17"
250 lb weight capacity
No Wheels Available

Warranty:

5 years - Excluding Tips



Model	Designation	Description
WA-1050		Adult - Height Adj. 32" to 36"
WA-1051		Junior - Height Adj. 28" to 32"



Wheels on page 26 are not compatible with these walkers

MRI Heavy Duty / Extra Wide Non-Ferromagnetic Folding Walker

24" Wide, Depth 21"
500 lb weight capacity



Both the adult and heavy duty walkers comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
WA-1052		Extra Wide - Height Adj. 32" to 38 1/2"



MRI Non-Ferromagnetic Stretcher WITH FLIP DOWN SIDE RAILS

uspatentnumber
9,144,409 B1



Features:

NEW! Aluminum rigid construction
Drop down side rails
5" total lock casters
Full surround rubber bumper
Adjustable headrest
3" pad included



Specifications:

Height without pad:	29½"
Height with Rails up:	40"
Height of Rails:	15"
Length:	77¼"
Rail Length:	39"
Width:	29"
Weight:	130 lbs.
Back Adj. Range:	0-75 Degrees
Number of Positions:	11
Weight Capacity:	500 lbs

Model	Des	Description
ST-5000		Aluminum Stretcher



Specify Color



Aluminum Stretcher Accessories

Fig	Model	Des.	Description
A	ST-2012-CL		Side Rail Pads, 47" L x 11" H, Sold in Pairs
B	ST-2005-CL		Stretcher Pad, 73.5" L x 23" W x 3" T
C	ST-2017		Safety Straps, Set of 3
D	ST-5100		Aluminum I.V. Pole
E	ST-5101		Aluminum O2 Holder
F	ST-2354		Aluminum Locking 5" Caster



MRI Non-Ferromagnetic Stretcher with Wrap Around-Rail System



MR
CONDITIONAL
AT **7T** OR LESS



Oxygen Tank Not Included
Shown with Optional IV Pole
Shown with Optional O2 Holder

Our new Non-Ferromagnetic Gurney with Wrap-Around-Rail System effectively and, most importantly, safely transports patients from one end of the hospital to your MRI suite. Perfect for transporting children and distressed patients.

Works with non-ferromagnetic detection systems

Ferromagnetic Detection Systems Feature the Following:

- Reduces the risk of injuries and death
- Detects ONLY ferromagnetic materials
- Safe for patients with passive/active implants
- Indicates the location of the offending object right on the portal
- Reduces operating cost by increasing patient throughput
- Completely "passive device" does not emit RF, EM, or Magnetic fields

SALE



End Rail Storage
and O2 Holder

End rails are removable and stored conveniently on bottom of the stretcher. Shown with optional O2 holder.

Specifications:

Height:	30 1/4"
Height with Rails up:	42"
Height of Rails:	11 3/4"
Length:	76"
Rail Length:	61 7/8"
Width:	28 1/8"
Back Adj. Range:	0-71.2 Degrees
Storage Tray:	15 1/8"D x 26"L x 17 1/2"W
Positions:	10
Weight Capacity:	500 lbs



End Rail Storage

Model	Des.	Description
ST-5300		Aluminum Stretcher
ST-5100		Aluminum I.V. Pole
ST-5101		Aluminum O2 Holder

Warranty:

5 Years on Frame
1 Year on Moving Parts
90 Days on Soft Goods



Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM


Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.

Warranty:
5 years - 1 Year on Moving Parts



Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag



See Pages 63-64, 119-121
for Non-Ferromagnetic
Detection Systems

Warranty:
5 years
1 Year on Moving Parts

See Pages 110 for more
IV Poles 0² Holders

MRI Non-Ferromagnetic IV Poles and Tank Holders - Size "E"

Aluminum Base with 5 Casters


Adjustable Height 56" to 105"

Model	Des	Description
IV-1550		Two Hook IV Pole, Aluminum Base w/ Five Non-Locking Casters
IV-1551		Four Hook IV Pole, Aluminum Base w/ Five Non-Locking Casters
IV-1011		Two Hook IV Pole, Aluminum Base w/ Five Locking Casters
IV-1012		Four Hook, IV Pole, Aluminum Base w/ Five Locking Casters
IV-1050		Non-Ferromagnetic Push Handle
OX-1800		Single Oxygen Tank Holder w/ Non-Locking Casters
OX-1801		Single Oxygen Tank Holder, Two Hook IV Pole w/ Non-Locking Casters
OX-1802		Single Oxygen Tank Holder, Four Hook IV Pole w/ Non-Locking Casters
OX-1803		Dual Oxygen Tank Holder w/ Non-Locking Casters
OX-1804		Dual Oxygen Tank Holder, Two Hook IV Pole w/ Non-Locking Casters
OX-1805		Dual Oxygen Tank Holder, Four Hook IV Pole w/ Non-Locking Casters













Replacement Latex-Free Bulb and Valve Assembly

Model	Des.	Description
BP-2020		Bulb and Valve Assembly



Replacement Latex-Free Cuffs and Bladders

One and Two tube bladders
Black nylon cover

Model	Des.	Description
BP-2009		1 Tube, Thigh
BP-2003		2 Tubes, Large Adult
BP-2008		1 Tube, Large Adult
BP-2000		2 Tubes, Adult
BP-2005		1 Tube, Adult
BP-2004		2 Tubes & Cuff
BP-2002		2 Tubes, Child
BP-2007		1 Tube, Child
BP-2001		2 Tubes, Infant
BP-2006		1 Tube, Infant



Vein Finder

Vein Finder mainly takes the advantage of the blood hemoglobin absorption for near-infrared light stronger than other tissues, it makes the superficial blood vessels visualized through the vein visualization technology; it is helpful to find, evaluate, and position the superficial blood vessels, etc.

Model	Des.	Description
VE-6000		Vein Finder



MRI Non-Magnetic nVision Software

MRI Non-Magnetic nVision Software is a data management software for Oximetry Screening.

Model	Description
PO-1010	Software Only
PO-1014	With Cable



ClearScan Radio-Translucent Electrodes for ECG

Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures. ClearScan Radio-Translucent Electrodes for ECG Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures, Diameter Foam, Wet Gel and some Solid Gel

600 Per Case



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



BP-1800
BP-1801



BP-1802
BP-1803



BP-1808



BP-1811



BP-1507


BP-1800 to BP-1806 Wet Gel | BP-1808 Solid Gel

Model	Designation	Description
BP-1800		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1801		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1802		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1803		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1808		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1811		5/strip, 1 strip/pouch (120 pouches/600/cs)
BP-1507		1.25" x 1.25", Soft Repositionable Electrode (120 pouches/600/cs)

Radiotranslucent Electrodes

Perforated clear tape for comfort, Radiotranslucent for X-Ray/MRI, Clear tape does not absorb fluids, Gel pocket stabilizes the electrode, Clear tape for skin monitoring

Case includes 30 ea.



Model	Designation	Description
BP-1014		Electrodes (30 per case)



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Accusensor 38mm Radiotranslucent Foam Electrodes

Cardiac Cath Lab and Special Procedures Stress Testing Holter Monitoring. Disposable 38mm foam single use silver/chloride radiotranslucent ECG electrode.

60 per bag, 600 per case



Model	Designation	Description
BP-1400		Foam Electrodes (600 per case)

MRI ECG ezPad Electrodes

ezPad ECG electrodes can be used with any 4 lead ECG monitor. Schiller, Invivo, Scanner Gating Sensors. 2 year shelf life. MR Safe.

25 per box

Model	Designation	Description
PO-3600		Adult ezPad Electrodes (Box of 25)
PO-3700		Pediatric ezPad Electrodes (Box of 25)



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Non-Magnetic Dual Head Stethoscope

MRI Non-Magnetic Dual Head Stethoscopes convert in 5 different ways. This instrument takes all other stethoscopes and functions as 5 stethoscopes for 5 specific purposes. 3 different sizes of bell-type chest pieces are furnished in addition to the original 2 diaphragms, large and small, making up one complete set. Each diaphragm or bell, therefore, suits each specific purpose.

Includes:

- 3 sizes of bells
- 2 sizes of diaphragms
- 2 different sizes of ear tips

Model	Des.	Description
-------	------	-------------

BP-1065		MRI Non-Magnetic Dual Head Stethoscope
---------	---	--




Non-Ferrous Aluminum Single Head Stethoscope

This stethoscope is non-ferrous for use in your MR environment. Professional Lightweight Aluminum Non-Ferrous Single Head Stethoscope.

Also includes additional diaphragm and two pairs of ear tips. 

Model	Des.	Description
-------	------	-------------

BP-1090		Non-Ferrous Aluminum Stethoscope
---------	---	----------------------------------



Disposable Stethoscopes

Stethoscopes feature a plastic binaural and ultra sensitive plastic chest piece with remarkable acoustical performance. Designed for single-patient use to prevent cross contamination in infectious areas.

Case includes 10 or 100 Stethoscopes.

Model	Designation	Description
-------	-------------	-------------

BP-1012		Yellow Stethoscope (10 per case)
---------	---	----------------------------------

BP-1088		Yellow Stethoscope (100 per case)
---------	---	-----------------------------------

BP-1013		Blue Stethoscope (10 per case)
---------	---	--------------------------------

BP-1089		Blue Stethoscope (100 per case)
---------	---	---------------------------------

Multi-Modality Markers



"Great Markers! Perfect size and show on both T1 and T2 weighted images. Also, the markers do not indent the skin."
- Open MRI Specialists of Stockbridge

50 Per Container

For further details visit www.MRlequip.com or call customer service

Model	Des.	Description
BP-1015		Markers (50 per case)
BP-1037		Markers, Solid (50 per case)
BP-1030		Markers for Nuclear Medicine/Pet (50 per case)



LiquiMark MRI Markers

Product Benefits:

Finally, a line of fiducial markers for MRI that visually promote healing. LiquiMark markers are non-metallic, latex-free, and perform consistently and accurately in a variety of applications. **1 Year Warranty on All Markers**
40 Markers Per Box

MA-1033 - For small field of view areas.

MA-1034 - For extremities, soft tissue, and breast MRI.

MA-1035 - For thoracic spines and larger areas of interest.

MA-1036 - For orthopedic imaging and pediatric cases.

MA-1037 - For extremities, soft tissue and breast MRI.

MA-1038 - For thoracic spines and larger areas of interest.

Model	Des.	Description
MA-1033		LiquiMark 8 mm Round Markers
MA-1034		LiquiMark 15 mm Tube Markers
MA-1035		LiquiMark 30 mm Tube Markers
MA-1036		LiquiMark 10 mm Square Pouch Markers
MA-1037		LiquiMark 10 mm Square Pouch Markers
MA-1038		LiquiMark 10 mm Square Pouch Markers



MA-1033

MA-1034



MA-1035

MA-1036



MA-1037

MA-1038

X-MARK Gold Fiducial Markers

Designed for higher visibility and greater stability in soft tissue, the X-MARK™ lets you target tumors with confidence. Its enhanced visibility and length is ideally suited for image fusion and daily patient positioning.

Model	Des.	Description
BP-1050		1.15mm x 1cm, Preloaded 20cm Needle, 17 Gauge
BP-1051		1.15mm x 2cm, Preloaded 20cm Needle, 17 Gauge
BP-1052		1.15mm x 3cm, Preloaded 20cm Needle, 17 Gauge
BP-1053		0.85mm x 1cm, Preloaded 20cm Needle, 18 Gauge
BP-1054		0.85mm x 2cm, Preloaded 20cm Needle, 18 Gauge
BP-1055		0.85mm x 3cm, Preloaded 20cm Needle, 18 Gauge



FlexiMarc Preloaded Needles

FlexiMarc combines 99.99% pure, biocompatible, gold connectors and 3mm long gold nodes. Unlike regular linear or coiled markers, FlexiMarc has nodes that inhibit migration and are easily recognized by the human eye and IGRT software.

Model	Des.	Description
BP-1085		0.85mm x 1cm, Preloaded 20cm Needle, 18 Gauge
BP-1086		0.85mm x 2cm, Preloaded 20cm Needle, 18 Gauge
BP-1087		0.85mm x 3cm, Preloaded 20cm Needle, 18 Gauge





MRI TMJ Wedge, Box of 24







Saves working with broken clickers. Easy for patients to use.
4mm increments (total opening of 8 steps or 40mm). Disposable after each use.

Model	Des.	Description
AC-1009		MRI TMJ Wedge, Box of 24

Non-Ferromagnetic Sand Bag Positioners

Will not affect quality of scans. Vinyl double wall construction. Strong, durable and leak-resistant. Nonmagnetic, radiolucent and artifact free. The first Non-Ferromagnetic MRI Sand Bag Positioners to hit the market designed exclusively for MRlequip.com.








Model	Des.	Description
SB-1003		3 lb. - 8" W x 8" L
SB-1005		5 lb. - 5 1/2" W x 15" L
SB-1007		7 lb. - 9" W x 12" W
SB-1010		10 lb. - 9" W x 14" L
SB-1012		12.5 lb. - 12" W x 12"
SB-1013		SET OF 5



Non-Ferromagnetic Black Sand Bag Positioners

Black outer bag is nylon reinforced vinyl, and dielectrically sealed to prevent leakage or dust. Inner bag is electrically sealed for added protection. Covers are nylon reinforced.



Fig	Model	Des.	Description
A	FO-1200		3 lb. - 7" W x 10" L
B	FO-1201		7 lb. - 6" W x 18" L
C	FO-1203		12 lb. - 6" W x 17" W
D	FO-1204		12 lb. - 11" W x 11" L
Set	FO-1205		SET OF 4



Non-Ferromagnetic Colored Sand Bag Positioners

Colored outer bag is nylon reinforced vinyl, and dielectrically sealed to prevent leakage or dust. Inner bag is electrically sealed for added protection. Covers are nylon reinforced, color coded vinyl. Complete with convenient handle.




This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Fig	Model	Des.	Description
A	FO-1105		3 lb, Yellow, 9 1/2" x 4 1/2"
B	FO-1106		5 lb, Orange, 12" x 5 1/2"
C	FO-1107		7 lb, Red, 15 1/2" x 6 1/2"
D	FO-1108		10 lb, Blue, 17" x 6 1/2"
Set	FO-1126		Set of 4 of each above





MRI Positioning Aids

Fig	Model	Des.	Description
A	FO-1009		Comfort Pillow Positioner - Flat Bottom
A	FO-1010		Comfort Pillow Positioner - Contoured Bottom
B	FO-1034		Leg Rest with Knee Cutouts - Medium 7" x 13" x 17 1/2", w/o scan coating
B	FO-1090		Leg Rest with Knee Cutouts - Small 5" x 18" x 15", with scan coating
B	FO-1091		Leg Rest with Knee Cutouts - Medium 7" x 13" x 17 1/2", with scan coating
C	AC-1014		MRI Head Positioning Pad - Small
C	AC-1013		MRI Head Positioning Pad - Large
D	FO-1118		Radiolucent Abdominal Immobilizer for MRI & CT - 1 Piece 75" Long
D	FO-1119		Radiolucent Abdominal Immobilizer for MRI & CT - 1 Piece 87" Long
D	FO-1120		Radiolucent Abdominal Immobilizer for MRI & CT - 2 Piece 36" each side
D	FO-1121		Radiolucent Abdominal Immobilizer for MRI & CT - 2 Piece 60" each side
E	AC-1000		MRI/CT Body Immobilizer - 60" x 66"
E	AC-1001		MRI/CT Body Immobilizer - 26" x 68"
E	AC-1002		MRI/CT Body Immobilizer - 24" x 52"
E	AC-1003		MRI/CT Body Immobilizer - 20" x 36"
E	AC-1004		MRI/CT Body Immobilizer - 12" x 24"

Neuroimaging Pillow Support System

Provide the support, comfort and sensory feedback necessary to help researchers and technologists acquire more usable data due to the minimization of subject head movement.

Features:

Designed with high-grade memory foam to ensure maximum comfort, minimal movement, and to eliminate repeat testing.

Coatings provide impenetrable barrier to viruses and bacteria.

Comes with plastic storage case (**NOT MR SAFE**).

Model	Des.	Description
FO-6000		Durable Pillow Support System, Vinyl



Patient Comfort System General 12 Piece Positioner Kit


The Patient Comfort System was developed over a 2-year period in close cooperation with leading imaging centers to maximize patient comfort as well as conform to the specific requirements for compatibility and safety. These positioners are compatible with existing tables and are designed to simply replace the current pads. The basic system consists of four rectangular pads covered with advanced breathable space-age waterproof material which resists staining and makes cleaning easier. A knee wedge and neck roll are also included to maximize patient comfort. To increase safety, all pads have an anti-slip undersurface to keep the pads in place while patients are getting on and off the table.



Model	Des.	Description
FO-5000		General Positioning Kit

PearlFit Positioning Aids

Today, patient positioning aids in the field of radiology need to meet constantly growing demands in terms of hygiene and durability. PearlFit positioning aids can be used for stable but yet comfortable patient positioning.



	Model	Des.	Description
	PO-4035		PearlFit Inlay Head, Dimensions are 28 x 20 x 2.5cm and weighs 60g
	PO-4032		PearlFit Wedge Positioner - 25cm x 25cm x 7cm
	PO-4030		PearlFit Roll Positioner - 40cm x 15cm
	PO-4031		PearlFit Roll Positioner - 50cm x 15cm
	PO-4033		PearlFit Head/Neck Positioner
	PO-4034		PearlFit Forehead Positioner
	PO-4028		PearlFit Flex 6K Positioner - 90cm x 45cm x 5cm
	PO-4029		PearlFit Flex 3K Positioner - 90cm x 50cm x 5cm



MRI Comfort Cushion

Features:

- Reduce Patient Discomfort
- Improve Patient Satisfaction
- Provide Special Care for Sensitive Skin
- Capture More Accurate Images
- Use easily with your existing Mammography System

Model	Des.	Description
MA-2016		Comfort Cushion, 11" x 11.8"
MA-2017		Comfort Cushion, 10" x 11"

MRI Arm Board

Features:

- Slides under pad.
- Designed to support the arm.
- Made of non ferrous material.

Dimensions:


36" L X 7" at wide end, 3" at narrow end

Model	Des.	Description
AC-1006		MRI Arm Board

Wide Universal Armboard














Accommodates both arm and supplies. Slippery bottom allows for easy insertion under patient's shoulder with minimal patient movement. Patient's weight holds it in place. Cleanable with any type of disinfectant. Hanging hole for easy storage off the floor. 3/8" thick. 31 1/2" L. 11 1/2" W (tapers to 6").

Model	Des.	Description
FO-1122		Wide Universal Armboard
FO-1123		Non-Slip Pad





Patient Comfort System Pads And Positioners


Patient Comfort System Pads And Positioners are medical devices used to improve patient comfort and support during various medical procedures, surgeries, or extended periods of immobilization. These pads and positioners are designed to alleviate pressure points, reduce the risk of skin breakdown or pressure ulcers, and ensure proper patient positioning.

Fig.	Model	Designation	Description
A	FO-7108		10"L x 9"W x .8"H
B	FO-7109		28"L x 21"W x 8"H
B	FO-7110		16"L x 15"W x 8"H
C	FO-7111		14"L x 14"W x 2"H
C	FO-7112		14"L x 14"W x 3"H
D	FO-7113		24"L x 14"W x 2"H
D	FO-7114		24"L x 14"W x 3"H
E	FO-7115		24"L x 7"W x 7"H
F	FO-7117		30" x 24" x 6 H
G	FO-7118		10"L x 5"W x 2"H
H	FO-7119		5"L x 4"W x 2"H
I	FO-7122		22"L x 16"W x 8"H
I	FO-7123		28"L x 21"W x 8"H

Scan Bands 7.5MM Corded Attachment







Scan Bands 7.5MM Corded Attachment is compatible only with Scan-Track Scan-Bands 7.5mm Corded Attachment fits perfectly into the external channel and will glide seamlessly down the length of the table for optimal patient positioning capabilities.

Model	Des.	Description
FO-7070		1"H Under 85"L
FO-7071		1"H Over 85"L
FO-7072		1"H Over 100"L
FO-7073		2"H Under 85"L
FO-7074		2"H Over 85"L
FO-7075		3"H Under 85"L
FO-7076		3"H Over 85"L
FO-7077		1.5"H Under 85"L
FO-7078		1.5"H Over 85"L
FO-7079		2.5"H Under 85"L
FO-7080		2.5"H Over 85"L
FO-7081		3.5"H Under 85"L
FO-7082		3.5"H Over 85"L



Scan Bands Universal Single Strap Scan Bands







Universal Single Strap Scan Band patient positioning that wraps underneath the table pad and encircles the patient, attaching at the front with hook and loop fasteners. It's made with a comfortable fabric that is breathable to reduce heat buildup. The universal design can accommodate patients of all sizes. For use with OmniScan or other equipment.

Model	Des.	Description
FO-7083		1"H Under 85"L
FO-7084		1"H Over 85"L
FO-7085		2"H Under 85"L
FO-7086		2"H Over 85"L
FO-7087		3"H Under 85"L
FO-7088		3"H Over 85"L



Cording Scan Bands

Cording Scan Bands 2 Band Set with cording attachments that utilize the existing OEM channels along the length of the imaging table. This cording is an easy and convenient way to free up space, eliminate clutter, and increase access for personnel on your CT table

Model	Des.	Description
FO-7089		Under 85"L
FO-7090		Over 85"L
FO-7091		3" Under 85"L
FO-7092		3" Over 85"L
FO-7093		6" Under 85"L
FO-7094		6" Over 85"L



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com




Scan Bands Universal Single Strap Scan Bands

Universal Single Strap Scan Band patient positioning that wraps underneath the table pad and encircles the patient, attaching at the front with hook and loop fasteners. It's made with a comfortable fabric that is breathable to reduce heat buildup. The universal design can accommodate patients of all sizes. For use with OmniScan or other equipment.

Model	Des.	Description
FO-7015		6"W x 72"L
FO-7016		6"W x 80"L
FO-7017		6"W x 96"L
FO-7018		9"W x 72"L
FO-7019		9"W x 80"L

Model	Des.	Description
FO-7020		9"W x 96"L
FO-7021		15"W x 72"L
FO-7022		15"W x 80"L
FO-7023		15"W x 96"L



Scan Bands 7.5MM Corded Attachment

Scan Bands 7.5MM Corded Attachment is compatible only with Scan-Track Scan-Bands 7.5mm Corded Attachment fits perfectly into the external channel and will glide seamlessly down the length of the table for optimal patient positioning capabilities.

Model	Des.	Description
FO-7006		4"W x 22"L and 4"W x 20"L
FO-7007		6"W x 32"L and 6"W x 23"L
FO-7008		6"W x 38"L and 6"W x 23"L
FO-7009		9"W x 32"L and 9"W x 23"L
FO-7010		9"W x 38"L and 9"W x 23"L
FO-7011		15"W x 32"L and 15"W x 23"L
FO-7012		15"W x 38"L and 15"W x 23"L
FO-7013		24"W x 32"L and 24"W x 23"L
FO-7014		24"W x 38"L and 24"W x 23"L



Cording Scan Bands

Cording Scan Bands 2 Band Set with cording attachments that utilize the existing OEM channels along the length of the imaging table. This cording is an easy and convenient way to free up space, eliminate clutter, and increase access for personnel on your CT table

Model	Des.	Description
FO-7024		4MM 4"W x 22"L and 4"W x 20"L
FO-7025		4MM 6"W x 32"L and 6"W x 23"L
FO-7026		4MM 6"W x 38"L and 6"W x 23"L
FO-7027		4MM 9"W x 32"L and 9"W x 23"L
FO-7028		4MM 9"W x 38"L and 9"W x 23"L
FO-7029		4MM 15"W x 32"L and 15"W x 23"L
FO-7030		4MM 15"W x 38"L and 15"W x 23"L
FO-7031		4MM 24"W x 32"L and 24"W x 23"L
FO-7032		4MM 24"W x 38"L and 24"W x 23"L
FO-7033		5MM 4"W x 22"L and 4"W x 23"L

Model	Des.	Description
FO-7034		5MM 6"W x 32"L and 6"W x 23"L
FO-7035		5MM 6"W x 32"L and 6"W x 23"L
FO-7036		5MM 9"W x 32"L and 9"W x 23"L
FO-7037		5MM 9"W x 38"L and 9"W x 23"L
FO-7038		5MM 15"W x 32"L and 15"W x 23"L
FO-7039		5MM 15"W x 38"L and 15"W x 23"L
FO-7040		5MM 24"W x 32"L and 24"W x 23"L
FO-7041		5MM 24"W x 38"L and 24"W x 23"L

MRI Wireless Patient Multiple Camera System

These camera's can be used in multiple imaging modalities such as CT / Ultrasound / PET / X-Rays and many others. This system's versatility makes it perfect for use in any & many imaging suites.

Features:

1080P Full HD MRI Video Camera System
12" inch Full HD Color LCD Display Touch Screen Monitor
Live Viewing, Motion/Scheduled/Manual Recording
Instant Playback Videos-Max cap 256GB micro SD card
Record clear 1080p, HDMI quality video and audio
Monitor anytime, anywhere with the free Sequro App on iOS or Android
Install the camera, plug in, power up and job done-installed in minutes!

RA-1770 System Includes:

1 - 12" Full HD Color LCD Display
Touch Screen Monitor
2 - 1080P Full HD MRI Video Camera
1 - Power Adapter
1 - 50' Power Cords for Power Adapter

RA-1790 System Includes:

1 - 12" Full HD Color LCD Display
Touch Screen Monitor
4 - 1080P Full HD MRI Video Camera
1 - Power Adapter
1 - 50' Power Cords for Power Adapter

RA-1780 System Includes:

2 - 12" Full HD Color LCD Display
Touch Screen Monitor
2 - 1080P Full HD MRI Video Camera
2 - 6' High Speed HDMI Cables
1 - HDMI Splitter
2 - Power Adapter
2 - 50' Power Cords for Power Adapter




Model	Des.	Description
RA-1770		Wireless Patient Monitoring System, 2 Cameras with 1 (12") Monitor
RA-1790		Wireless Patient Monitoring System, 4 Cameras with 1 (12") Monitor
RA-1780		Wireless Patient Monitoring System, 2 Cameras with 2 (12") Monitors

Artificial Sky Ceiling Tile Art and Decorative Wall Murals

How can you have a blue sky in a room with no windows? How can you make your ceilings and walls come to life? With Artificial Sky Ceiling Tile Art and Decorative Wall Murals

The future of radiology departments is not only new imaging equipment, it is focused on becoming more patient-care oriented. A typical MRI or CT Scan can terrify the bravest souls and cause not only unnecessary stress, but delayed recovery times. A relaxed patient is more receptive, therefore they are more responsive to treatment.

Ceiling Art is scientifically proven to: Lower Blood Pressure, Reduce Stress/Anxiety, Decrease Muscle Tension, Reduce Pain, and Re-Direct Negative Thought.



Model	Des.	Description
Wall Mural		Artificial Sky Ceiling Tile Art and Decorative Wall Murals



Sangean DDR-63 Wi-Fi Internet Table Top Radio with iPod Dock

Warranty 1 Year

Features:

Internet radio / FM wavebands
iPod cradle charges and plays iPods
Stereo headphone socket
Network music player
10 station presets each audio band
NTP (Network Time Protocol)
Full function remote control unit
CD player supports bookmark function

MP3, AAC + and WMA compatible
Aux in / Line out socket
Digital EQ control
External F type FM antenna terminal
99 station presets on internet
Supports SDHC to 16 GB
Play music stored in your computer
MP3 recordable to SD-card and USB media



RA-1701

Optical SPDIF output for connecting Hi-Fi system

Slot in CD MP3 / WMA player ripping function to SD / USB.

Broadband connection required for connection to internet (over Wi-Fi- or Ethernet)

Real time clock with alarm and sleep function, clock synchronizes from RDS with radio text, program type, auto clock and station name.

Model	Description
RA-1700	Full Stereo System
RA-1701	Microphone Option

Siemens Plug
Adapter Shown



MRI MagnaCoil 30 dB Headset

This truly unique headset system features an enhanced and patented design that creates a better fit in tighter coils. Works in conjunction with our unique coil headset plugs that utilizes a pneumatic port to transfer music or speech directly into patients' ear canals while providing 30 dB of gradient noise attenuation.

Uniquely designed for comfort and fit within all coils

ANSI standard minimum requirement of 29 dB NRR

Enhances technologist-to-patient communication

Flexible tubing provides exceptional comfort

Plugs roll up, insert easily, and are disposable to eliminate sanitary concerns

Latex free*

Model	Des.	Description
RA-1800		MRI Coil Standard Headset, 30 dB
RA-1804		MRI Coil TIM Headset For Siemens
RA-1807		MRI Coil TIM 4G Headset For Siemens
RA-3009		MagnaPlug Earplugs, 250 Pairs
RA-3010		MagnaPlug Earplugs, 500 Pairs
RA-3011		MagnaPlug Mini Earplugs, 250 Pairs
RA-3012		MagnaPlug Mini Earplugs, 500 Pairs



Standard
Plug

RA-3011
RA-3012

RA-3009
RA-3010



MRI Non-Magnetic Bose Wave Music System Stereo

MRI Non-Magnetic Bose Wave Music System Stereo provides Stereo Music for Patients Undergoing an MRI Scan Bose® System has its own Built-in Stereo Speakers, Delivering Exceptional Audio Sound. Built-in Telescoping Antenna, with Option for External Antenna Hook-up. Small Size, will allow unit to be placed on either Operator's desk or nearby shelf.

Model	Des.	Description
RA-2000		Bose System Stereo



newversion



MRI Stereo Sound System Kit

Pneumatic MRI Music System & Intercom

Our best-selling MRI music & communication system includes everything you need to provide your patients with high-quality MRI-compatible audio entertainment. Designed for everyone in and around MRIs to be the easiest-to-use, highest quality, most versatile, enjoyable and affordable MRI stereo system available. 30% Savings over competitive systems.

Features:

Patients: 30 dB NRR headphones, customized audio entertainment, high-fidelity audio quality and more.

Technologists: Intuitive control, clear and direct communication with patients, compatible with all media devices and more.

MRI Management: Long lasting, cost-effective, industry-leading warranties and more.

Model	Des.	Description
RA-3500		Pneumatic MRI Music System & Intercom
RA-3501		Ipad Mini Accessory Package for RA-3500 Sound System
RA-3502		Sirius XM Radio
RA-3503		RF Filter for Penetration Panel for RA-3500 Sound System
RA-3504		iPad Upgrade: iPad Mini Lock

MRI Stereo Sound System Kit

MRI Stereo Sound System Kit with WiFi Streaming Music is the newest MRI Patient Stereo System and it is powered by a Internet Radio that can stream music from Amazon Music, Spotify and many other music streaming services.

Model	Des.	Description
RA-2015		MRI Sound System Kit

iN-Ear MRI Headphones

MRl audio's newly designed iN-Ear Headphones are the ultimate solution for providing MRI patients with music, communication, and hearing protection. Their low profile design allows them to fit into every head coil and disposable foam ear tips prevent the spread of infection.

Adjustable

The optional/removable headband adjusts to fit any size head, while the swiveling ear tip inserts fit into every ear perfectly!

Versatility

The standardized pneumatic tube connector means that they will work with most MRI patient stereos available.

iN-Ear Headphones are **MR Safe**

Comes with a 1 year warranty.

Specifications:

Noise reduction rating of 29 dB


Clear, consistent sound quality

Compressible, high-density foam eartips

½" headband profile fits in most MRI head coils

Adjustable headband fits most heads

Model	Des.	Description
RA-3700		iN-Ear MRI Headphones
RA-3611		Replacement Foam Ear Tips (250 Pairs)
RA-3610		Replacement Foam Ear Tips (500 Pairs)



RA-3700



RA-3610
RA-3611



RA-2003

Slimline Noise Guard Headset





Provides 30db of noise attenuation WITH the use of earplugs in addition to the headset. The slim profile of this headset fits into most head coils.


Dimensions on the earmuff are: 3 1/4" Wide at ear and 4 1/4" Long X 2" thick (muff part only)

Model	Des.	Description
RA-1002		Slimline Noise Guard Headset
RA-1027		Replacement Head Band

Headphones

Cup the ear and are invisible to Scanning. Inner ear tips fit into the ear, providing direct sound. Provides approximately 55 dB of noise reduction.

Model	Des.	Description
RA-2003		Headphones
RA-2011		Replacement Headband
RA-2021		Headphone Adaptor - Adapts the RA-2003 to Siemens Bed
RA-2022		Headphone Adaptor w/ 6 1/2 ft of twin tubing that can be cut to size



MRI Stereo Headphone Adapter

MRI Stereo Headphone Adapter is designed for use MRI scanners that have their own existing patient sound system and a headphone jack that looks like a small 90-degree angled plug. The single mono plastic plug style headphone port is common to most of the Siemens MRI scanners. The single tube port audio connection provides mono audio for the MRI headphones.

Model	Des.	Description
RA-1075		Adaptor



Over-Ear MRI Headphones with Wall Hanger

This unique premium headphone offers incredible sound attenuation while remaining comfortable even after extended periods of wear. Provides a full 29 dB of noise attenuation.

Model	Des.	Description
RA-3505		Over-Ear MRI Headphones



Siemens Headphone Adaptor

May need additional tubing for your headset for Siemens Machines. Most headphones have a 3-4 foot length of tubing attached. Please supply additional length if needed and order that additional length under PN: RA-1053 10 feet is the maximum length that can be added for sound quality. **Tubing has 3/8" inside diameter.**

Model	Des.	Description
RA-1017		Adaptor

MRI Over-Ear Headphones










MRI Over-Ear Headphones is crafted with the latest technology, these headphones are specifically designed for use during MRI scans, ensuring a seamless blend of functionality and style. Slip into a realm of sonic excellence as you wear these headphones, carefully engineered to enhance your MRI experience.

Model	Des.	Description
RA-3508		MR Safe



Headset Replacement Parts

Replacement parts for RA-1001, RA-1002, RA-1013 and RA-1057.

Model	Des.	Description
RA-1027		Replacement Head Band
RA-1053-03		Replacement Sound Tubing 36"
RA-1053-04		Replacement Sound Tubing 48"
RA-1053-05		Replacement Sound Tubing 60"
RA-1053-06		Replacement Sound Tubing 72"
RA-1053-07		Replacement Sound Tubing 84"
RA-1053-08		Replacement Sound Tubing 96"
RA-1053-09		Replacement Sound Tubing 108"
RA-1053-10		Replacement Sound Tubing 120"



Neonatal Noise Guards

A must have for premie and newborn patients, Neonatal Noise Guards protect these little one's sensitive ears in the MRI environment, and provide peace and quiet in the NICU. Neonatal Noise Guards reduce the surrounding environment noise level by at least 7 dB, with a reduction in sound pressure of more than 50%. Disposable, latex free.

Box includes 6 pairs

Model	Des.	Description
RA-1016		Neonatal Guards (6 pr. per box)



Clear Acrylic Neonatal Noise Guard Dispenser

Makes it easy to store and quickly access Neonatal Minimuffs or any neonatal ear plugs in a similar sized package.

Specifications:

Gravity Fed Dispenser

Wall Mount With Brass Screws (Included)

3 3/4" L X 6 3/4" W x 6" H

Model	Des.	Description
RA-1030		Neonatal Noise Guard Dispenser





MRI Non-Magnetic Prism Glasses, Fitover Frames

Features:

Fits over Prescription Glasses.

Do not reverse the image so it is possible to see a mural or projection screen TV.

Prism angle remains fixed in either position so no viewing angle adjustment is required.

Free of any metal components and may be worn in all types of Diagnostic Imaging Scans.

Similar to wearing a conventional pair of glasses so the patient will easily adapt to wearing them.

Model	Des.	Description
-------	------	-------------

RA-2013		MRI Non-Magnetic Prism Glasses, Fit over Frames
---------	---	---



Infant Eyeshades

NeoShades provide superior protection to neonates during imaging procedures or while in the NICU or PICU. Ultra skin-friendly, NeoBond® hydrocolloid tab adhesive resists skin breakdown from moisture or heat.

Features:

Superior UV light blocking.

Thicker, soft eye shield material with ocular pockets provide superior comfort and safety.

Model	Des.	Description
-------	------	-------------

PO-1030		NeoShades Infant Eyeshades, 50 Per Case
---------	---	---

Sleep Mask

MRI Safe eyeshade sleep mask. Made from satin soft polyester, this is the same mask provided by major airlines and hotels. Available in Dark Blue Only (inside is black). 2 elastic straps.



Model	Des.	Description
-------	------	-------------

RA-6000		100 Nylon Masks
---------	---	-----------------

RA-6001		1000 Nylon Masks
---------	---	------------------

Swirl Earplugs

Fun colored to spark up the hearing protection program. Different colors in every package. Tapered for easy insertion in any size ear canal.




Model	Des.	Description
-------	------	-------------

RA-1009		Without cord, 1000 Pair / 2000 Count
---------	---	--------------------------------------

RA-4006		With cord, 200 Count / 100 Pair
---------	---	---------------------------------

Pure Fit - Long Earplugs

Longer length for easy fitting and removal. Bright green color for easy compliance checks. Tapered for easy insertion in any size ear canal.



Model	Des.	Description
-------	------	-------------

RA-4004		Without cord, 1000 Pair / 2000 Count
---------	---	--------------------------------------

RA-4005		With cord, 200 Count / 100 Pair
---------	---	---------------------------------

Plug Dispenser

Clicking mechanism for easier use and dispensing. Chute delivers plugs right into the palm of your hand.

Model	Des.	Description
-------	------	-------------

RA-4009		Swirl, 250 Count / 125 Pair
---------	---	-----------------------------

RA-4010		Swirl, 500 Count / 250 Pair
---------	---	-----------------------------

RA-4011		Pure Fit, 250 Count / 125 Pair
---------	---	--------------------------------

RA-4012		Pure Fit, 500 Count / 250 Pair
---------	---	--------------------------------



Containers are Non-Refillable

MRI Non-Magnetic Apache Ear Muffs

Cups for ears 4"L x 3"W x 2.5" Deep-NRR 24, The Ultimate Economy Earmuff weighing only 5.9 oz. Soft seal cushions, low band force, and "positive stop" ear cup positioning make it a comfortable choice.

Model Des. Description

RA-1061  24 dB Noise Attenuation | CE Certified



RA-1061

MRI Non-Magnetic Blackhawk Ear Muffs

Soft-Seal ear cushions provide exceptional comfort and fit. Special foam head pad for all day comfort. Sculpted headband with molded grips for easy cup adjustment.

Model Des. Description

RA-1062  27 dB Noise Attenuation | CE Certified



RA-1062

MRI Non-Magnetic Ear Muffs

Noise reduction rating (NRR) of 30 makes these ear muffs ideal for hearing protection in high noise environments. Works with large style headset covers.

Model Des. Description

RA-1057  NRR30 Noise Attenuation



RA-1057

MRI-Safe Hearing Protective Earmuffs

MRI-Safe Hearing Protective Earmuffs are very effective in reducing the high levels of noise produced by MRI systems. They help to protect MRI patients from hearing damage.

Model Des. Description

RA-1066  Noise reduction rating of 20 dB



RA-1066

MRI Non-Magnetic Replacement Headband for Stereo Headsets

These headbands work with model # RA-1001, RA-1057 and RA-1013.

Model Des. Description

RA-1027  Replacement Head Band for RA-1057



RA-1027



MR Safe Non-Headset

MR Safe Non-Headset fits comfortably and securely over the ears, providing clear audio for music or instructions to patients during their head scans. Its design ensures that patients remain relaxed, even during longer procedures.

Model	Des.	Description
RA-3510-04		4'
RA-3510-10		10'

Large Sanitary Head Set Covers







Fits models RA-1013, RA-1001, RA-1002, RA-2003, RA-1057, RA-1061, RA-1062, and RA-1071

Small fits model RA-1003 & RA-3505

1000 per case, Available in White or Black

NON RETURNABLE ONCE PACKAGE IS OPENED



Model	Des.	Description
RA-1006		White (1000 per case)
RA-1006		Purchase 1-9 cases
RA-1006		Purchase 10-999 cases
RA-1006		Purchase 1,000+ cases
RA-1058		Black (1000 per case)
PC-1027		Dispenser Small - 8 1/2" x 11" x 4"

Optional Dispenser

RA-1006 Size:

5" Circumference

2 1/2" Band Circumference

RA-1058 Size:

4" Circumference

1 1/2" Band Circumference



MRI Access / Egress Organizer

Storage for personal gear or for entry or exit. Space for gloves, safety glasses, protective clothing and changing area supplies. Light, white, room-for-everything and built for maximum ease in and out of the lab. Hinged acrylic doors allow easy stocking and viewing of supplies. Fabricated design to hold lab gear and keep your clothes and personal items off the floor. Entire organizer is wall mountable and easy to install with built-in key holes, so you'll go from the office to the lab in no time. Features one shelf, four safety glass cubbies, 3 covered compartments, a glove box dispenser and three hooks. Mounting hardware NOT included.





18.125" L x 7.2" W x 19.875" H

Model	Designation	Description
PC-1137		Access / Egress Organizer

More Carts Available
at www.MRIequip.com

MRI Safe Pediatric Thermal Blanket









MRI Safe Pediatric Thermal Blanket ensures your child's comfort and safety during medical procedures. Crafted with precision and care, this blanket is designed to make pediatric patients feel secure and cozy during MRI scans and other medical treatments.

Model	Des.	Description
MO-3020-SM		20" x 28"
MO-3020-MD		24" x 34"
MO-3020-LG		28" x 41"
MO-3020-FS		Set of 3




MRI HUG-U-VAC Positioner

MRI HUG-U-VAC Positioner is a game-changing innovation in pediatric patient positioning. Precise patient positioning is critical in Pediatric MR imaging. The HUG-U-VAC pediatric vacuum activated positioners provide precise anatomical positioning. The coveted Head positioner is a must for MR imaging of the head and neck. The HUG-U-VAC positioners conform to the contours of the patient's anatomy thereby providing the ultimate in patient comfort.

Model	Des.	Description
PO-4095-SM		16" x 24"
PO-4095-MD		20" x 30"
PO-4095-LG		24" x 36"
PO-4095-CS		Complete set
PO-4096		Duffel Bag
PO-4097		Head Positioner
PO-4098		Vacuum Pump and Hose
PO-4099		Patch Kit





MRI Non-Magnetic Leg Brace





MRI Non-Magnetic Leg Brace is crafted with precision and care, this leg brace is designed to offer exceptional support and comfort without compromising your magnetic resonance procedures. Whether your recovering from surgery or nursing a sports-related injury, our MRI non-magnetic leg brace is your trusted partner in the journey to regain mobility and strength.

Model	Des.	Description
FO-1093		7"H x 10"W x 20"L



MRI Safe Superfoam Mat Solid/Drainage




MRI Safe Superfoam Mat is here to revolutionize your workplace safety and comfort. Whether you're in a medical facility, a laboratory, or an industrial setting, our Superfoam Mat is designed to make your daily routine easier and safer.

Model	Des.	Description
MT-0992-SM		3' x 5' Solid
MT-0992-MD		4' x 6' Solid
MT-0992-LG		4' x 6' Drainage
MT-0992-XL		3' x 5' Drainage



Nitrile Exam Gloves

Nitrile Exam Gloves are your go-to choice for reliable hand protection. These gloves are designed with precision and care to ensure your peace of mind during medical examinations, laboratory work, and other applications where hand safety is paramount.

Model	Des.	Description
GL-2009-SM		Small
GL-2009-MD		Medium
GL-2009-LG		Large
GL-2009-XL		Extra Large

MR Conditional At 7T Or Less

Products from MRlequip Determined to be MR Conditional at 7-T or Less

NISSWA, MN, DECEMBER 21, 2017

MRlequip, an industry leader in innovating non-metallic MR Safe and non-magnetic or weakly magnetic MR Conditional equipment, announces that many of its patient support products have been tested by Dr. Frank G. Shellock. Dr. Shellock is the President of Shellock R & D Services, Inc. and an established MRI safety expert. The results indicated that these products are MR Conditional at 7-T or less.

Using the first clinically approved 7-Tesla MR system (Terra, Siemens Medical Systems), Shellock R & D Services, Inc. examined the magnetic field interaction for each style and type of non-magnetic or weakly magnetic equipment in association with this very-high-field scanner. Dr. Shellock stated, "I am pleased to report that every one of the products that underwent testing, including the relatively larger items such as the stainless steel stretcher, wheelchair, and utility table, passed our test procedures and, thus, are deemed MR Conditional at 7-Tesla or less. Importantly, the items that we tested represent many of the important patient support products that are commonly used in the clinical MRI environment."

"As the first 7-Tesla MRI scanner approved by the Food and Drug Administration hit the market, MRI facilities need to be prepared with new equipment to permit proper patient care in this special setting." Says Erich Schulz, President and Chief Executive Officer of MRlequip. "Today it's necessary to take extra precautions because 7-Tesla MR systems pose more than twice the magnetic field-related issues than the 3-Tesla MR systems."

MRlequip's line of non-metallic, non-magnetic, and weakly magnetic equipment, currently used in MRI facilities around the world, allows for the safe transferring of patients as well as for their proper management within every clinically utilized, MRI suite and includes essential accessories such as oxygen tank holders, gurneys, and IV poles. Determining this equipment to be MR Conditional at 7-T or less allows for their use in the same room as all current FDA approved MRI scanners.



ABOUT MRlequip

MRlequip has been an industry leader in providing non-magnetic MR Safe and MR Conditional equipment for more than 15 years. Working directly with MRI facilities to work on their specific issues, needs and requirements, MRlequip innovates products to work within every MRI setting.

ABOUT SHELLOCK R & D SERVICES, INC.

Shellock R & D Services, Inc. (www.magneticresonancesafetytesting.com and www.mrisafety.com) is the World's most experienced MRI testing company that conducts comprehensive evaluations of implants, devices, objects, and materials. Shellock R & D Services, Inc. has access to MR systems operating from 0.2-Tesla to 7.0-Tesla, including dedicated-extremity and interventional MR systems.

Laryngoscope

Introducing the first fiber-optic incubating laryngoscope set designed specifically for use within the MR room.

Long Life - Laryngoscope handle developed from selected low-magnetic materials. Proprietary low-magnetic signature lithium battery delivers 4 times the useful life of a standard alkaline battery.

High Intensity - A 3.5V halogen lamp yields a high-intensity, fiber-optic delivered light beam.

Compatible - Works with a broad range of Fiber-optic Laryngoscope Blades.

Warranty - 1 year



**Handle Does NOT
Include Battery or Blades**

Adult Handle: 6" Long, 1" Wide
Pediatric Handle: 4 ½" Long, 1" Wide



Model	Des.	Description
MO-1100		Laryngoscope Handle, Adult
MO-1122		Laryngoscope Handle, Pediatric
MO-1101		Lithium Battery, (2 pack)
MO-1102		American Macintosh 0 Blade
MO-1103		American Macintosh 1 Blade
MO-1104		American Macintosh 2 Blade
MO-1105		American Macintosh 3 Blade
MO-1106		American Macintosh 3.5 Blade
MO-1107		American Macintosh 4 Blade
MO-1108		English Macintosh 1 Blade
MO-1109		English Macintosh 2 Blade
MO-1110		English Macintosh 3 Blade
MO-1111		English Macintosh 4 Blade
MO-1112		Miller 0 Blade
MO-1113		Miller 1 Blade
MO-1114		Miller 2 Blade
MO-1115		Miller 3 Blade
MO-1116		Miller 4 Blade
MO-1117		Wisconsin 2 Blade
MO-1118		Wisconsin 3 Blade
MO-1119		Wisconsin 4 Blade
MO-1120		Light Bulbs, (5 pack)

MRI LED Mobile Exam Light

Illuminate procedures in the MRI room. MR Conditional to 7T, this cordless rechargeable light is made entirely of high-quality non-magnetic materials with an articulating arm to bring light exactly where you need it. The non-magnetic UL and CE approved battery provides 7-8 hours of illumination per charge and offers a quick release system to easily swap batteries.

MRI LED Mobile Exam Light Specifications:

UL and CE Approved

Adjustable jointed arm for easy positioning

Mobile caster base with easy-glide wheels

Medical grade UL approved battery charger

LED perfectly focused illumination

Light output > 55,000 Lux/500 mm

Light color approximately 4,300K K +/-200

Coloring index CRI >93

Light field diameter D10 100 mm at 500 mm

Luminous flux 160 lm

Electrical Requirements 100-200V, 50-60 Hz

MRI LED Mobile Exam Battery

Specifications:

UL and CE Approved

Medical grade UL approved battery charger

Electrical Requirements 100-200V, 50-60 Hz

Input voltage 18.5V DC Li-ion battery

Battery capacity 6000 mAh

Power consumption 12.4W

Total weight 5 lbs



Model	Designation	Description
EX-1020		MRI LED Mobile Exam Light
EX-1021		MRI LED Mobile Exam Light Battery Replacement

MRI-Safe Hospital Mobile Lamp w/ Battery Pack & Remote Charger

MRI-Safe Hospital Mobile Lamps have the latest advances in lighting technologies while using only 50% consumption of power when compared with halogen lamps, for a very powerful 75,000 lux at 1 meter with adjustable light intensity and infinite focus. LED models equipped with an advanced battery pack allowing them to operate, when fully charged, for up to 8 hours.

Mobile Stand Specifications:

Mast Height: < 61"

Overall Height with Arm Raised: < 87"

Base Width: < 28"

Base Depth: < 28"

Base Height to tops of legs: < 6.5"

Battery Pack & Charger / Power Supply Specifications:

Battery Type: Sealed Cell, No Maintenance

Battery: UL Listed

Battery Box: UL Rated

Battery Charger / Power Supply: Auto Sensing

Power Input: 110 to 240AC 50Hz/60Hz 24VDC @ 7 amps

Power Output: 2 Amps

Battery Recharge Time: < 3.5 hours

Battery Use Time at Full Charge: 8 hours

Remote Charger for MRI-Safe lamp models is magnetic and must be plugged into 110-120VAC standard wall outlet, located outside the MR shielded area.



Model	Designation	Description
EX-3002		MRI-Safe Hospital Mobile Lamp w/ Battery Pack & Remote Charger

MR Conditional LED Flashlight

MR Conditional LED Flashlights are durable and reliable flashlights. All of their components are made from heavy-duty molded plastic and non-magnetic materials. MR Conditional LED Flashlights have been tested and approved for use on all 3 Tesla MRI Machines.

Model	Description	Designation	Quantity
EX-1016	Flash Light		1 Each
EX-1017-02	Batteries		2 Pack
EX-1017-04	Batteries		4 Pack




MRlequip.com proudly introduces a revolutionary patented system for MRI breast coils.

These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.

AccuFit MRI Sentinelle Breast Coil Drape

Provides complete coverage and protection of all Sentinelle Breast Coil Products. Total Coverage - added an extra 60" in length now covering the entire table which eliminates costly usage of sheets and provides quick procedure turn around.



Sentinelle MRI Breast Coil Disposable Drape

25 per case

Compatible with:

Siemens MAGNETOM® Avanto
MAGNETOM Espree
MAGNETOM Symphony
GE Signa® HDx or HDi MRI
Toshiba 1.5T Vantage Atlas™
Vantage Titan™
May fit coils other than those listed



Please Call for a
Free Sample.

Model	Designation	Description
BS-1011		Sentinelle Breast Coil Drape (25 per case)



AccuFit Sentinelle Large Headrest Cover


This product fits the large 5 inch high headrest utilized with the Sentinelle Breast Coil Table and stand alone coils.

100 per case

Model	Designation	Description
BS-1012		Sentinelle Headrest cover (100 per case)

AccuFit Headrest Disposable Covers

100 per case



Model	Designation	Description
BS-1003		AccuFit Headrest Covers (100 per case)



AccuFit MRI Breast Coil Disposable Cover

Compatible with:

Siemens 1.5T Avanto/Espree 7 Channel

Siemens 1.5T Symphony 7 Channel

Phillips 1.5T Achieva 7 Channel

Phillips 3.0T SENSE

GE 8 Channel coil

GE 1.5T Excite 7 Channel

GE 3.0T 7 Channel Breast

CP Siemens Breast Array

Insight

May fit coils other than those listed



Model	Designation	Description
BS-1007		Breast Coil Drape Style Two (100 per case)
BS-1008		Breast Coil Drape Style Two (20 per case)

Multi-Modality Breast Biopsy and Sonographic Trainer


For Ultrasound, Mammography, X-Ray and MRI use.

12cm x 10cm x 9cm (4.7" x 4" x 3.5")

Weight: .4kg(1 lb)


Includes Multi-Modality Breast Biopsy and Sonographic Trainer Phantom, user guide and 6-month warranty

Model	Des.	Description
PH-1020		Breast Biopsy and Sonographic Trainer



Are your current MRI supplies certified?

MRlequip.com proudly introduces the first of its kind non-ferromagnetic MRI certified biopsy tray to include both a scalpel and needle. The first biopsy tray significantly reduces your fine institution of liability, when used in the prescribed fashion. Please call for MRI certification for future purchases. Thanks to your radiology family, larger production runs have lowered the price to \$399.00 for a case of 10 trays. That's just \$39.90 per tray.



MRI Non-Ferromagnetic "Certified" Biopsy Tray

Featuring a Non-Ferromagnetic Scalpel and Non-Ferromagnetic Needle



SAFETY: MRlequip.com is committed to bring to you the only MRI Non-Ferromagnetic Certified Biopsy Tray. Designed and certified within the guidelines of the new ASTM standards in effect so your facility no longer has to assume the liability for any safety accidents due to items made with ferrous materials.

USAGE FLEXIBILITY WITH LESS WASTE: Based on customer feedback for increased ordering and procedure flexibility you'll note that we packaged the main biopsy components separately as well as in a MRI biopsy tray. Trays can also be used as a MRI localization tray.

UNIQUE DESIGN: MRlequip.com offers the only MRI Non-Ferromagnetic certified disposable scalpel and MRI Non-Ferromagnetic certified needle.

COST EFFECTIVE: This product is a first of its kind. Developed by technologists who perform the procedures. It is cost effective, practical and safe to use. The trays are completely sterile and disposable.

MR Conditional to: 3-Tesla


The trays have a 2 year expiration date.

Tray Contents:

- | | |
|---|---|
| 1 5cc syringe luer lock | 1 Betadine swabs (pkg 3) |
| 2 10cc syringe luer lock | 1 sterile pen with ruler (to write on labels) |
| 1 20cc syringe luer lock | 1 sheet pre-labeled JCAHO required labels |
| 1 20 gauge non-ferromagnetic injection needle 9cm | 1 Alcohol prep |
| 1 #11 blade non-ferromagnetic scalpel with plastic handle | 1 Steri-strip 1/2 x 4 inch (3 per card) |
| 1 plastic forcep fine tip | 1 4oz specimen cup |
| 6 4 x 4's 12 ply | 1 towel 17 x 20 white |
| 2 2 x 2's 12ply | 1 prep tray 10 x 5 x 2 |
| 1 ChloraPrep® 3ml | 1 outer tray wrap 30 x 30 |

Model	Des.	Description
BS-1000		MRI Certified Biopsy Tray (10 per case)

MRI Non-Magnetic Biopsy Instrument Brushes



TW-5523



TW-5524, TW-5525

Model	Des.	Description
TW-5523		Disposable Instrument Brush. Each Brush is Sterile and Individually Packaged Qty- 12
TW-5524		Nylon Bristle Instrument Brush, Autoclavable Qty-3
TW-5525		Nylon Bristle Instrument Brush, Autoclavable Qty-12

MRI Non-Ferromagnetic
Certified #11 Disposable Scalpel and 20g 9cm Needle Tray Kit



Tray Contents:

- 1 CSR Outer Wrap 28 x 28
- 1 Prep Tray 10 x 5 x 2
- 1 MRI “Non-Ferromagnetic” Disposable Titanium #11 Scalpel - This scalpel is safe to use for any interventional procedure for the initial puncture of the skin
- 1 MRI “Non-Ferromagnetic” Needle 20g 9cm - This needle is completely safe for use as a puncture or injection needle.

Non-Clinical testing demonstrated that this product is MR conditional and can be used in the MRI environment according to the following conditions:

- 1. Static magnetic of 3-Tesla or less
- 2. Highest spatial gradient magnetic field of 720-Gauss/cm or less




Model	Description
BS-1014	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit (for use as a puncture or injection needle), 1 of Each
BS-1015	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - Case of 10 Trays
BS-1016	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - Case of 20 Trays



MRI Non-Magnetic Biopsy Instruments

Fig	Model	Des.	Description
A	TW-3012		Titanium Mosquito Clamp, Curved, 5 Inch
B	TW-3013		Titanium Webster Needle Holder, 5 Inch
C	MT-6003		MRI Scissors



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Instruments

Fig	Model	Des.	Description
A	TW-5006		Disposable 5" Dressing Forceps, 10 Per Case
A	TW-5014		Disposable Sterilized 5" Dressing Forceps, 10 Per Case
A	TW-5021		Disposable Sterilized 5" Dressing Forceps, 100 Per Case
B	TW-5000		Disposable 9½" Sponge Forceps, 10 Per Case
B	TW-5008		Disposable Sterilized 9½" Sponge Forceps, 10 Per Case
B	TW-5015		Disposable Sterilized 9½" Sponge Forceps, 100 Per Case
C	TW-5003		Disposable 5¼" Straight Hemostat, 10 Per Case
C	TW-5011		Disposable Sterilized 5¼" Straight Hemostat, 10 Per Case
C	TW-5018		Disposable Sterilized 5¼" Straight Hemostat, 100 Per Case
D	TW-5004		Disposable Foam Nose Clip, 10 Per Case
D	TW-5012		Disposable Sterilized Foam Nose Clip, 10 Per Case
D	TW-5019		Disposable Sterilized Foam Nose Clip, 100 Per Case
E	TW-5005		Disposable 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5013		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5020		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 100 Per Case
F	TW-5002		Disposable 5¼" Curved Hemostat, 10 Per Case
F	TW-5010		Disposable Sterilized 5¼" Curved Hemostat, 10 Per Case
F	TW-5017		Disposable Sterilized 5¼" Curved Hemostat, 100 Per Case
G	TW-5001		Disposable 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5009		Disp. Sterilized 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5016		Disp. Sterilized 5" Non-Perforating Towel Clamp, 100 Per Case
H	TW-7021		8.25" Smooth Straight 1mm tip Titanium Round Bayonet Forceps

These instruments comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Titanium Mayo Scissors

Model	Des.	Description
IN-3026		Straight, 150mm-6"
IN-3027		Straight, 170mm-6 3/4"
IN-3028		Straight Blunt-Sharp, 150mm-6"
IN-3029		Curved 150mm-6"
IN-3030		Curved 170mm-6 3/4"



Mayo

MRI Titanium Leriche Hemostatic Forceps

Model	Des.	Description
IN-3031		Straight Tip, 150mm-6"
IN-3032		Curved Tip, 1x2" Teeth 150mm-6"
IN-3033		Straight Tip, 1x2" Teeth 150mm-6"
IN-3034		Forceps, Curved Tip, 150mm-6"



Leriche

MRI Titanium Stevens Scissors

Model	Des.	Description
IN-3023		Straight/Blunt 110mm-4 1/2"
IN-3024		Curved/Blunt 110mm-4 1/2"



Stevens

MRI Titanium Suture Scissors

Model	Des.	Description
IN-3025		Straight, 140mm-5 1/2"



Suture

Color Coded Instrument Marking Tape


Model	Des.	Description
IN-1050		No Lettering, 1/4" W X 200" L, Core Size 1" (1 Roll)
IN-1000		No Lettering, 1/4" W X 200" L, Core Size 1" (3 Rolls Per Set)
IN-1051		"MRI" in White Lettering, 1/2" X 500" (1 Roll)
IN-1001		"MRI" in White Lettering, 1/2" X 500" (3 Rolls Per Set)
IN-1052		"MRI" in White Lettering, 3/4" X 500" (1 Roll)
IN-1002		"MRI" in White Lettering, 3/4" X 500" (3 Rolls Per Set)

Dark Green, Autoclavable






The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Potts

MRI Titanium Potts Micro Scissors

Model	Des.	Description
IN-3000		Angulated 25(degrees).185mm-7 1/4"
IN-3001		Angulated 45(degrees).185mm-7 1/4"
IN-3002		Angulated 60(degrees).185mm-7 1/4"
IN-3003		Angulated 90(degrees).185mm-7 1/4"
IN-3004		Angulated 130(degrees).185mm-7 1/4"



Malis

MRI Titanium Malis Micro Scissors

Model	Des.	Description
IN-3005		Curved Down 220mm-8 5/8"
IN-3006		Curved Up 220mm-8 5/8"
IN-3007		Curved Up, Fine Tip 220mm-5 5/8"
IN-3008		Straight 220mm-8 5/8"
IN-3009		Straight , Fine Tip 220mm-8 5/8"



Adson

MRI Titanium Adson Dissecting Forceps

Model	Des.	Description
IN-3010		Without Teeth, 120mm- 4 3/4"
IN-3011		Without Teeth, TCI 120mm- 4 3/4"
IN-3012		With 1x2 Teeth, 120mm- 4 3/4"
IN-3013		With 1x2 Teeth, Delicate 120mm- 4 3/4"
IN-3014		With 1x2 Teeth, TCI Delicate 120mm- 4 3/4"
IN-3015		With 1x2 Teeth, TCC Delicate 120mm- 4 3/4"



Metzenbaum

MRI Titanium Metzenbaum Scissors

Model	Des.	Description
IN-3016		Straight 150mm-6"
IN-3017		Straight 180mm-7 1/8"
IN-3018		Straight 230mm-9"
IN-3019		Curved 150mm-6"
IN-3020		Curved 180mm-7 1/8"
IN-3021		Curved, Delicate 180mm-7 1/8"
IN-3022		Curved, 230mm-9"

MRI Non-Ferromagnetic Overbed Table

This aluminum overbed table has a sturdy and robust U base design. The Table Top is constructed of white polyethylene. The flush mounted T molded edge further reinforces the tabletop and makes it resistant to wear and tear.

Overbed Table Features

MRI Non-magnetic Overbed Tables are adjustable height with a turn knob lock and come with 5" heavy duty casters.

Overbed Table Specifications:

31" Height, Adjustable to 45"

31½" Tabletop Length

12" Tabletop Width

16" Overall Width

3" Casters



MR
CONDITIONAL
AT
7T
OR LESS

Model	Des.	Description
TA-1060		Overbed Table

MRI Injection Stand, Adjustable Angle Arm Pad

MRI Injection Stands have casters for mobility in and around the MRI suite. Perfect for keeping a patient's arm still for any need. Improving efficiency and patient comfort, injection stands can be used for IV Placements or any other injections.

MRI Injection Stand Features

This MRI Injection Stand has an adjustable angle arm pad and an adjustable height pole for optimal adjustments based on any patient's need.

Injection Stand Specifications:

31½" Height, Adjustable to 50½"

11½" Pad Length

7" Pad Width

21" Base Width

2" Casters



MR
CONDITIONAL
AT
7T
OR LESS

Model	Des.	Description
IV-1925		Injection Stand



MRI Single Basin

Stainless steel water basin with 2" plastic twin wheels. 37" tall, 14" water bowl

MR
CONDITIONAL
AT
7T
OR LESS

Model	Des.	Description
BA-1000		Single Basin

Mayo Stand

Stainless Steel
Adjusts from 31" to 51"
2" twin plastic wheels

MR
CONDITIONAL
AT
7T
OR LESS

Model	Des.	Description
TA-1001		16" x 21" Tray Size



**A****B****C**

MRI Stainless Steel Tray

MRI Stainless Steel Tray is Specifically designed for use in MRI environments, this tray provides a secure and reliable platform for organizing medical instruments and supplies. Experience peace of mind and convenience with our MRI Stainless Steel Tray today. Tray is an essential tool for healthcare facilities and other environments where MRI imaging is conducted.



Figure	Model	Des.	Description	Quantity
A	TR-1300-SM		11-11/16 x 2-1/16 x 6 3/8	Each
A	TR-1300-MD		14-15/16 x 2 1/4 x 9-3/16	Each
B	TR-1301		12" x 1/2" x 9"	Each
C	TR-1302		10" x 3/4" x 6 1/2"	Each

Accu-Draw IV Clamp

MRI ACCU-DRAW™ provides one-handed access to non-sterile vials while maintaining sterility. ACCU-DRAW keeps vial labels visible at all times, and angles vials so they can be completely emptied. Made of brass, plastic, and aluminum. How it Works: The durable plastic holder accommodates two single-dose and three multi-dose vials at a time. Clamps onto any table surface. Vials that run out can be replaced with fresh ones at any time during the procedure. You'll know vials are secure because they click and lock into place. Holds vials at the perfect angle, allowing complete emptying and reducing medication waste.



Model	Des.	Description
FO-1117		Accu-Draw IV Clamp

**SH-1020**

MRI Non-Magnetic 5 Qt. Sharps Container

5 Quart Sharp Sentinel containers are latex and heavy metal free for added safety. The rotating cylinder top permits convenient, one-handed disposal of sharps. The rotating lid automatically drops needles and syringes in a horizontal position to maximize capacity. A built-in needle key permits the safe removal of needles when necessary. Units lock onto a wall bracket and released with a key (sold separately, sku SH-1022).




Wall Safe Bracket for
SH-1020 with Key

Model	Designation	Description
SH-1020		5 Quart (8 Per Case)
SH-1022		Wall Safe with Key for SH-1020 (8 Sets Per Case)



PC-1504



AC-1015



PC-1503

Side Loading Acrylic Glove Box Holders

Right or left filling. These glove box holders are perfect for your organized lab. Available in three different configurations. The compartments are designed to fit most types of glove boxes.

Model	Des.	Description
PC-1504		Single, 1 Compartment 5.6" x 10.4" x 4.4"
PC-1503		Double, 2 Compartments 10" x 10.4" x 4.4"
AC-1015		Glove Box Insert

GentleGuard Vinyl Powder Free Gloves

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2000-XS		Extra Small
GL-2000-SM		Small
GL-2000-MD		Medium
GL-2000-LG		Large
GL-2000-XL		Extra Large



GentleGuard Latex Powder Free Gloves

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2001-XS		Extra Small
GL-2001-SM		Small
GL-2001-MD		Medium
GL-2001-LG		Large
GL-2001-XL		Extra Large



MRI Compatible Sugical Face Mask Level 3 Rated

Surgical Face Masks are made of top-quality USA materials, the surgical mask's triple-layer construction ensures that the outer layer of our mask is protective while the inner layer stays smooth and comfortable.

Model	Designation	Description
FS-3001-BX		50 per Box
FS-3001-CA		50 per Box 6 Boxes per Case



MRI Breast Coil Cart

MRI Breast Coil Carts have been extensively tested and are proven to be non-magnetic. All materials used in the fabrication of Breast Coil Carts are non-magnetic, making these Coil Carts MR Conditional! The carts are equipped with heavy duty swivel casters that have an ergonomic dual wheel design. Breast Coil Carts will not alarm Ferromagnetic Detection Systems and have many additional benefits. Not only are the carts MR Conditional, they are extremely durable and moisture proof. These MR Conditional Carts hold up to continuous cleaning and disinfecting, even with straight bleach!

The Coil Cart above was designed to be the same height as the MRI table for easy lifting of the breast coil.

MR Conditional Coil Carts are designed with features that address issues such as suite safety, infection control and ease of operation so that valuable time is not spent taking carts in and out of the room. **Immediate access to coils and supplies improves efficiency in the MRI Suite.**

Made from Andure®, **NOT PVC**, a sophisticated blended resin - This material holds up to continuous disinfecting and cleaning without breaking down and will never delaminate because it is a solid material, making the cart over 150 pounds.

Made of 30% recycled material - Environmental Friendly ... "Green" & 100% Recycleable.

Meets USFDA standards and complies with ASTM F2503 criteria for MR Conditional Designation -

Can remain in the MRI Suite during all procedures

Engineered for durability and strength - Total weight load up to 660 lbs.

Made with heavy duty swivel casters that have an ergonomic dual wheel design - Durable and maneuverable

100% Made in America - Supporting the United States economy and local manufacturers and tradespeople

20 Year Warranty - Cart will not delaminate, chip, rust or decay for a period of 20 years.

Product Specifications: 28" W x 34" H x 44" L - 160lbs.



cart features:

Moisture Proof

Stain Resistant

100% recyclable

Chemical Resistant

Impact Resistant solid resin

Made from 30% recycled material



Model	Des.	Description
PC-1600		MRI Breast Coil Cart
PC-1601		MRI Breast Coil Guard Set



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Conditional Oxygen Flowmeter

0-15 LPM flow range, with a minimum of 65 LPM flush flow rate

Base is constructed of nickel plated solid brass

Durable polycarbonate hood and metering tube

Stainless steel ball float

Flowmeters are all calibrated at 50 psig and 70° F

Flowmeters are all back-pressured compensated

ADAPTER NOT INCLUDED

Model	Des.	Description
OX-1200		MRI Conditional Oxygen Flowmeter

MRI Conditional Air Flowmeter

0-15 LPM flow range, with a minimum of 65 LPM flush flow rate

Base is constructed of nickel plated solid brass

Durable polycarbonate hood and metering tube

Stainless steel ball float

Flowmeters are all calibrated at 50 psig and 70° F

Flowmeters are all back-pressured compensated

ADAPTER NOT INCLUDED

Model	Des.	Description
OX-1201		MRI Conditional Air Flowmeter

MRI Conditional Flowmeter Ohio Inlet

MRI Conditional Flowmeters, Ohio inlet offers a heavy duty service with outstanding impact resistance.

Model	Des.	Description
OX-6002		MRI Conditional Flowmeter Ohio Inlet

MRI Conditional Flowmeter Chemtron Inlet

MRI Conditional Flowmeter, Chemtron Inlet offers a heavy duty service with outstanding impact resistance.

Model	Des.	Description
OX-6003		MRI Conditional Flowmeter Chemtron Inlet

MRI Conditional Oxygen Flowmeter

MRI Conditional DISS-1240 Knurled Nut & Nipple Inlet offers a heavy duty service with outstanding impact resistance.

Model	Des.	Description
OX-6004		MRI Conditional Oxygen Flowmeter

MRI Conditional RW Series Regulator

MRI Conditional RW Series Regulator offers a heavy duty service with outstanding impact resistance.

Model	Des.	Description
OX-6020		MRI Conditional RW Series Regulator



Oxygen Regulators / Flowmeter

Model	Des.	Description
OX-1021		Nut & Nipple Style, 50 PSI Oxygen Regulator (M cylinder)
OX-1020		Yoke Style, 50 PSI Oxygen Regulator
OX-2002		Yoke Style, 50 PSI Preset Oxygen Regulator
OX-2003		Yoke Style, 0-15 LPM Regulator w/ Flow Control Knob, for Oxygen
OX-6000		THIS ITEM IS CE CERTIFIED Click Style - Dome Handle, 0-15 LPM Regulator
OX-6021		MRI Compatible RW Series Regulator One DISS offers Outstanding impact resistance
OX-6022		MRI Compatible RW Series Regulator Two DISS offers Outstanding impact resistance
OX-6023		MRI Compatible RW Series Regulator Two DISS with Pressure Reducer



Oxygen & Air Flow Meters

Model	Des.	Description
OX-1045		Quick Connect for Ohmeda
OX-1046		Quick Connect for Chemtron
OX-1047		Quick Connect for Puritan
OX-1025		Oxygen Flowmeter with DISS Connection
OX-2007		Oxygen Flowmeter with Female Nut & Nipple DISS Connection for M Cylinders
OX-1053		Air Flowmeter, 0-15 LPM, with DISS Inlet Connection
OX-1026		Oxygen Flowmeter with Ohmeda or Hillrom Connection
OX-1055		Air Flowmeter, 0-15 LPM with Ohmeda Quick Connect Inlet
OX-1027		Oxygen Flowmeter with Chemetron Connection
OX-1054		Aluminum Air Flowmeter, 0-15 LPM with Chemetron Connection
OX-1040		Oxygen Flowmeter with Puritan Bennett Connection
OX-1056		Aluminum Air Flowmeter, 0-15 LPM with Puritan Bennett Connection
OX-1017		Manifold with Dual Flowmeters & DISS Connection
OX-1018		Manifold with Dual Flowmeters & Ohmeda Connection
OX-1019		Manifold with Dual Flowmeters & Chemetron Connection
OX-1041		Manifold with Dual Flowmeters & Puritan Bennett Connection



Model # OX-8005
Wall Mount
Cylinder Holder



Model # OX-8006
Free Standing
Cylinder Holder



OX-1011
Wall Mount
Bracket



OX-1014
Check Valve
Manifold



OX-1012
Pole Mount
Bracket

Mounting Brackets

Model	Des.	Description
OX-8005		Wall Mount Cylinder Holder
OX-8006		Free Standing Cylinder Holder
OX-1011		Bio Medical Device Blender or Bird Blender, Wall Mount
OX-1012		Bio Medical Device Blender or Bird Blender, Pole Mount
OX-1014		Check Valve Manifold on Wall Mount Bracket 1 Input - 4 Output



Model #
OX-1083



Model #
OX-1031



Model #
OX-1057



CGA 540 valve is ok for
MRI use and accepts
nut & nipple regulators

Oxygen Cylinders & Wrenches

Model	Designation	Description
OX-1028		Oxygen E Cylinder, 25" x 4 1/2", Accepts Yoke Regulators
OX-1083		MRI Non Magnetic Oxygen E-Cylinder
OX-1031		Small E Cylinder Wrench
OX-1057		E & M Cylinder Wrench

MRI Christmas Tree Oxygen

MRI Christmas Tree Oxygen is an essential tool for ensuring accurate oxygen flow during MRI procedures. Built from non-magnetic materials, this device guarantees safe usage without compromising the sensitive magnetic fields of MRI machines



Model	Des.	Description
OX-1084		MRI Christmas Tree Oxygen

Complete Oxygen Cart

Includes:


E Cylinder

Cart

Cylinder Wrench

Regulator with 0-15 LPM Flowmeter

Fig	Model	Des.	Description
A	OX-5000		Round Gauge
B	OX-5001		Tube Gauge
C	OX-5002		Click Style



Oxygen Labels

Oxygen warning stickers, package of 10.

Model	Des.	Description
MT-4014		Oxygen Labels (10 per set)



MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench




Oxygen cart for D or E size cylinders made of aluminum with wheels.

Adjustable height handle from 36 1/2" to 40 1/2", Width-wheel to wheel is 11 1/2" and Depth is 10 1/2"

MADE IN USA
1 YR WARRANTY



Model # OX-4502

Model	Des.	Description
OX-4500		MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench
OX-4501		MRI Non-Magnetic Adjustable Oxygen Cart for D or E Cylinder
OX-4502		MRI Click Style Regulator-1/4-25 LPM, CGA-870 Yoke with Barb



Sample Draw O2 Monitor

The Air check O2 Deficiency Monitor is a compact sample draw gas monitoring system that's ideal for the continuous monitoring of inert gas storage areas, confined spaces, and other locations where low oxygen levels may pose a hazard to personnel.


Model	Des.	Description
OX-9000		Sample Draw O2 Monitor





Warranty:
2 Years on IV Poles
6 Months on Soft Goods

**Stands Do Not include
Cylinders or Ventilator**



Model
IV-1050
Steering
Handle




Model
IV-1007
4 Hook
I.V. Pole



Model
IV-1012
4 Hook
I.V. Pole




Model # OX-1007
Magellan & Tau Omni
Ventilator stand



Model # OX-1061
Model # OX-1062
Equipment Stand



Model # OX-1059
Model # OX-1060
Equipment Stand



Model # OX-1078
Model # OX-1079
Equipment Stand



Model # IV-1006
2 Hook I.V. Pole



Model # IV-1011
2 Hook I.V. Pole

I.V., Ventilator & Equipment Stands

Model	Designation	Description
OX-1007		Magellan & Tau Omni Ventilator Stand w/ Dual D/E Cylinder Holder & Top Tray, Aluminum Base, 1 1/4" Diameter Pole
OX-1008		Ventilator Stand w/ Dual D/E Cylinder Holders, Aluminum Base, 60" High, 1 1/4" Diameter Pole
IV-1006		2 Hook I.V. Pole, Aluminum Base w/ Non-Locking Casters, Adjustable Height 59" - 88"
IV-1007		4 Hook I.V. Pole, Aluminum Base w/ Non-Locking Casters, Adjustable Height 59" - 88"
IV-1011		2 Hook I.V. Pole, Aluminum Base w/ Locking Casters, Adjustable Height 59" - 88"
IV-1012		4 Hook I.V. Pole, Aluminum Base w/ Locking Casters, Adjustable Height 59" - 88"
IV-1050		Non-Ferromagnetic Push Handle
OX-1061		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Rubber Tips
OX-1062		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Rubber Tips
OX-1059		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Non-Locking Casters
OX-1060		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Non-Locking Casters
OX-1078		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Locking Casters
OX-1079		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Locking Casters



Model # OX-1006
Wall Mount
Cylinder Holder



Model # OX-1050
Oxygen Stand, 6 Tank



Model # OX-1003
Oxygen Stand, 4 Tank



Model # OX-1000
Stainless Steel Cylinder Cart

MR
CONDITIONAL
AT
7T
OR LESS



Model # OX-1001
Heavy Duty Cylinder Cart
with Bed Hook




Model # OX-1002
Oxygen Cart - Dual Tank



Model # OX-1004
Oxygen Cart - Large Cylinder

Oxygen Cylinder Carts & Stands

Model	Des.	Description
OX-1000		MRI Non-Magnetic Oxygen Cart on Wheels
OX-1001		Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1002		Dual Tank Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1050		6 Tank Oxygen Stand for D or E Cylinders
OX-1003		4 Tank Aluminum Oxygen Stand for D or E Cylinders, White Powdered Coat Finish
OX-1004		Oxygen Cart with Heavy Duty Bed Hook for M/M60 Cylinders, White Powder Coat Finish
OX-1006		Wall Mount Cylinder Holder for D or E Cylinders, White Epoxy Powder Coated Aluminum









Aluminum Oxygen Cylinder Carts & Stands

Model	Des.	Description
OX-8000		Aluminum Oxygen Cart on Wheels for D or E Cylinders, 38" H x 12" W x 10" L
OX-8001		Aluminum Dual Oxygen Cart on Wheels for D or E Cylinders, 38 1/2" High
OX-8002		4 Tank Aluminum Oxygen Cart for D or E Cylinders, 38.5" H x 13 3/4" W x 13 1/4" L
OX-8003		6 Tank Aluminum Oxygen Cart for D or E Cylinders, 40 1/4" H x 13 3/4" W x 16 3/4" L
OX-8007		Aluminum Oxygen Cart on Wheels for M Cylinders, (8" diameter) 38" H x 14" W x 13" L

Du-O-Vac Plus, Suction System

0-350 mm hg of suction, 2 each 50 PSI power take off, 500 ml collection canister with built in filter.
Powered by 50 PSI gas source

Model	Des.	Description
OX-1049		Hill-Rom Wall Connection
OX-1032		DISS Wall Connection
OX-1033		Ohmeda Wall Connection
OX-1039		Chemtron Wall Connection
OX-1034		Puritan Bennett Wall Connection
OX-1038		10 pack Replacement Canisters, w/ frosted writing strip with 100 ml increments to 500 ml



Replacement Canisters



Du-O-Vac Plus with Regulator and Flowmeter, Suction System

Includes: main body, collection canister, O₂ flowmeter, oxygen regulator.

Model	Des.	Description
OX-1037		With Regulator & Flowmeter



Vacuum Slide Wall Bracket for Disposable Suction Canisters

Accepts the plastic rings that hold the disposable suction canisters.

Model	Des.	Description
OX-1072		Wall Bracket



Du-O-Vac Plus Code Cart, Suction System

Includes: Du-O Vac Plus, Regulator, Cylinder Cart, E Cylinder Option, 0-15 lpm Flowmeter

Model	Des.	Description
OX-1035		With E Cylinder
OX-1036		With Out E Cylinder



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MO-1402
MO-1403

Penlon SC760 MRI Suction Controller

The lightweight plastic design body of the SC760 Suction Controller provides excellent performance with uncompromising safety.

Penlon SC760 MRI Suction Controller features and benefits:

Lightweight construction





0 – 86 kPa high suction range - Ideal for tracheal and bronchial application

Supplied with BactiTrap anti-bacterial filter - High performance filter offering central pipeline protection

MRI Compatible - Can be used in all clinical environments

BactiTrap Anti-bacterial Filters

High Performance anti-contaminate unit for your Vacuum Pipeline System, combining filtration of airborne and droplet borne bacteria with protection from aspirated material overflow

Model	Des.	Description
MO-1400		SC760 MRI Suction Controller 6 1/2 FT (2M) Hose
MO-1401		SC760 MRI Suction Controller 13 FT (4M) Hose
MO-1402		BactiTrap Anti-bacterial Filter (Qty 1)
MO-1403		BactiTrap Anti-bacterial Filters (Qty 48)



MR
CONDITIONAL
AT **7T** OR LESS

MRI Carbon Dioxide Fire Extinguisher

MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B Flammable Liquids and is Electrically Non-Conductive-Wall Hanger Included

5 Year Warranty

All metal Valve Construction
Rust Free Aluminum Cylinder with High Gloss Polyester Powder Paint
Approved for use in MRI Facilities to 7 Tesla
Wall Hanger included

Model	Des.	Description
FE-1008		MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B

ABC Dry Chemical Fire Extinguishers

Attaches to a wall or column with a single fastener (not included). Includes the button hook which allows the extinguisher to rotate nearly 90 degrees in either direction without falling.

Features

Discharge time: 22 seconds and initial range: 10-15 ft.
Made of aluminum and stainless steel
Durable powder coat finish
Labeled per UN1044 requirements
Serviced same as others, per NFPA 10 requirements
Made in the USA from 85%+ domestic materials
ADA, IFC, ANSI A117.1, AODA, and ISO 21542 Compliant

Model	Des.	Description
FE-4000		Dry chemical Fire Extinguisher - 10 Lb capacity
FE-4001		Dry chemical Fire Extinguisher - Slim 3" Profile



FE-4000

FE-4001

De-Ionized Water Fire Extinguisher

The ultimate extinguisher for class A fires, especially where a potential Class C (electrical) hazard exists. The fine spray from the unique misting nozzle provides safety from electrical shock, greatly enhances the cooling and soaking characteristics of the agent and reduces scattering of the burning materials. Unequivocally the best extinguisher for hospital environments, telecommunications facilities and "clean room" manufacturing facilities.

User Friendly:

Wand provides greatest operator safety
Maximum visibility during discharge
No electrical conductivity back to the operator
No thermal or static shock
Minimal training - simplest to use, least expensive agent available

Clean:

No toxicity
No respiratory concerns
De-ionized water extinguishing agent
Exclusive crevice free, butt welded cylinder
Antiseptic white paint finish (easy to clean interior & exterior)
No powder residue

Specifications:	FE-1004	FE-1000
Capacity	1 3/4 Gallon	2 1/2 Gallon
Application	Hose & Wand	Hose & Wand
U/L Rating	2A:C	2A:C
Extinguishing Height	18 1/2"	24 1/2"
Height with Hose & Wand, Installed in Clips	25"	27 1/2"
Width with Hose & Wand, Installed in Clips	14"	14"
Depth (diameter)	7"	7"
Range (feet)	10'-12'	10'-12'
Discharge Time	72 Seconds	80 Seconds
Standard Bracket	Wall	Wall



FE-1002

Complete Kits

Includes:

2 Bottles De-Ionized Water
1 Fill Adapter



* Filling requires the use of a nitrogen pressurizing source set at no more than 125 PSI. The Fill Adapter is required for the refilling process and replaces the wand during such process. This will be needed by most professionals to handle the refilling process.

Extinguishers are not shipped filled.

Contact a local filling service near you.

Model	Designation	Description
FE-1006*		1 3/4 Gallon Fire Extinguisher - Kit
FE-1003*		2 1/2 Gallon Fire Extinguisher - Kit

Replacement Components

Model	Designation	Description
FE-1004		1 3/4 Gallon Fire Extinguisher
FE-1000		2 1/2 Gallon Fire Extinguisher
FE-1002		Fill Adapter
FE-1005		Two 1 3/4 Gallon Bottles De-Ionized Water
FE-1001		Two 2 1/2 Gallon Bottles De-Ionized Water



FE-1002



NOT MR SAFE
This product is magnetic

MG-4001



SuperWand

The SuperWand's exclusive 360° detection field provides uniform sensitivity and tip pinpointing to detect weapons and other metal objects with extreme accuracy. From U.S. airports to sporting events, the SuperWand is the hand-held of choice for today's security screener. Accurate detection of all ferrous, non-ferrous and stainless steel and other metallic objects. Elongated profile offers 360° detection coverage plus tip pinpointing for easy scanning from head to foot. Easy and convenient to use with one-touch button and three-color LED lights. Clear audible or silent / vibrate LED alarm signal. Large 9.5" scan area allows thorough scanning with minimum passes. Ergonomically designed grip fits comfortably in virtually every hand. 9V battery incl.

Model	Des.	Description
MG-4000		SuperWand
MG-4001		SuperWand Holster

Garrett Super Scanner V

Super Scanners are the most recognized hand-held metal detector's in the world. Super Scanner V detects ferrous, non-ferrous, and stainless steel.

Features:

Detects ferrous, non-ferrous and stainless steel
Self-calibrating
Rugged, high impact ABS case
Weatherproof rubber handle
Secure Internal Sensitivity Adjustment
Interference Elimination Switch
Sharp audible alarm and bright red LED

Model	Des.	Description
MG-4002		Garrett Super Scanner V



Screening Magnet

Powerful Rare-Earth Handheld Magnet for Magnetic Resonance Screening/Sites:

This magnet has been specially designed by experienced clinical and research MR practitioners and leaders in the field of MR safety to meet the needs of busy MR sites. The more than 1,200 gauss magnetic field of the magnet exerts a sufficiently powerful magnetic field to sensitively test even weakly ferromagnetic objects. The magnet itself is also composed of a neodymium - a so-called rare earth magnet - that permits it to lose its strength extremely slowly, at a rate of a 1% loss every 100 years. The recessed magnet in a custom foam-fitted housing, the form fitted handle, and the surface ball bearing mounts allow for ready removal of the magnet - by anyone - should it become inadvertently attached to large ferromagnetic objects, such as oxygen tanks, wheelchairs, etc. This magnet was developed in part with the help of Dr. Emanuel Kanal, Department of Radiology, University of Pittsburgh Medical School, and is field tested to provide years of reliable MR safety and compatibility testing under typical clinical and research MRI settings. Also optionally available is a foam padded carrying and storage case to protect the magnet between uses.

Specifications:

Weight: 2 lbs
Color: Red, Silver lettering
Magnetic Field Strength: 1,200 gauss
Dimensions: 3 1/2" height x 3" width x 5 1/2" length

Model	Designation	Description
MG-1000		Screening Magnet
MG-1001		Carrying Case



NOT MR SAFE
This product is magnetic

Due to the strength of magnet, only regular ground shipping is available



NOT MR SAFE
This product is magnetic



MRI Hand Held Metal Detector

The PD240C is a Hand Held Metal Detector that combines high reliability and ergonomics with advanced detection and operator signaling features. Deep penetration for weapons and minimum metal targets, effective sensitivity to all alloys, exceeding the latest Security Standards and high immunity to external metal masses are among the main peculiarities of this new device.

- Features:**
- Programmable Sensitivity
 - Long Detection Range
 - Extended Continuous Operation Time
 - Automatic Low Power Mode during Screening Pauses
 - Embedded Long Life Rechargeable Batteries
 - Embedded Fast and Reliable Battery Charger: no need of batteries removal
 - Dedicated Holder acts as Minimum Space Table Stand
 - Operator Functions can be customized by the user through PC GUI and USB

Model	Des.	Description
MG-6000		MRI Hand Held Metal Detector

MRI Hand Held Test Magnet

MRI Hand Held Test Magnet is a revolutionary tool crafted to streamline the diagnostic process. With its compact design and advanced functionality, this device empowers medical practitioners to conduct MRI testing with precision and ease. Whether used in clinical settings or research laboratories, its portability ensures flexibility and accessibility in various healthcare environments.

Model	Des.	Description
MG-1002		22 Pound pull >= 1,000 Gauss



MRI Hand Held Test Magnet 2800 Gauss Round

MRI Hand Held Test Magnet 2800 Gauss Round is specifically designed for use in MRI facilities to ensure the safety and compatibility of various devices and materials. With its 2800 gauss strength, this handheld magnet effectively identifies ferromagnetic materials that could pose potential hazards in MRI settings.

Model	Des.	Description
MG-1003		2800 Gauss Round

2022 MRI Bioeffects, Safety, and Patient Management: Second Edition

MRI Bioeffects, Safety, and Patient Management is a comprehensive, authoritative textbook on health and safety aspects of MRI technology that contains contributions from more than 50 internationally respected experts in the field. This 1,000+ page, the hardcover textbook includes both theoretical and practical information, serving as an authoritative and indispensable information resource for radiologists, MRI technologists and radiographers, MRI physicists, scientists, biomedical engineers, MRI facility managers, and others.

Model	Description
MT-2200-22-PDF	Second Edition Textbook PDF
MT-2200-22	Second Edition Textbook



Childrens MRI Coloring Book

This activity book will help guide children through the MRI experience with fun filled activities. The idea is to give the child a fun and exciting way to learn about the MRI experience. With the goal of having a more relaxed and calm patient and overall better MRI experience.

Activities Include:
 Crossword Puzzles Maze Challenge
 Connect the Dots Coloring
 Photo Hunt And More!



Model	Des.	Description
CL-2000		50 Coloring Books
CL-2001		100 Coloring Books



MR Safe Stickers

Model	Des.	Description
MT-8006-50		1/2" x 3/4", 50 Pack
MT-8006-100		1/2" x 3/4", 100 Pack
MT-8001-10		1 1/2" x 2", 10 Pack
MT-8001-50		1 1/2" x 2", 50 Pack
MT-8001-100		1 1/2" x 2", 100 Pack
MT-8000-10		3 1/2" x 4", 10 Pack
MT-8000-50		3 1/2" x 4", 50 Pack
MT-8000-100		3 1/2" x 4", 100 Pack

MR Conditional Stickers







Model	Des.	Description
MT-8007-50		1/2" x 3/4", 50 Pack
MT-8007-100		1/2" x 3/4", 100 Pack
MT-8003-10		1 1/2" x 2", 10 Pack
MT-8003-50		1 1/2" x 2", 50 Pack
MT-8003-100		1 1/2" x 2", 100 Pack
MT-8002-10		3 1/2" x 4", 10 Pack
MT-8002-50		3 1/2" x 4", 50 Pack
MT-8002-100		3 1/2" x 4", 100 Pack

Not MR Safe Stickers

Model	Des.	Description
MT-8008-50		1/2" x 3/4", 50 Pack
MT-8008-100		1/2" x 3/4", 100 Pack
MT-8005-10		1 1/2" x 2", 10 Pack
MT-8005-50		1 1/2" x 2", 50 Pack
MT-8005-100		1 1/2" x 2", 100 Pack
MT-8004-10		3 1/2" x 4", 10 Pack
MT-8004-50		3 1/2" x 4", 50 Pack
MT-8004-100		3 1/2" x 4", 100 Pack

Multi-Packs

Multi-packs include many different sizes and styles of stickers.

Model	Des.	Description
MT-8010-SM		3 of Each Style, 27 Total
MT-8010-MD		6 of Each Style, 54 Total
MT-8010-LG		10 of Each Style, 90 Total
MT-8010-XL		20 of Each Style, 180 Total
MT-8011		1/2" x 3/4", 25 of Each Style
MT-8009		1/2" x 3/4", 50 of Each Style



MRI Safe - Do Not Remove From MRI Area - Warning Stickers


- Die Cut
- Permanent Adhesive
- Laminated



Available in **Red** or **Green**

Model	Des.	Description
MT-1065		Red - 5 Large, 5 Medium, 5 Small
MT-1092		Green - 5 Large, 5 Medium, 5 Small
MT-1066		Red - 6 Large, 9 Medium, 15 Small
MT-1093		Green - 6 Large, 9 Medium, 15 Small

Multiple quantities available on www.MRlequip.com



DANGER! NOT MRI Safe Warning Stickers

- Die Cut
- Permanent Adhesive
- Laminated

Model	Des.	Description
MT-1105		Red - 5 Large, 5 Medium, 5 Small
MT-1106		Red - 6 Large, 9 Medium, 15 Small



Multiple quantities available on www.MRlequip.com

DANGER! NOT MRI Safe Warning Hang Tags

- Read "DANGER NOT MRI SAFE" White, Red, Black.
- 7" H X 3" W
- Unrippable Vinyl Material.
- Printed on both sides.

Model	Des.	Description
MT-1189		Not MRI Safe Hang Tag
MT-1195		Not MRI Safe Hang Tags, 25
MT-1191		Not MRI Safe Hand Tag - RED
MT-1196		Not MRI Safe Hang Tag - RED, 25



Ferromagnetic Detection Systems Identification

- Clearly Identify your MR Facility Equipment
- Non-Tearable Vinyl or Rigid Plastic
- 6"H x 4"W
- Badge Slot is .125 x 1.5
- Pack of 25

Model	Des.	Description
MT-1950		Vinyl Tag, This Item Passes
MT-1951		Vinyl Tag, This Item Does Not Pass
MT-1952		Plastic Tag, This Item Passes
MT-1953		Plastic Tag, This Item Does Not Pass



MT-1950



MT-1951

MRI COMPLETED

MRI Completed Labels - 1.875" x .875"

Great for use on patient folders.

Lime Green, Black Lettering




1.875" x .875"

Model	Des.	Description
MT-1400		MRI Completed Labels 500 Per Roll

Danger Powerful Magnet Always On Stickers

*Codes are effective in varying states, contact your local fire dept. for more information.

4" x 8" Stickers in Spanish and English

Model	Des.	Description
MT-1043		4" x 8" English Magnet Is Always On
MT-1116		4" x 8" Reflective , English Magnet Is Always On
MT-1044		4" x 8" Spanish Magnet Is Always On
MT-1117		4" x 8" Reflective , Spanish Magnet Is Always On

Emergency Magnet Quench Button Stickers (Set of 10)

Reads: Emergency Magnet Quench Button, Use only in an Emergency to kill the magnetic field

Yellow and Black 3" x 4"

Model	Des.	Description
MT-1171		Emergency Magnet Quench Button Stickers (10 per set)

Caution, Restricted to Screened MRI Patients & MRI Personnel

Black / Yellow, 4" x 11"

Model	Des.	Description
MT-1166		Sticker
MT-1165		Plastic Sign


Danger, Must Be Accompanied by Trained MRI Personnel

Black, Red and White, 4" x 11"

Model	Des.	Description
MT-1168		Sticker
MT-1167		Plastic Sign

Notice, Approaching MRI Restricted Area

Blue and White, 4" x 11"

Model	Des.	Description
MT-1170		Sticker
MT-1169		Plastic Sign



MRI Zone IV 17" Floor Sticker

Reads: DANGER! MRI Zone IV, Screened MRI Patients under constant direct supervision of trained MRI personnel only

17" Diameter





White / Red / Black

Model	Des.	Description
MT-1923		Zone Floor Sticker



8" Round "Danger Restricted Access" Gauss Line Sticker

8" Diameter | White / Red / Black

Model	Des.	Description
MT-2500		5 Gauss Line
MT-2501		10 Gauss Line
MT-2502		30 Gauss Line
MT-2503		100 Gauss Line



Floor Sticker Warning Signs

Size: 3' x 5'


Pressure Sensitive Vinyl, Self adhesive

Laminate is Flextrack, Non-skid

Model	Des.	Description
MT-1128		Powerful Magnet Always On



17" Round MRI Warning Stickers

Model	Des.	Description
MT-1061		17" Diameter Floor Sticker Magnet Always On
MT-1929		17" Diameter Do Not Cross, Magnet Always On



MT-1061



MT-1929

Custom Slip-Guard Floor Stickers

Slip-Guard floor signs are available with your message and symbol/logo.

When ordering, specify size, message, design layout, symbol/logo, background color, 2 color choices and quantity.

Call for Quantity Discounts.

Model	Des.	Description
MT-1018		8" Diameter, 2 Color Custom Slip-Guard Floor Sticker
MT-1019		17" Diameter, 2 Color Custom Slip-Guard Floor Sticker



MRI "Danger High Magnetic Field Stop" Sign

This sign alerts patients and staff to stop if you have anything metal on your person. All metal objects, pens, scissors, watches, credit cards, implantable cardioverter defibrillators, pacemakers, oxygen tanks, pagers and cell phones.

Plastic octagon sign

24"H X 24"W

Red with white lettering

Model	Des.	Description
MT-1970		Plastic Octagon Danger Sign



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Weight Capacity Labels


MRI Sign, 1.5" H X 7" W
Plastic Sticker

7" Long

1.5" High

250 lbs Max Capacity

Model (Qty)	Des.	Description
MT-8250-XX		250 lbs Max Capacity
MT-8300-XX		300 lbs Max Capacity
MT-8350-XX		350 lbs Max Capacity
MT-8400-XX		400 lbs Max Capacity
MT-8450-XX		450 lbs Max Capacity
MT-8500-XX		500 lbs Max Capacity
MT-8550-XX		550 lbs Max Capacity
MT-8600-XX		600 lbs Max Capacity



Sign Detail of MT-1025 & MT-1026

New codes are requiring facilities to use **Reflective** Warning Stickers and Signs in case of fire or power outage*.



MT-1033



MT-1034



MT-1041



MT-1042






MT-1560

Plastic Signs

12" x 18" Signs in Spanish and English

Hardware is NOT included

Custom Signs Available - Call for More Details

Model	Des.	Description
MT-1025		12" x 18" English - Items Not Allowed
MT-1118		12" x 18" Reflective , English - Items Not Allowed
MT-1026		12" x 18" Spanish - Items Not Allowed
MT-1119		12" x 18" Reflective , Spanish - Items Not Allowed
MT-1136		18" x 24" -Combination of MT-1025 & MT-1026
MT-1033		12" x 18" English - No Unauthorized Entry
MT-1120		12" x 18" Reflective , English - No Unauthorized Entry
MT-1034		12" x 18" Spanish - No Unauthorized Entry
MT-1121		12" x 18" Reflective , Spanish - No Unauthorized Entry
MT-1137		18" x 24" -Combination of MT-1033 & MT-1034
MT-1041		4" x 8" English - Magnet Is Always On
MT-1114		4" x 8" Reflective , English - Magnet Is Always On
MT-1042		4" x 8" Spanish - Magnet Is Always On
MT-1115		4" x 8" Reflective , Spanish - Magnet Is Always On
MT-1560		60" x 18" Zone 3 Door Size Sticker

MRI Sign

"No Food, No Drink, No Cellphone"
Black with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10




MRI Sign

"No Food, No Drink, No Cellphone"
Red with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10



MRI Symbols Sign

(No Watch, No Microphones, No
Pacemaker, No Keys/Scissors, No
Credit Cards, No Fire Extinguisher)
8 X 10, Yellow



Model	Des.	Description
MT-1926		MRI Sign-"No Food, No Drink, No Cellphone" Black
MT-1927		MRI Sign-"No Food, No Drink, No Cellphone" Red
MT-1928		MRI Symbols Sign 8 x 10, Yellow

MRI Warning Sign-English and Spanish Translation

MRI Warning Sign-IF YOU ARE PREGNANT, OR THINK YOU MAY
BE, TELL THE MRI TECHNOLOGIST BEFORE HAVING AN MRI
TAKEN-English and Spanish Translation both included on the sign.
Red with White Lettering. 8" H X 10" W

Model	Des.	Description
MT-1156		MRI Warning Sign 8" H X 10" W




MRI Rigid Plastic Signs

MRI Sign, 12" H X 18" W or 10" H x 14" W
Rigid Plastic .050
Mounts with tape



MT-1933



MT-1172



MT-1173

Model	Des.	Description
MT-1172		Do Not Enter MRI Personnel Only
MT-1173		Warning, Entering Magnetic Field Zone
MT-1933		MRI Notice Keep This Door Closed At All Times

Hanging Equipment Signs


Identify your MR facility equipment with these large plastic placards.
This visual aid ensures technicians to remove magnetic equipment
before entering MR room.

Features:

Plastic
White / Red / Black
8"H x 10"W

Model	Description
MT-1198	Danger Item Magnetic Sign, 8" H X 10" W





MRI Zone Sign, Zone 1

Aluminum

General Public - White with Black lettering

Model	Des.	Description
MT-1152		10" x 14"
MT-1174		5" x 7"
MT-1250		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 2

Rigid Plastic

Unscreened MRI Patients - White/Blue and Black lettering

Model	Des.	Description
MT-1153		10" x 14"
MT-1175		5" x 7"
MT-1251		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 3

Rigid Plastic

Caution - Screened MRI Patients and Personnel Only
Yellow with Black lettering

Model	Des.	Description
MT-1154		10" x 14"
MT-1176		5" x 7"
MT-1252		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 4

Rigid Plastic

Danger - Screened MRI Patients Under Constant Direct Supervision of Trained MRI Personnel Only
White/Black/Red with White and Black lettering

Model	Des.	Description
MT-1155		10" x 14"
MT-1177		5" x 7"
MT-1253		10" x 14" - Spanish Sign



MRI Zone Sign, Complete Set

Set of one each of all four Zone Signs

Model	Des.	Description
MT-1160		10" x 14"
MT-1178		5" x 7"
MT-1260		10" x 14" - Spanish Signs



Entering MRI Zone IV Floor Sticker

One Zone IV Floor Sticker with multiple images.

Model	Des.	Description
MT-1930		5' Tall x 2' 8" Wide


MRI Zone Sign General Diagram

12" High x 18" Wide

White background with black lettering

Rigid plastic with foam tape for hanging

Model	Des.	Description
MT-1161		Zone General Diagram



Yellow Insert Signs

Thumb notch on pocket allows for easy removal of inserts (inserts sold separately)

Brass grommets for easy mounting

Can hold one header and multiple inserts of your choice

Header Insert - 3 1/2" x 8" Inserts - 1 3/4" x 8"

Model	Des.	Description
MT-1180		3 Pocket, 12 1/2" x 8"
MT-1181		5 Pocket, 16 1/2" x 8"



Warning, Controlled Area Sign For Hazardous Gas

Warning Controlled Area ANSI style sign for hazardous gas.

Thick Plastic Core with Aluminum face

12" X 18"

Pole Mountable

Orange, Black and White

Model	Des.	Description
MT-1139		Hazardous Gas Sign



Insert Sign Headers



3 1/2" x 8"


Model	Des.	Description
MT-1182		CAUTION



Insert Sign Inserts

1 3/4" x 8"

Model	Des.	Description
MT-1185		"NO ENTRY BY UNAUTHORIZED PERSONNEL"
MT-1186		"RADIATION AREA"



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Danger Restricted Access Area Door Sign

The new MRI Danger Restricted Access Area Door Sign is a must-have for any facility with an MRI system. The sign design ensures maximum visibility and comprehension, featuring bright colors and clear, concise wording, and is intended to be placed on the door leading to the MR system room. (24"W x 36"H)

Model	Des.	Description
MT-5005-VL		Vinyl
MT-5005-PL		Plastic
MT-5005-RE		Reflective



MRI Danger Restricted Access Floor Sticker

The new MRI Danger Restricted Access Area Floor Sign is a must-have for any facility with an MRI system. The sign design ensures maximum visibility and comprehension, featuring bright colors and clear, concise wording, and is intended to be placed in front of the door leading to the MR system room.

Model	Des.	Description
MT-5006		24" x 42"



MRI Safety Signs




MRI safety signs are essential warnings and information signs placed around magnetic resonance imaging (MRI) facilities to ensure the safety of patients, staff, and visitors. These signs communicate hazards and restrictions associated with the MRI environment, which has a powerful magnetic field that can pose significant risks.

Model	Des.	Description
MT-5007		MRI Burn
MT-5008		MRI Tips
MT-5009		MRI Safe




MRI Conditional Sticker

MRI Conditional Sticker is designed to provide clear, visible identification of equipment that is safe for use in MRI environments. The sticker is easy to apply, featuring strong adhesive properties that ensure it stays in place even in high-traffic areas. It meets the latest safety standards and is a crucial tool for maintaining compliance in MRI zones. (.5" x .75") Available in qtls of 50, 100, 200, 500, and 1000.

Model	Des.	Description
MT-8603		2025
MT-8604		2026
MT-8605		2024

MRI Floor Plaques

MRI floor plaques are specialized markers or indicators placed on the floor within magnetic resonance imaging (MRI) suites. These plaques serve as important safety features to demarcate zones with varying levels of magnetic field strength. Typically color-coded, they help guide patients, staff, and equipment to ensure safety and prevent interference with the MRI machine.



Model	Des.	Description
MT-1220		Zone 3 to 4 Doorway Kit 44" x 4"
MT-1221		Zone 3 to 4 Doorway 44" x 4"
MT-1222		Zone 2 to 3 Doorway 44" x 4"
MT-1223		Zone 1 to 2 Doorway 44" x 4"
MT-1224		Zone 1 to 3 Doorway 44" x 4"
MT-1225		Zone 1 to 4 Doorway 44" x 4"
MT-1226		Zone 2 to 3 Hallway 69" x 4"
MT-1227		Zone 1 to 2 Hallway 69" x 4"
MT-1228		MRI Stop Sign Floor Plaque 16" x 16"
MT-1231		MRI Final Safety Screen Floor Plaque 15" x 17"



MRI Carpeted Floor Mat and Custom Carpet

MRI floor mat - Magnet is Always On, as shown in picture to the left. Made of indoor material. Carpeted floor mats are now available with your message and symbol/logo.

When ordering, specify message, background color, if for indoor or indoor/outdoor use and symbol/logo to be shown on carpet.



Model	Des.	Description
MT-1045		Powerful Magnet Always On
MT-1129		Restricted Area MRI Zone IV
MT-1122		Custom Carpeted Floor Mat



Floor Mat Carpet Warning Sign "Caution! Entering MRI Restricted Area"

3' x 5' Yellow background with black lettering.

Model	Des.	Description
MT-1124		Yellow Floor Mat



MRI Indoor/Outdoor Logo Mats

3' x 5' Vertical or Horizontal Format

Logo Mats offer a superior printing surface for your company logo or promotional message.

Popular messages are UV stable and very durable.

100% Nitrile Rubber Backing resist exposure to grease and animal fats.

Environmentally friendly with 20% recycled Nitrile rubber.

Easiest message mat ever to clean by hosing off, or machine washing.

Beautiful multi-color messages will get everyone's attention promoting plant safety.

Available in vertical and horizontal format.

Model	Description
MT-1200	MRI Indoor/Outdoor Logo Mats, 3x5 Vertical or Horizontal format

Split, Swinging Stop Sign

Mounts separately from the door. Even with the door open, the sign continues to block the entrance and then can be pushed through separately.

Hinges are different than pictured

Fits a Standard 48" door opening

Sign is 42" in Diameter

Model	Des.	Description
MT-5000		English
MT-5001		Spanish




Trafford Retractable Wall Mount Belt Barriers

Wall Mount Belt Barriers includes mounting hardware and a belt end wall receiver.

Any place a crowd control stanchion or safety barrier is needed, this black wall mounted belt barrier can save space while blocking aisles or hallways more affordably and effectively than other standard stanchion or barrier alternatives.

- Retractable Barrier
- Black Steel Wall Mount
- Yellow and Black Diagonal Belt
- Not MR SAFE

Model	Des.	Description
RA-1034		13' Long



**For use outside
MR Room**

NOT MR SAFE
This product is magnetic

Visit www.MRlequip.com for more specifications.

MRI Lighted Signs

Choose from "MAGNET IN USE", "MAGNET ALWAYS ON" or create a Custom Message. Sign must be hard wired in and comes with a battery backup.

Comes with a spider plate for mounting-can be used on the top, side or back.

Another way of mounting are t-bars when they connect it directly to a junction box.

Size of Sign:

11" W x 9" T x 2-1/4" D

Mounting Bracket:

5-3/4" x 4-1/2" x 1-1/8" Tall



Two Sided and Custom Signs Available - call for pricing.

Model	Des.	Description
MT-1006		Red, "MAGNET IN USE", One Sided
MT-1008		Red, "MAGNET ALWAYS ON", One Sided

MRI Luminous 1 Sided Sign, "Magnet Always On"

9"H X 12"W

Red background with Yellow font

Rounded Corners

3MM Styrene-Glow last

Model	Des.	Description
MT-1138		MRI Luminous Sign





BD-2020



BD-2001

“MRI Cleared” Badge-Unrippable

Size: 3” X 4.125”

Use with BD-2000, BD-2001 name badge clips or MT-1800 Lanyards

Model	Des.	Description
BD-2020		Unrippable Vinyl Badge, Case of 25
BD-2001		Uni-Clip Badge Clip, Set of 25



Vinyl Event Credential Holders

With slot and chain holes so you can easily attach any lanyard
Welded edges for added durability. Carry your credential, as well as other small items when attending a trade show or event.

Insert size: 3” x 4”

Model	Des.	Description
BD-2002		25 Per Pack, Black



MRI Non-Magnetic Pens

MRI Non-Magnetic pens are ideal for use in MRI rooms, equipped with black ink and a medium point.

Model	Des.	Description	Quantity
CL-1014		Pens	Pack of 10




Lanyard with Breakaway Cord/Bulldog Clip

10 per case - says MRlequip.com unless otherwise specified.

Have your name custom imprinted on each lanyard and choose your own color with a minimum order of 100 each and \$60.00 set-up fee.

Model	Des.	Description
MT-1800		Lanyard (10 per case)



Brass Pin for Name Badges

Model	Des.	Description
BD-1002		Brass Pin Only (pack of 10)

Clip Boards, Set of 4

1 of Each Color: Royal Blue, Green, Orange, Violet

Clipboard Sheet Size: 8 1/2" W x 11" L

Clip Capacity: 1/2" of 20 lb paper.

Dimensions: 9" x 13"

Model	Des.	Description
CL-1012		Set of 4, 1 of each color



Breast Cancer Awareness Set of 4 Plastic Clipboards

Clipboard Sheet Size: 8 1/2" Wide x 11" Long

Clip Capacity: 1/2" of 20 lb paper with built in pen holder

Dimensions: 9 5/8" x 13 3/8"

Pink Ribbon Breast Cancer Awareness along bottom

Product was tested by a facility in a 3T magnet and was said to have very little torque right in the bore of the magnet.

Model	Des.	Description
CL-1011		Breast Cancer Awareness Clipboards



MRI Completed Labels - 1.875" x .875"

Great for use on patient folders.

Lime Green, Black Lettering

1.875" x .875"

Model	Des.	Description
MT-1400		MRI Completed Labels, 500 Per Roll

**MRI
COMPLETED**





Non-Magnetic Paper Clips

Comes in assorted colors

Small- 1", 500 per box

Large - 1 3/8", 200 per box

X-Large - 2 3/8", 50 per box

Model	Des.	Description
MT-1702		Small (1000 per box)
MT-1703		Medium (500 per box)
MT-1701		Large (200 per box)
MT-1700		X-Large (50 per box)





Cleaning Wand & Pads Kit

MT-4550 Cleaning Kit Includes:

one wand with disposable pad attached, 25 additional disposable pads, and one 20 Oz Pure Hard Surface bottle.

Pure Hard Surface Disinfectant

Pure hard surface disinfectant and food contact sanitizer delivers broad spectrum power to eliminate dangerous germs and food borne pathogens in food processing, food preparation and public eating places. Pure Hard Surface has been one of the most effective and safe disinfectants to use to kill influenza A (H1N1).

- Fast kill times
- GRAS status as contact biocide
- Eliminates bacteria, viruses and fungi
- 24-Hour residual protection
- Odorless, no skin irritation, non-flammable
- No rinse required
- Ideal for use in food processing, food preparation and hospitality

Model	Des.	Description
MT-4550		MRI Cleaning Kit
MT-4551		Cleaning Wand with 1 Pad
MT-4552		100 Replacement Pads
MT-4553		400 Replacement Pads
MT-4554		800 Replacement Pads
MT-4508		Pure Disinfectant, 20oz Spray Bottle

“Do Not Enter” Floor Cones

Complete Kit Contains:

Set of 2 Cones, 15' of Chain,

Lock in Caution Sign (10" x 10") with Exclamation Point

Model	Des.	Description
MT-1612		Complete Kit
MT-1605		“Do Not Enter” Cones
MT-1606		Barrier Chain





MagnaWand™ Cleaning Wand

A non-magnetic tool designed specifically to clean and disinfect MRI and CAT scan machines. Finally hospitals will be able to easily clean between patients without losing valuable scanning time. The cleaning wand reaches inside the MRI magnet bore or CAT scan gantry to clean and disinfect those difficult to reach places in seconds. **Disinfectant cleaner protects against: MRSA, s.aureus, and more.**



This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Des.	Description
MT-4500		Kit includes one wand, 25 pads and one 24 oz. bottle of spray disinfectant
MT-4501		100 Cleaning pads
MT-4504		400 Cleaning pads
MT-4505		800 Cleaning pads
MT-4507		MagnaWand Wand Hook
MT-4503		Cleaning wand only



Invisilube Heavy Duty Clear Aerosol Grease

Invisilube is designed for those specific applications where a clear lubricant is necessary. This clear grease spray works well with wheelchair bearings, journals and other parts that require lube. It will leave no unsightly color or stain. Invisilube sprays out as a liquid and penetrates deeply into hard-to-reach areas on machinery and equipment. Invisilube then sets up, making Invisilube a highly viscous lubricant.

Model	Des.	Description
GR-2000		Invisilube



GentleGuard Vinyl Powder Free Gloves

100% Synthetic PVC contains no rubber, powder, or protein reducing the potential for allergic reaction due to latex allergies. They have a smooth finish and soft feel. Durable with tactile sensitivity.

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2000-XS		Extra Small
GL-2000-SM		Small
GL-2000-MD		Medium
GL-2000-LG		Large
GL-2000-XL		Extra Large



GentleGuard Latex Powder Free Gloves

Contain less than 50 Micrograms of water soluble protein per gram. Lightly textured finish insures firm grip of instruments. 100% Powder Free reduces skin irritation.

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2001-XS		Extra Small
GL-2001-SM		Small
GL-2001-MD		Medium
GL-2001-LG		Large
GL-2001-XL		Extra Large



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Mop/Duster Pads


5 Per Case

Model	Des.	Description
MT-7012		6" x 20"
MT-7013		6" x 26"

Rubbermaid Mop/Duster Frame & Handle

58" Pole, 24" Head has a squeegee

Model	Des.	Description
MT-1146		18" Frame
MT-1147		24" Frame



Mop/Duster Frame & Handle

70" Extension Pole

Model	Des.	Description
MT-7010		18" Frame
MT-7011		24" Frame

Mop Handle & Heads

Model	Des.	Description
MT-1048		Mop Handle Only
MT-1049		Mop Head Only (6 per case)
MT-1919		Wet Tube Microfiber Mop (12 per Case)



MT-1917



MT-1916



MT-1048



MT-1049



MT-1919

Broom/Mop Holders

Model	Des.	Description
MT-1916		Stick-On Holder, Single
MT-1917		Green Plastic Holder, Multi

Non-Magnetic Safety Padlock

Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key/ All components are non-sparking and non-magnetic - plastic, copper, brass
1 1/2" wide 1 3/4" tall Xenoy green or red body, plastic shackle w/ 1 1/2" clearance

- Designed exclusively for Lockout/Tagout applications
- Durable, lightweight, non-conductive Xenoy lock body

Model	Des.	Description
PL-1000		Green
PL-1001		Red



Dust Mop Press Wringer

Will not wring 24" mop head

Specifications:

Height w/casters: 15 1/2"

Width: 13 1/2"

Length: 23 1/2"

Wringer Specifications:

Length: 21 1/2"

Width: 6"

Model	Des.	Description
MT-1144		Mop Bucket Press Wringer



MRI Kick Bucket

Specifications:

12 Quart Pail

Model	Des.	Description
KB-2000		Kick Bucket



Mop Pail With Wringer

MRI Non-Magnetic Mop Pails with Wringers feature a divided bucket with a heavy-duty snap-on cone wringer. Wringer slides from side to side accessing both compartments.

Features:

Divided Bucket

Four 2" Casters

15 Quart Bucket

Wringer Specifications:

Works with up to 16 oz. Mop Heads

Mop Head Available MT-1909

Model	Des.	Description
MT-1907		Mop Pail With Wringer



MRI Non-Magnetic PVC Janitorial Cart

MRI Non-Magnetic PVC Janitorial Cart

Specifications:

Platform for buckets: 44" W x 16" D

Shelves: 19" W x 19"D

Length w/ Handles: 51 1/2"

Depth: 20 1/4"

Height w/ Casters: 39"

Model	Des.	Description
PV-1170		51 1/2" L x 20 1/4" D x 39" H



This is a Custom Made Product and is Non-Returnable



MR SAFE



MR CONDITIONAL






MR UNSAFE

view www.MRlequip.com



MRI Safe Office Recycling Container





MRI Safe Office Recycling Container is designed to meet the unique needs of offices, especially those in medical settings. Its innovative MRI-safe design ensures that it won't interfere with sensitive medical equipment, providing peace of mind in healthcare environments.

Model	Des.	Description
MT-0988-SM		3 Gallon
MT-0988-MD		7 Gallon
MT-0988-LG		10 Gallon



MRI Safe Brute Recycling Container

MRI Safe Brute Recycling Container is engineered to meet the recycling demands of even the busiest workplaces while ensuring MRI safety for sensitive environments. Its robust 20-55 gallon capacity and Rubbermaid's renowned quality craftsmanship make it the go-to choice for efficient recycling.

Model	Des.	Description
MT-0989-SM		20 Gallon
MT-0989-MD		32 Gallon
MT-0989-LG		44 Gallon
MT-0989-XL		55 Gallon



MRI Safe Recycling Container 23 Gallon

MRI Safe Recycling Container 23 Gallon is constructed with utmost precision, this container ensures safety, convenience, and eco-friendliness. The robust 23-gallon capacity allows for efficient waste management, making it ideal for busy medical environments, laboratories, and beyond.

Model	Des.	Description
MT-0985		23 Gallon







Trash Can w/Foot Pedal

This trash can was specifically designed to be utilized in areas where MRI equipment is being used. Cans come in three different sizes and offer hands-free sanitary waste management. **Choose White, Beige, or Red.**








Specifications:

Assists in complying with OSHA regulation;
 29 CFR 1910.1030 "Occupational Exposure to Blood borne Pathogens"
 Factory Mutual (FM) approved
 Tight-fitting, overlapping lid to help contain odors.
 Quiet, heavy-duty pedal for hands-free sanitary use.
 Tough, puncture-resistant, all-plastic construction.
 Easy Wipe Surface

Model	Des.	Description
MT-1003-CL		8 Gallon, 16" x 16" x 17" Tall
MT-1004-CL		12 Gallon, 16" x 16" x 24" Tall
MT-1005-CL		18 Gallon, 20" x 16" x 27" Tall



Pliers & Cutters

Fig	Model	Des.	Description
A	TL-1759		7" Diagonal Cutting Pliers
B	TL-1029		7" Long Nose Cutter Pliers
C	TL-1031		6½" - 5/16" Max Pliers
C	TL-1032		8" - 1½" Max Pliers
D	TL-1027		10" Groove Joint Pliers, 1½" Max
D	TL-1028		12" Groove Joint Pliers, 2½" Max
E	TL-1521		8½" Side Cutting Pliers, Lineman's

MRI Non-Magnetic Tool Kit for GE Medical System MRI Units

- Kit includes:
- 1 - TL-1782 - 8" Adjustable End Wrench
 - 1 - TL-1783 - 10" Adjustable End Wrench
 - 1 - TL-1032 - Adjustable Combination Pliers, 8" Long 1/2" opening
 - 1 - TL-1029 - Long Nose Pliers with Cutter
 - 1 - TL-1027 - Groove Joint Pliers, 10" Long 1 1/2" opening
 - 1 - TL-1759 - Diagonal Cutting Pliers, 7" Long

Model	Des.	Description
TL-1811		MRI Non-Magnetic Tool Kit





Hammers

Model	Des.	Description
TL-1040		14" Ball Peen, 1.5 lbs
TL-1041		14 1/4" Ball Peen, 2 lbs
TL-1042		14 1/2" Ball Peen, 2.25 lbs
TL-1043		14 1/2" Ball Peen, 2.75 lbs
TL-1037		14" Claw, .75 lbs
TL-1038		14" Claw, 1 lbs
TL-1039		14" Claw, 1.25 lbs



10 Piece Allen Wrench Set

Set includes one each of the following:

1/16", 5/64", 3/32", 5/32", 7/32", 5/16", 1/8", 3/16", 1/4", 3/8"

Model	Des.	Description
TL-1013		10 Piece Allen Wrench Set



7 Piece Combination Wrench Set

Set includes one each of the following:

3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8"

Model	Des.	Description
TL-1012		7 Piece Combination Set

Allen Wrench Sets

Model	Des.	Description
TL-1722		5 Piece Standard Set, Includes: 9/16", 5/8", 11/16", 3/4", 7/8"
TL-1721		13 Piece Standard Set, Includes: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
TL-1746		4 Piece Metric Set, Includes: 12 mm, 14 mm, 17 mm, 19 mm
TL-1745		9 Piece Metric Set, Includes: 2 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 14 mm

Titanium Combination Wrench Sets

Metric

Set includes one each of the following:

10 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm.

S.A.E.

Set includes one each of the following:


3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2231		6 Piece, Metric Set
TL-2230		7 Piece, S.A.E Set



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



3T Safe



3T Safe

Titanium Wrench Sets

Metric

Set includes one each of the following:

6 x 7 mm, 8 x 9 mm, 10 x 12 mm, 11 x 13 mm, 13 x 15 mm, 14 x 16 mm, 17 x 19 mm.

S.A.E.

Set includes one each of the following:

7/32" x 1/4", 3/8" x 7/16", 1/2" x 9/16", 1/2 x 11/16"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2232		7 Piece, Metric Set
TL-2233		4 Piece, S.A.E Set

Titanium Hex Key Sets

Metric

Set includes one each of the following:

1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm.

S.A.E.

Set includes one each of the following:

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

Individual pieces and other sizes available upon request.


Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2234		9 Piece, Metric Set
TL-2235		10 Piece, S.A.E Set



Individual Titanium Pliers, Cutter, Wrench & Wire Stripper

Model	Des.	Description
TL-2122		Needle nose Pliers
TL-2167		Side Cutters
TL-2052		Adjustable Wrench
TL-2168		Wire Strippers



TL-2122

TL-2167

TL-2052

TL-2168



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Phillips 18 Piece T-5 Gyroscan Tool Kit

Includes:

Hex Key Wrenches: 1.5mm, 3mm, 4mm & 5mm
 Open End Wrenches: 5x5.5mm, 6x7mm, 8x9mm,
 Combination Wrenches: 10mm, 13mm, 17mm & 19mm
 Flatside Screwdrivers: 3/32" x 3", 3/16" x 6" & 1/4" x 5"

Also: Needle Nose Pliers, Folding Ruler, Tweezers and a Case

Model	Des.	Description
TL-2118		18 Piece Phillips Tool Kit

Titanium Siemens 32 Piece Standard Tool Kit

Includes:

Hex Key Wrenches: 1/16", 3/16", 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm & 10mm
 Open End Wrenches: 6x7mm, 8x9mm, 9x11mm, 10x12mm, 13x15mm, 14x16mm,
 17x19mm, 18x20mm, 21x22mm,

24x27mm & 30x32mm

Flatside Screwdrivers: 3/32" x 3", 1/8" x 6", 3/16" x 6" & 5/16" x 6"

Phillips Screwdrivers: #1 x 3", #2 x 6" & #3 x 6"

Also: Needle Nose Pliers, Side Cutter, Tweezers and a Case

Model	Des.	Description
TL-2243		32 Piece Siemens Tool Kit

Titanium Phillips Screwdriver Set

Set includes one each of the following:

3" blade w/ #0 tip, 3" blade w/ #1 tip, 6" blade w/ #2 tip, 6" blade
 w/ #3 tip, 1 1/2" blade w/ #2 tip

Model	Des.	Description
TL-2237		5 Piece Phillips Set

Titanium Standard Screwdriver Set

Set includes one each of the following:


3/32" w/ 6" blade, 1/8" w/ 6" blade, 3/16" w/ 6" blade, 1/4" w/ 8" blade.

Model	Des.	Description
TL-2236		4 Piece Standard Set

Adjustable Pipe Wrench

Aluminum, 3T Safe

Model	Des.	Description
TL-1044		Fits Pipe up to 1"
TL-1045		Fits Pipe up to 1 1/2"
TL-1046		Fits Pipe up to 2"
TL-1047		Fits Pipe up to 2 1/2"
TL-1048		Fits Pipe up to 3 1/2"
TL-1049		Fits Pipe up to 5"



Titanium Tweezers, 3T Safe

Model	Des.	Description
TL-2222		Titanium Tweezers



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Non-Magnetic Level Ruler

Model	Des.	Description
LE-1000		Level Ruler, 12"



Titanium Ruler Set

2 Piece set includes: 6" Ruler and 78" (2m) Folding Fiberglass Ruler

Model	Des.	Description
TL-2242		Ruler Set



Titanium Speed Handle

Model	Des.	Description
TL-2221		3/8" Drive



Bronze Sockets for 1/4" Drive, 1.5T Safe

Metric

Set includes one each of the following:

7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm.

S.A.E.

Set includes one each of the following:

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"

Individual pieces and other sizes available upon request.

Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2239		7 Piece, Metric Set
TL-2238		8 Piece, S.A.E Set



Bronze Sockets for 3/8" Drive, 1.5T Safe

Metric

Set includes one each of the following:

8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm.

S.A.E.

Set includes one each of the following:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2241		8 Piece, Metric Set
TL-2240		8 Piece, S.A.E Set



Bronze Universal Joints

Model	Des.	Description
TL-2216		3/8" Drive

100% non-magnetic • Hypo allergenic • Non-sparking • Rustproof • 45% Lighter than steel
 • Stronger than Stainless Steel • More resistant than chrome Molybdenum • Extremely acid resistant



Titanium Combination Pliers

Model	Des.	Description
TL-2503		Combination Pliers, 160 mm
TL-2504		Combination Pliers, 200 mm



Titanium Long Nose Pliers

Model	Des.	Description
TL-2505		Long Nose Pliers, 180 mm
TL-2506		Long Nose Pliers, 200 mm



Titanium Diagonal Cutting Pliers

Model	Des.	Description
TL-2507		Cutting Pliers, 160 mm



Titanium Crimping Pliers

Model	Des.	Description
TL-2509		Crimping Pliers, 200 mm



Titanium Multi-Position Automatic Pliers

Model	Des.	Description
TL-2511		Multi-Position Pliers, 375 mm



Titanium Slip Joint Pliers

Model	Des.	Description
TL-2513		Slip Joint Pliers, 200 mm

Titanium Reversible Ratchet Handle

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than chrome
Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2500		1/4" Ratchet Handle
TL-2501		3/8" Ratchet Handle
TL-2502		1/2" Ratchet Handle



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Ball Peen Hammer, 450 gr.

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than
chrome Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2514		Ball Peen Hammer



4 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener

Model	Des.	Description
TL-1007		4 Piece Set



6 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener,
#2 Phillips Screwdriver, #10 Groove Joint Pliers

Model	Des.	Description
TL-1008		6 Piece Set



6 Piece Screwdriver Set

Standard Screwdriver, 5/16" Tip, 3" Blade, Standard Screwdriver,
7/16" Tip, 6" Blade, Standard Screwdriver, 25/64" Tip, 8" Blade,
#1 Phillips Screwdriver, #2 Phillips Screwdriver, #3 Phillips Screwdriver

Model	Des.	Description
TL-1010		6 Piece Screwdriver Set





17 Piece Toolkit with Bucket

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 5-3/4" Blade, 12" Groove Joint Pliers, 7" Long Nose Pliers w/Cutters, #3 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 8" Adjustable Wrench, 12" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 1-1/2" x 15", Putty Knife, 9" Crate Opener, 12" Tin Snips, 12" Bung Wrench

Model	Des.	Description
TL-1002		17 Piece Set



16 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, 6-1/2" Combination Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 10" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 2" x 12", 5/16" x 3/8" Box Wrench, 7/16" x 1/2" Box Wrench, 9/16" x 5/8" Box Wrench, 3/4" x 7/8" Box Wrench

Model	Des.	Description
TL-1001		16 Piece Set



11 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 6" Adjustable Wrench, 10" Adjustable Wrench, 8" Adjustable Pipe Wrench. Toolbox color is grey.

Model	Des.	Description
TL-1000		11 Piece Set



Custom Socket Sets Available

Build to your maintenance needs

Ratchets: 1/4", 1/2" and 3/4"

Hinged Wrenches: 1/2" and 3/4"

Extensions: 4" and 17"

Universal Swivel Joints for 1/2" Drive

Please call MRlequip for pricing and more information at 866-529-3526.

SAE Sizes Available: 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 9/16", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8" & 2"

Metric Sizes Available: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 32mm, 36mm, 38mm, 41mm, 46mm, 50mm, 55mm & 60mm



Waterproof Case

Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage.

Made Exclusively For MRlequip.com



TL-1980



TL-1980



TL-1981



TL-1981

Non Magnetic Non Sparking Toolkits

Our Non-Magnetic MRI toolkits are tested and meet the requirements by the US government for Non-Magnetic Hand tools. The MRI toolkits are for use in 3T magnets and below, so they are deemed MR Conditional. This enables the non-magnetic tools to be used near sensitive equipment. Waterproof Case 5" Deep is injection molded and utilizes ultra high-strength polypropylene copolymer resin. Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage. It also features a molded-in hinge, patent pending trigger release latch system, a comfortable snap-down rubber over-molded cushion grip handle, and an automatic ambient pressure equalization valve.

Model	Des.	Description
TL-1980		22 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - SAE / Metric
TL-1981		28 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - Metric

MRI Non Magnetic Ladders

MRI ladders are designed specifically for use in medical environments and are available in a range of sizes to suit your needs. Our collection includes one, two, and three-step stools, as well as full-sized double-sided ladders, providing a secure and stable platform for your staff to access high areas. Each ladder is constructed with high-quality, non-magnetic materials that won't interfere with MRI equipment, ensuring maximum safety and efficiency in your facility.

Aluminum



Our versatile ladders can handle a variety of jobs in and around your MRI suite.

**MRI LADDERS ARE CUSTOM
MADE TO ORDER AND ARE
NON-RETURNABLE**



A



E



B



C



D

MRI Double Sided Step Stool Ladders

Duty Rating: IAA 375, ANSI Sticker: A14.2

Aluminum

375 lb Weight capacity

Fiberglass

375 lb Weight capacity

Fig	Model	Des.	Description
A	LA-1000		MRI Double Sided Step Stool Ladders, Aluminum, 5 Foot
A	LA-1001		MRI Double Sided Step Stool Ladders, Aluminum, 7 Foot
A	LA-1002		MRI Double Sided Step Stool Ladders, Aluminum, 6 Foot
A	LA-1013		MRI Double Sided Step Stool Ladders, Aluminum, 8 Foot
B	LA-1005		16" Non-Folding Stand, Double Climbing Side, Aluminum, 8½ lbs
B	LA-1006		24" Non-Folding Stand, Double Climbing Side, Aluminum, 10 lbs
C	LA-1003		18" Folding Stand, Single Climbing Side, 18" x 8" platform size, Aluminum, 9 lbs
C	LA-1004		24" Folding Stand, Single Climbing Side, 24" x 8" platform size, Aluminum, 11½ lbs
D	LA-1007		Safe Flex Stand 16" High, 8 1/2 lbs, Aluminum, No Intermediate Steps, Flexible
E	LA-1008		MRI Non-Magnetic Double Sided Fiberglass Step Stool Ladder 4'
E	LA-1009		MRI Non-Magnetic Double Sided Fiberglass Step Stool Ladder 5'
E	LA-1010		MRI Non-Magnetic Double Sided Fiberglass Step Stool Ladder 6'
E	LA-1011		MRI Non-Magnetic Double Sided Fiberglass Step Stool Ladder 7'
E	LA-1014		MRI Non-Magnetic Double Sided Fiberglass Step Stool Ladder 8'

Breast Shield

Today, CT Scans play a critical role in the diagnosis and management of most patients with complex thoracic and cardiopulmonary diseases. As the use of CT imaging increases, however, so does the risk for latent carcinogenic effects of ionizing radiation on radiosensitive tissue including the female breast. The recently redesigned AttenuRad Breast Shield System consists of a thin (1 mm) piece of bismuth impregnated synthetic rubber covering that mounts firmly on an offset quarter inch foam base. The breast shield system offers up to a 57% reduction of radiation exposure during a CT scan without significant changes in image quality, including artifacts and beam hardening effects. The single-piece AttenuRad CT Breast Shield is designed for multiple uses.

Model	Des.	Description
MO-3002-MD		Medium Breast Shield
MO-3002-LG		Large Breast Shield



Adult Breast Shield Covers - Case of 10

Fits both MO-3002-MD & MO-3002-LG.

Plastic, Latex Free Covers comes in a Package of 10

Introducing MRlequip.com's new disposable covering for the Adult Breast Shield System. The new plastic covering is cost-effective alternative to the single-use Adult Breast Shield, reducing the risk of contamination while still providing an artifact and streak-free image.

2 ml thick


Model	Des.	Description
MO-3014		Breast Shield Covers (10 per case)



CT Breast Shield System

Studies have indicated that infants and children are as much as 10 times more susceptible to carcinogenesis from radiation than adults. Breast tissue exposed to radiation from CT procedures involving the chest or abdomen is an area of particular concern for young females. The CT Breast Shield System provides significant in-plane breast shielding (57%) for pediatric MDCT, without qualitative or quantitative changes in the CT image. The use of the system's offset foam base gives the shields additional substance and durability, making them easy to use. The use of the elevating foam also decreases the patient's exposure to scattered radiation.

Model	Des.	Description
MO-3010		Neonatal (Box of 10)
MO-3011		1 Year Old (Box of 8)
MO-3012		5 Year Old (Box of 6)
MO-3013		10 Year Old (Box of 4)





Thyroid Shields - Case of 10

Positioned over the Adam's Apple, the AttenuRad CT Thyroid shield is designed to provide maximum protection to the radio sensitive thyroid gland. To ensure tight positioning, a curved notch in the center of the shield is placed around the Adam's Apple and an adhesive backing holds the shield firm as the patient breathes and swallows. The AttenuRad CT Thyroid shield, when used for the soft tissues of the neck, is cut to a thickness of 1 mm allowing for a 60% dose savings to the Thyroid.

Model	Des.	Description
MO-3001		Thyroid Shield (10 per case)



Eye Shields - Case of 20

The lens of the eye is sensitive to radiation during routine Cranial CT. Patient undergoing routine CT scans of the head are especially vulnerable to complications. The AttenuRad CT Eye Shield is a single-piece bismuth impregnated synthetic rubber covering designed to provide significant protection. The shield molds over the patients nasal bridge with the shielding portions laying flat over the patients closed eyes. Adhesive material ensures a tight seal with minimal air gaps. This shield is cut to a thickness of 1 mm, allowing for 50% dose savings to the eye lens. The AttenuRad CT eye shield, which can be used both for adults and pediatrics, is intended to be a single use product because of potential biological contamination.

Model	Des.	Description
MO-3000		Eye Shield (20 per case)

NOT MR SAFE
This product is magnetic



CT Markers, Blue CT Wire Mark

Model	Des.	Description
MA-1030		2.0mm Blue CT Wire Markers (300 per box)
MA-1031		2.3mm Blue CT Wire Markers (110 per box)
MA-1032		4.0mm Blue CT Wire Markers (50 per box)

MRlequip.com proudly introduces a revolutionary patent pending draping system for Stereotactic Tables.

These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.

Accufit Fischer/Siemens Table Drape

25 per Case
CE Certified


Model	Des.	Description
BS-1500		Table Drape (25 per case)



Accufit Fischer/Siemens Autoguide Drape

25 per Case
CE Certified


Model	Des.	Description
BS-1501		Autoguide Drape (25 per case)



Accufit Lorad Table Drape System

Includes table cover and footrest drape
20 per Case
CE Certified

Model	Des.	Description
BS-1502		Lorad Table Drape System (20 per case)




Accufit Lorad Stage Drape System

Includes needle guidance drape, stage drape and control panel cover. The Lorad® Two Piece Stage Drape offers complete coverage including the camera face, stage and needle guide. This option completely protects the patient and the equipment. Worried about MRSA or other bodily fluids? This system is the complete coverage option.

20 per Case
CE Certified


Model	Des.	Description
BS-1503		Lorad Stage Drape System (20 per case)



Accufit Lorad One Piece Stage Drape System

Designed to accommodate the technologist for an easy, quick and cost effective alternative to our BS-1503 Lorad Two Piece Drape System. May be used as a two piece for older systems by tearing the drape at the perforations and attaching on the back of the paddle and the front of the paddle. System also includes the control panel cover.

20 per Case
CE Certified

Model	Des.	Description
BS-1506		Lorad One Piece Stage Drape System (20 per case)





MRI Disposable Scrub Tops






MRI Disposable Scrub Tops is a multilayer SMS material for comfort and fluid resistant. Designed for hospital use, and patients can wear them during medical tests for convenience. Latex-free, it is safe to use if your skin is sensitive or allergic to natural rubber latex.

Model	Des.	Description	Quantity
DS-1006-SM		Scrub Tops, Small	30 per case
DS-1006-MD		Scrub Tops, Medium	30 per case
DS-1006-LG		Scrub Tops, Large	30 per case
DS-1006-XL		Scrub Tops, X-Large	30 per case



MRI Disposable Scrub Pants

MRI Disposable Scrub Pants are made from a breathable multilayer material for coverage and comfort. The scrub pants are a lightweight, breathable, and fluid-resistant material. Elastic waist provides a snug fit. Designed for hospital use, and patients can wear them during medical tests for convenience. Latex-free, it is safe to use if your skin is sensitive or allergic to natural rubber latex.

Model	Des.	Description	Quantity
DS-1005-SM		Scrub Pants, Small	30 per case
DS-1005-MD		Scrub Pants, Medium	30 per case
DS-1005-LG		Scrub Pants, Large	30 per case
DS-1005-XL		Scrub Pants, X-Large	30 per case
DS-1005-2X		Scrub Pants, 2X-Large	30 per case

Nurse Caps O.R., 21"

Nurse Caps by Dynarex are designed to provide effective protection against dirt, moisture, and contaminants in a variety of medical settings. The caps are constructed from lightweight, non-woven material and are moisture resistant.

Nurse Caps Benefits:

- Constructed from moisture-resistant, non-woven material
- Lightweight and breathable
- Disposable
- Not made with natural rubber latex

Model	Des.	Color	Quantity
NC-1005-50		Green	5 boxes per case 100 per box
NC-1005-69		Blue	5 boxes per case 100 per box
NC-1005-94		White	5 boxes per case 100 per box





Shoe Covers, Non-Conductive

Shoe Covers by Dynarex are designed to protect shoes and boots from dirt, dust, bacteria, and harmful contaminants. These disposable covers are made from non-woven, non-conductive material with sewn seams and elastic openings.

Shoe Covers Benefits:

- Constructed from non-woven polymer material with sewn seams and elastic openings
- Lightweight and breathable
- Disposable
- Not made with natural rubber latex

Model	Des.	Description	Quantity
SC-2005-SM		Small	150 per case
SC-2005-LG		Large	150 per case
SC-2005-XL		X-Large	150 per case






Safe-Touch Latex Exam Gloves, Powder Free

Safe-Touch Latex Exam Gloves offer protection from contaminants while providing gentle comfort for sensitive hands. The gloves have textured fingertips that allow for increased grip during delicate procedures.

Safe-Touch Latex Exam Gloves Powder Free Benefits:

- Provide maximum protection with durable puncture-resistance
- Textured fingertip and beaded cuff
- 3 mil. minimum thickness
- Polymer-coated
- Ambidextrous and powder-free

Model	Des.	Description	Quantity
GL-4015-SM		Small	10 boxes per case 100 per box
GL-4015-MD		Medium	10 boxes per case 100 per box
GL-4015-LG		Large	10 boxes per case 100 per box










Latex Surgical Gloves, Powder Free

Sterile Latex Surgical Gloves offer superior comfort for sensitive hands. The gloves allow for increased grip during delicate surgical procedures.

Latex Surgical Gloves Powder Free Benefits:

- One pair per paper wallet, each wallet packed in a peel-open pouch for sterility
- Maximum strength with no loss of tactile sensitivity
- Textured surface in palm and fingertips
- 7-8 mil. minimum thickness

Model	Des.	Description	Quantity
GL-4020-SM		Small	4 boxes per case 50 per box
GL-4020-MD		Medium	4 boxes per case 50 per box
GL-4020-LG		Large	4 boxes per case 50 per box
GL-4020-XL		X-Large	4 boxes per case 50 per box
GL-4020-2X		2X-Large	4 boxes per case 50 per box
GL-4020-3X		3X-Large	4 boxes per case 50 per box
GL-4020-4X		4X-Large	4 boxes per case 50 per box



Sterile Latex Exam Gloves, Powder Free

Sterile Latex Exam Gloves offer protection from contaminants while providing superior comfort for sensitive hands. The gloves feature textured fingertips that allow for increased grip during delicate procedures.

Sterile Powder-Free Latex Exam Gloves Benefits:

- Sterile, individual, peel-open packs
- Packaged in pairs
- Textured palms and beaded cuff
- 3 mil. minimum thickness
- Powder-free

Model	Des.	Description	Quantity
GL-4025-SM		Small	8 boxes per case 50 per box
GL-4025-MD		Medium	8 boxes per case 50 per box
GL-4025-LG		Large	8 boxes per case 50 per box



Black Nitrile Exam Gloves

Safe-Touch Black Nitrile Exam Gloves offer extra protection from contaminants and a superior comfort-fit without the risks commonly associated with latex.

Black Nitrile Exam Gloves

- Textured fingertips and beaded cuffs
- 4 mil. minimum thickness
- Polymer lined
- Ambidextrous and powder-free
- Not made with natural rubber latex





Model	Des.	Description	Quantity
GL-4040-SM		Small	10 boxes per case 100 per box
GL-4040-MD		Medium	10 boxes per case 100 per box
GL-4040-LG		Large	10 boxes per case 100 per box
GL-4040-XL		X-Large	10 boxes per case 100 per box
GL-4040-2X		2X-Large	10 boxes per case 100 per box

Safe-Touch Vinyl Exam Gloves, Powder Free

Safe-Touch Vinyl Exam Gloves offer protection from contaminants and a comfortable fit without the risks commonly associated with latex.

Safe-Touch Vinyl Exam Gloves Powder Free Benefits:

- Designed for tactile sensitivity and elasticity
- Produced with softer vinyl resin for more comfort and stretch
- 3 mil. min. thickness at palm, 2mil. min. thickness at fingertip
- Ambidextrous and powder-free
- Not made with natural rubber latex


Model	Des.	Description	Quantity
GL-4045-SM		Small	8 boxes per case 50 per box
GL-4045-MD		Medium	8 boxes per case 50 per box
GL-4045-LG		Large	8 boxes per case 50 per box
GL-4045-XL		X-Large	8 boxes per case 50 per box

Powder Free Plus Latex Exam Gloves

Powder-Free Plus Latex Exam Gloves are crafted from a specially formulated, non-chlorinated latex material for optimal performance and durability. The ambidextrous gloves are designed with an embossed micro-textured surface and interior for increased grip and 5mil. minimum thickness for medical-grade puncture resistance.

Powder-Free Latex Exam Gloves

- Polymer-lined for easy donning
- Micro-textured surface and beaded cuffs
- 5 mil. minimum thickness
- Ambidextrous and powder-free






Model	Des.	Description	Quantity
GL-4050-SM		Small	10 boxes per case 100 per box
GL-4050-MD		Medium	10 boxes per case 100 per box
GL-4050-LG		Large	10 boxes per case 100 per box

MRI Guard and Bolt Nitrile Gloves

MRI Guard and Bolt Nitrile Gloves are engineered to meet the highest standards of quality and performance. These gloves are powder-free, minimizing the risk of contamination and allergic reactions.

MRI Guard and Bolt Nitrile Gloves Features:

- Powder free medical exam grade gloves
- latex free 100% nitrile
- 5 Mil in the palms and fingertips
- Textured for better grip on the palm side
- Rolled cuff standard 9" length

Model	Des.	Description
GL-2010-SM		Small
GL-2010-MD		Medium
GL-2010-LG		Large
GL-2010-XL		X-Large
GL-2010-2XL		2X-Large








Nitrile - 6.0 Mil Exam Gloves

6.0 mil strong Black Nitrile Platinum examination gloves are intended for medical purposes to be worn by examiners to prevent contamination between the patient and the examiner. These gloves feature lightweight comfort for precision tasks that require hand protection, as well as textured fingertips for excellent grip.

Nitrile - 6.0 Mil Exam Gloves Benefits:

- Black 6 Mil
- Powder free
- Latex free
- Non sterile
- Ambidextrous
- Fingertip texture

Model	Des.	Description
GL-2007-SM		Small
GL-2007-MD		Medium
GL-2007-LG		Large
GL-2007-XL		X-Large
GL-2007-2XL		2X-Large



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Clear Medium Gel Mounting Strips

Clear Medium Gel Mounting Strips make it easy to move and rehang your Command clear products. These innovative strips are designed to provide a strong, reliable hold while being gentle on surfaces, ensuring that your walls remain damage-free. Whether you're redecorating or simply repositioning your items, these gel mounting strips allow for quick and hassle-free adjustments.

Model	Des.	Description
MT-4032		Mounting Strips



Double Sided Clear Mounting Tape

Double Sided Clear Mounting Tape - Holds 15 lbs. is for items that need an undetectable mounting means, reach for the stealth adhering power of Scotch Clear Mounting Tape. Virtually clear, this double-sided permanent tape is perfect for mounting glass, tiles and artwork. Its strong bond holds up to 15 pounds, without the hassle of nails or a hammer. So whether you're mounting acrylic cosmetic organizers or a translucent picture frame, affix it confidently with Scotch Clear Mounting Tape.

Model	Des.	Description
MT-4019		Mounting Tape



Adhesive Mounting Strips

Adhesive Mounting Strips is a new line of hooks and clips that you can reposition up to three times within the first 20 minutes. Leveraging new peelable technology, these hooks and clips are easy to use and hold strongly on a variety of surfaces, including painted walls, wood, tile and more. Yet, they come off cleanly by just peeling - no holes, no marks. Now you have three chances to make a great first impression.

Model	Des.	Description
MT-4018		Mounting Strips

MR Conditional at 7T or Less

Products from MRlequip Determined to be MR Conditional at 7-T or Less

NISSWA, MN, DECEMBER 21, 2017



MRlequip, an industry leader in innovating non-metallic MR Safe and non-magnetic or weakly magnetic MR Conditional equipment, announces that many of its patient support products have been tested by Dr. Frank G. Shellock. Dr. Shellock is the President of Shellock R & D Services, Inc. and an established MRI safety expert. The results indicated that these products are MR Conditional at 7-T or less.

Using the first clinically approved 7-Tesla MR system (Terra, Siemens Medical Systems), Shellock R & D Services, Inc. examined the magnetic field interaction for each style and type of non-magnetic or weakly magnetic equipment in association with this very-high-field scanner. Dr. Shellock stated, "I am pleased to report that every one of the products that underwent testing, including the relatively larger items such as the stainless steel stretcher, wheelchair, and utility table, passed our test procedures and, thus, are deemed MR Conditional at 7-Tesla or less. Importantly, the items that we tested represent many of the important patient support products that are commonly used in the clinical MRI environment."

"As the first 7-Tesla MRI scanner approved by the Food and Drug Administration hit the market, MRI facilities need to be prepared with new equipment to permit proper patient care in this special setting." Says Erich Schulz, President and Chief Executive Officer of MRlequip. "Today it's necessary to take extra precautions because 7-Tesla MR systems pose more than twice the magnetic field-related issues than the 3-Tesla MR systems."

MRlequip's line of non-metallic, non-magnetic, and weakly magnetic equipment, currently used in MRI facilities around the world, allows for the safe transferring of patients as well as for their proper management within every clinically utilized, MRI suite and includes essential accessories such as oxygen tank holders, gurneys, and IV poles. Determining this equipment to be MR Conditional at 7-T or less allows for their use in the same room as all current FDA approved MRI scanners.



ABOUT MRlequip

MRlequip has been an industry leader in providing non-magnetic MR Safe and MR Conditional equipment for more than 15 years. Working directly with MRI facilities to work on their specific issues, needs and requirements, MRlequip innovates products to work within every MRI setting.

ABOUT SHELLOCK R & D SERVICES, INC.

Shellock R & D Services, Inc. (www.magneticresonancesafetytesting.com and www.mrisafety.com) is the World's most experienced MRI testing company that conducts comprehensive evaluations of implants, devices, objects, and materials. Shellock R & D Services, Inc. has access to MR systems operating from 0.2-Tesla to 7.0-Tesla, including dedicated-extremity and interventional MR systems.

6248 Bittersweet Lane
Nisswa, MN 56468

Toll Free 866-529-3526
Fax Free 888-433-5174

Purchase Orders Accepted



MRlequip.com™ is proud to announce
that we ship worldwide.



Let us help find what you are looking for.

Presorted Standard
U.S. Postage
Paid
Ripon, WI
Permit No. 100

Visit www.MRlequip.com for many more products and options.

PROVIDING MRI EQUIPMENT TO YOUR MR ENVIRONMENT

Our Wide Variety of Non-Magnetic MR
Equipment Increases patient comfort while
decreasing concerns for injury and liability.

Our Wide Variety of
Non-Magnetic MR Equipment
Increases patient comfort while
decreasing concerns for injury
and liability.



MRI DANGER DOOR SIGN 131



MRI DANGER FLOOR RESTRICTED ACCESS SIGN 131



MRI SWINGING STOP SIGN 132



SCAN QR CODE TO
VISIT MRlequip.com

© 2025 MRlequip.com



MRI DOCTOR STOOL 31



MRI NON-FERROMAGNETIC STRETCHER 23



MRI ZONE FLOOR PLAQUES 132