

MRlequipTM
Non-Magnetic Equipment .com

6248 Bittersweet Lane
Nisswa, MN 56468

Toll Free 866-529-3526
Fax Free 888-433-5174

Purchase Orders Accepted



MRlequip.comTM is proud to announce
that we ship worldwide.



Featuring Great and Friendly Customer Service.
Let us help find what you are looking for.



Scan QR Code
MRlequip.comTM is a easy scan away.
Just point and scan to visit our website.

Non-Ferromagnetic Equipment

MRlequip.comTM is proud to offer the largest array of Non-Ferromagnetic products available on the market today.



**Non-Ferromagnetic
Stretchers** See Page 45

**Non-Ferromagnetic
Detection**
See Page 95-96



**Non-Ferromagnetic
Wheelchairs**
See Page 46

MRi IN-Ear Headphones See Page 61



Providing MRI Equipment To Your MR Environment

Our Non-Magnetic MRI Equipment increases patient comfort
while decreasing concerns for injury and liability.

Presorted Standard
U.S. Postage
Paid
Ripon, WI
Permit No. 100

MRlequip.comTM January 2017

Non-Magnetic Equipment

MRlequip.comTM


January 2017

International

July 2017

Now at your fingertips is a diverse line of non-ferrous and PVC products for your MRI environment

MRlequipTM
Non-Magnetic Equipment .com



Keeping MRI Patients Safe & Comfortable

Our Non-Magnetic MRI Equipment increases patient comfort while
decreasing concerns for injury and liability.

What can we do for you?

Upon initial contact we will customize a package based upon the procedures performed as well as the strength, weight capacity and brand of MR system(s) used. We will take into account specific product requests and determine the most cost effective solution to our customers needs. We present a quotation on a full custom package including freight, rather than a pre-packaged kit that is incomplete and contains items that may go unused. We specialize in custom non-ferrous products that may require additional time for production. We will provide the necessary lead time and discuss a final purchase order date that will allow for delivery before a grand opening or re-opening. Once a purchase order has been received, upon the customers request; we may hold all products to be delivered at one time or have it delivered as available. Products in stock at the time of order will be immediately tagged for that order and held until the release date. This eliminates the possibility of a stock item at order date becoming out of stock on the release date. We supply MSDS sheets on pertinent products for our customer's records. Two days before release date, we will contact our customer to verify they're ready for the delivery. If there is a delay in the facilities opening, we will hold the product until needed at no additional charge.

Above all else, we will take that extra step in providing our customers with knowledgeable advice, low prices, on-time delivery and excellent customer service. We recognize that each of these attributes are vital to a smooth transaction and a satisfied customer.

Before ordering, please read our company terms and policies on inside back cover.

Safety is our Business!

Our dedication to safety begins at 7:00 AM every day of the work week - it is our livelihood. All products in our warehouse are checked on entry and then re-checked on exit. Products drop shipped from our manufacturers directly to your door are brought in randomly and re-tested for safety verification. We continually work with all manufacturers to ensure safety and proper designation.

For more information on the ASTM Standard, visit www.ASTM.org and search for **2503-13**.

For more helpful information pertaining to MR Safety, you can visit

www.MRI-Planning.com

www.MRISafety.com

www.radiology.upmc.edu/MRSafety

The highly anticipated Standard Practice for Marking Medical Devices for Safety in the Magnetic Resonance Environment by American Society for Testing and Materials (ASTM) has arrived.

As recommended by ASTM Intl; the intent of this practice is to provide needed information about the safety of items in and near MR scanners using a compact and easily recognized set of symbols and terms. The terms MR safe and MR compatible as first defined in 1997 in the FDA draft guidance document, "A Primer on Medical Device Interactions with Magnetic Resonance Imaging Systems," have been used to describe the safety of devices in and near MR systems. However, there has been a great deal of confusion surrounding this terminology. An incorrect assumption is often made, and users often incorrectly assume that items labeled MR safe or MR compatible are safe or compatible for any MR environment. MR environments vary in terms of magnetic field strength and RF conditions. This new system eliminates much of that confusion.

Icon Designation



MR Safe

Any item that poses no known hazards in all MR environments.



MR Conditional

Any item that has been demonstrated to pose no known hazards in a specified MR environment with specified conditions of use. Field conditions that define the specified MR environment include field strength, spatial gradient, dB/dt (time rate of change of the magnetic field), radio frequency (RF) fields, and specific absorption rate (SAR). Additional conditions, including specific configurations of the item, may be required.



MR Unsafe


Any item that is known to pose hazards in all MR environments.

Products **NOT** marked with a designation have been tested under the past methods and are currently being re-evaluated under the new ASTM Standards. Products will be updated continually.



CE Certified

These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Non-Ferromagnetic Items

See Page 43-44 for
Non-Ferromagnetic
Detection Systems

Office Hours:

Monday thru Friday 7:00 am to 4:30 pm (CST)

Terms:

Our terms are NET 45 DAYS on all new and current accounts. C.O.D. if not current. Payments become due 45 days after the invoice date, if the order is complete or not. Shipments will be held if an account contains invoices over 45 days past due. The account will go on permanent C.O.D. when there is a history of past dues. Third party collection fees and legal fees must be paid in full before an account can be reopened.

Freight:

Freight will be prepaid and added to your invoice. Freight charges are part of your invoice and are due accordingly. Freight charges are not discountable.

Proof Of Delivery:

We will provide proof of delivery within 30 days of shipment upon request.

Claims For Damage Or Shortage:

Must be made within 48 hours of receiving. Shipping containers must be kept if shipment is damaged or short.

Shipments Arriving Via LTL Truck (Not UPS Or Fedex Ground):

The packages must be opened and inspected at time of delivery for any concealed damage.

Prices:

All prices are subject to change without notice. Prices reflect single unit cost, except where noted.

Returns:

No item will be accepted for return after 30 days from date of purchase. All returns must be labeled with a return authorization number which can be obtained from our customer service department. Claims for shortage, breakage or any other reason must be made within 48 hours of receipt. Shipping containers must be kept if shipment is damaged or short. All returns are subject up to a 35% restocking fee. The customer is responsible for all freight charges incurred. Custom Products are NOT Returnable.

Cancellation Charges:

Orders may be canceled without charge providing your request is received prior to shipment except custom orders. If the merchandise has been shipped there will be up to a 35% restocking fee, plus all freight charges incurred. Please get cancellation confirmation to avoid these charges.

Other Order Information:

We reserve the right to split shipments. We sell on first come first serve basis. Where available, substitutions will be shipped if the product ordered is not available or discontinued.

Purchase Orders Accepted Via:

E-mail customerservice@mriequip.com

Phone 866-529-3526

Fax 888-433-5174



Hospitals:

No credit application required

Signed company policy agreement form

Standalone Clinics and Physician Owned Offices:

Credit application required

Signed company policy agreement form

Resale Distributors:

Credit application required

Signed company policy agreement form

Provide resale certificate

DUNS # 140786828

Cage: 3M5A0

Now, at your fingertips, is a diverse line of Non-Ferrous and PVC products for your MRI environment. MRlequip.com was established to provide the highest quality MRI compatible equipment with price tags significantly lower than the current marketplace. In the past, it was a priority to clear the room of all ferrous materials that pose an immediate risk. Now, a majority of those items can be replaced, in extent saving time and creating a friendlier environment for both the patients and the providers. Beyond the standard items, such as wheelchairs, i.v. poles and stools, a whole new world of products has opened up. Ranging from sound systems to furniture, these products increase patient comfort while decreasing concerns for injury and liability.

At MRlequip.com, we are constantly researching new products and welcome any suggestions you might have. If you can't locate what you require, let us know. Our design teams are ready for their next challenge.

Section	Page	Section	Page	Section	Page
Aluminum Stretchers & Acc	45	Lights	68	Scalpel/Needle Kit	72
Aluminum Wheelchairs & Acc	46-47	Marking Tape/Instrument	74	Scissors	72,74,75
Biopsy Tray	71	Mayo Stand/Basin	76	Screening Magnet	94
Blood Pressure	51-52	Medication Cart Accessories	39	Sharps Containers	77
Breast Coil Draping	69-70	Medication Carts	37-38	Sleep Masks	60
Camera System	59	Metal Detector	44,94,95	Sound System Headsets	61-64
Cleaning Wands	109,111	Mop Buckets	113	Sound Systems	61-62
Clipboards	53	Multi Use Carts/Linen Carts	40	Sphygmomanometers	52
Coil Carts	29	MRI Coloring Book	97	Step Stools	24-25,47
Crash Cart	33	Multi-Modality Markers	54	Stereotactic Table Drapes	127
CT Modality	125-126	Neonatal Guards	49,65	Stethoscopes	49
Ear Plugs	65-66	Neuroimaging Support Sys.	57	Stools	25-26
Electrodes	49,50	Non-Ferromagnetic Equip.	45-48	Storage Bins	78,81
Equipment Stands	85-87	Oxygen Carts	84	Storage Cases	111
Ferromagnetic Detection	43-44	Oxygen Cylinder Carts	86-87	Stretchers/Gurneys	16-20
Ferromagnetic Detection ID	98	Oxygen Cylinder Stands	85	Stretchers/Gurney Acc	16-20
Fire Extinguishers	92-93	Oxygen Cylinders	83-84	Suction	88-89
Floor Safety Cones	114	Oxygen Flowmeters	81-82	Supply Carts	35-36
Floor Mats/Signs	107	Oxygen Mounting	83	Titanium Biopsy Instruments	74-75
Furniture	27-28	Oxygen Regulators	82	Titanium Forceps	74-75
GaussAlert Alarm System	95	Padlocks	10,111	Titanium Tools	117-121
Glove Box Holders	78	Paper Clips	53	TMJ Device	54
Gloves	76	Patient Alarms, Murals	59	Tools	115-122,124
Hampers	41-42,48	Patient Transfer Boards	21-23	Transfer Belt	15
Headset Covers	63,66	Phantom Cradles	80	Transport Wheelchairs	3
Identification	108	Positioners/Armboards	55-57	Utility Carts/Tables	31-32,34,40
Instrument Brushes	71	Prism Glasses	60	Ventilators	90-91
Instruments, Disposable Ins	72,73-74	Pulse Oximeter, BP Monitor	51	Ventilator Stands	85
IV Clamp	77	Load Grips	23	Walkers	15,47
IV Stands	85	PVC Gurneys	16	Water Basin	76
Janitorial Supplies	111-114	Safety Manuals & Videos	97	Wheelchair Accessories	9-10
Ladders	123	Safety Signs	100-106	Wheelchair Parts	11-14
Lanyards	108	Safety Stickers	98-100	Wheelchairs	1-8
Laryngoscope	67	Sand Bags	55	Wheelchairs, Bariatric	7-8
Laryngoscope Blades	67	Sanitation	109-110	Zone Signs/Diagrams	105-106

Specialized MRI Catalogs!

Pediatric Products

Breast Imaging Products

Disposable Products



Call to request your copy today or
e-mail your request to cs@MRlequip.com

Chair With Footrests



18" Wide

Overall Width: 26"
Wheelchair, With Fixed Footrest
 Removable Full Length Padded Arms
 Fixed Footrests



Back View

See page 9-14 for wheelchair parts and accessories

Specifications:

Seat To Floor Height:	19 1/4"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	44" w/footrest
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	44 lbs w/footrest
Weight Capacity:	250 lbs



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Warranty:

5 Years on Frame and Crossbraces
1 Year on Soft Goods and Moving Parts

Model	Designation	Description
WC-1000		Burgundy Chair With Footrests
WC-5000		Green Chair With Footrests



18" Wide

Overall Width: 26"

Wheelchair, With Flip-Up Arms

Flip-Up Desk Length Padded Arms
Swingaway, Detachable Footrests or
Swingaway, Elevating, Detachable Legrests



Back View



Chair With Footrests

Chair With Legrests



Specifications:

Seat To Floor Height:	20"
Seat Width:	18"
Overall Width:	26"
Overall Depth:	31" w/o front rigging
Seat Depth:	16"
Overall Height:	35"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	40 lbs w/o footrest
Weight Capacity:	250 lbs

Warranty:

5 Years on Frame and Crossbraces
1 Year on Soft Goods and Moving Parts



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1001		Burgundy Chair With Footrests
WC-1021		Burgundy Chair With Legrests
WC-5001		Green Chair With Footrests
WC-5021		Green Chair With Legrests



20" Wide

Overall Width: 25"

Transport Wheelchair

Removable Full Length Padded Arms, Swingaway, Detachable
Footrests or Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	25"
Overall Depth:	27" w/o front rigging
Seat Depth:	16"
Overall Height:	35.75"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	12.50" x 2.50"
Wheel Locks:	pull to lock
Weight:	45lbs
Weight Capacity:	250 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces
1 Year on Soft Goods and Moving Parts

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1027		Burgundy Chair With Footrests
WC-1028		Burgundy Chair With Legrests
WC-5027		Green Chair With Footrests
WC-5028		Green Chair With Legrests

20" Wide

Overall Width: 28"

Wheelchair, With Full Length Arms

Removable Full Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	33" w/o front rigging
Seat Depth:	16"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	250 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces

1 Year on Soft Goods and Moving Parts

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1004		Burgundy Chair With Footrests
WC-1022		Burgundy Chair With Legrests
WC-5004		Green Chair With Footrests
WC-5022		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

22" Wide

Overall Width: 30"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	33" w/o front rigging
Seat Depth:	18"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	350 lbs



Back View

Warranty:

5 Years on Frame and Crossbraces

1 Year on Soft Goods and Moving Parts

See page 9-14 for wheelchair parts and accessories



Chair With Legrests

Model	Designation	Description
WC-1002		Burgundy Chair With Footrests
WC-1023		Burgundy Chair With Legrests
WC-5002		Green Chair With Footrests
WC-5023		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

24" Wide

Overall Width: 32"

Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests



Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	32"
Overall Depth:	33" w/o front rigging
Seat Depth:	18"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	46 lbs w/o footrest
Weight Capacity:	350 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces

1 Year on Soft Goods and Moving Parts

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1024		Burgundy Chair With Footrests
WC-1025		Burgundy Chair With Legrests
WC-5024		Green Chair With Footrests
WC-5025		Green Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

24" Wide

Overall Width: 33"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	33"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	58 lbs w/o footrest
Weight Capacity:	550 lbs



Back View

Warranty:

5 Years on Frame and Crossbraces

1 Year on Soft Goods & Moving Parts

See page 9-14 for wheelchair parts and accessories



Chair With Legrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
WC-1029		Burgundy Chair With Footrests
WC-1030		Burgundy Chair With Legrests
WC-5029		Green Chair With Footrests
WC-5030		Green Chair With Legrests

26" Wide

Overall Width: 35"

Bariatric Wheelchair, With Desk Length Arms

Removable Desk Length Padded Arms

Swingaway, Detachable Footrests or

Swingaway, Elevating, Detachable Legrests



Chair With Footrests

Specifications:

Seat To Floor Height:	20"
Seat Width:	26"
Overall Width:	35"
Overall Depth:	36" w/o front rigging
Seat Depth:	20"
Overall Height:	38"
Back Height:	18"
Front Casters:	8" x 2" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	61 lbs w/o footrest
Weight Capacity:	550 lbs



Back View



Chair With Legrests

Warranty:

5 Years on Frame and Crossbraces

1 Year on Soft Goods & Moving Parts

See page 9-14 for wheelchair parts and accessories

Model	Designation	Description
WC-1003		Burgundy Chair With Footrests
WC-1026		Burgundy Chair With Legrests
WC-5003		Green Chair With Footrests
WC-5026		Green Chair With Legrests

MRI Wheelchair Accessories



Chair With Legrests



B Anti-Tippers

A Legrests



C Oxygen Tank Holder



Custom Stenciling, add your company name and/or other info on back of wheelchair



E Anti-Theft Clamps
















F Anti-Theft Bars

Product may differ from picture shown





When Ordering Wheelchair Parts or Accessories, Please Provide Serial Number if Available.

Fig	Model	Designation	Description
A	RP-1085-10 RP-1085-50		Elevating Legrest for 18" Wide Flip Back Arms, 20" Wide, 22" Wide & 24" Wide Wheelchairs - Choose Color - (10) Burgundy, (50) Green
A	RP-1086-10 RP-1086-50		Elevating Legrest for 26" Wide Heavy Duty Wheelchair Choose Color - (10) Burgundy, (50) Green
B	RP-1053		Anti-Tippers
C	WC-1102		Oxygen Tank Holder
D	WC-1110		Custom Stenciling (Company Name, etc.)
E	RP-1114		Anti-Theft Clamps for 24" & 26" Chair, set of 4
F	RP-1061		Anti-Theft Bar for 18" - 24" Wheelchairs
G	WC-1100		I.V. Pole
H	WC-1101		I.V. & Oxygen Tank Holder
I	PL-1005		MRI Non-Magnetic 15ft Yellow Plastic Chain with Green Padlock
J	PL-1006		MRI Non-Magnetic 15ft Yellow Plastic Chain with Red Padlock
K	RP-1090-18		Wheelchair Safety Belt for 18" Wide Chairs
K	RP-1090-20		Wheelchair Safety Belt for 20" Wide Chairs
K	RP-1090-22		Wheelchair Safety Belt for 22" Wide Chairs
K	RP-1090-24		Wheelchair Safety Belt for 24" and 26" Wide Chairs



When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.



Rear View

MRI Wheelchair Parts - Guides, Grips, & Caps - MR Conditional



Fig	Model	Description
A	RP-1169	Rail Glide, White Plastic for MRI Wheelchairs
B	RP-1167	Seat Guide, Black Plastic for MRI Wheelchairs
C	RP-1168-L RP-1168-R	Seat Guide with Arm Socket, Black Plastic for MRI Wheelchairs Choose Left or Right
D	RP-1081	Brake / Wheel Lock Grip, Black Rubber for MRI Wheelchairs Grip Slot Size: $\frac{5}{8}$ " x $\frac{1}{8}$ "
E	RP-1082	Hand Grip, Black for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
F	RP-1083	Kick Tube Cap, Black Rubber for MRI Wheelchairs Size: Fits $\frac{7}{8}$ " Tubing
G	RP-1126	Journal Cap, Black Plastic for MRI Wheelchairs Cap Size: $1\frac{13}{64}$ " ID
H	RP-1020	Black Plastic Hub Cap for 18" to 24" Wide Standard MRI Wheelchairs
I	RP-1095	Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs
J	RP-1154	Foot/Legrest Rubber Bumper Fits: $\frac{3}{4}$ " I.D. Tubing



MRI Wheelchair Parts - Armrest Assembly - MR Conditional



Fig	Model	Description
A	RP-1046	Button Lock for Removable Arms on MRI Wheelchairs, Stainless Steel Button Size: $\frac{3}{8}$ " Long
B	RP-1099	Release Lever Assembly for Flip Back Arms on MRI Wheelchairs Black Plastic
C	RP-1038-CL	Desk Length Padded Armrest, Hole Spacing: $3\frac{5}{16}$ " Overall Length: $10\frac{1}{4}$ " Brass Inserts Choose Color: Burgundy - 10 Green - 50
D	RP-1035-CL	Full Length Padded Armrest, Hole Spacing: 9" Overall Length: $14\frac{1}{2}$ " Choose Color: Dark Blue - 60 Burgundy - 10 Green - 50
E	RP-1043	Skirt / Clothing Guard for Desk Length Removable Arms, Stainless Steel Size: $13\frac{1}{4}$ " Long x 6" High
F	RP-1058	Skirt / Clothing Guard for Full Length Removable Arms, Stainless Steel Size: $19\frac{1}{4}$ " Long x 6" High
G	RP-1044-X-CL	Complete Desk Length Flip-Back Arm Assembly w/ Padded Armrest for 18" Wide Wheelchairs, Choose Side / Color
H	RP-1100-X-CL	Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 18" & 20" Wide Wheelchairs, Choose Side / Color
I	RP-1063-X-CL	Complete Desk Length Detachable Arm Assembly w/ Padded Armrest for 22" & 24" Wide Wheelchairs, Choose Side / Color
J	RP-1062-X-CL	Complete Full Length Detachable Arm Assembly w/ Padded Armrest for 24" & 26" Wide HD Wheelchairs, Choose Side / Color

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.

For model numbers containing a "X", choose left or right.



MRI Wheelchair Parts - Front Rigging - MR Conditional

Fig	Model	Description
A	RP-1004-X	Clamp-On Style MRI Replacement Extension Tube Assembly & Footrest for 18" Fixed Chair, L or R
B	RP-1119-X	Draw-Bolt Style MRI Replacement Extension Tube Assembly & Footrest for 18" Fixed Chair, L or R
C	RP-1000-X	Detachable Swing-Away Footrest w/ Heel Loops for 18" and 20" Wide Wheelchairs, L or R
D	RP-1002-X	Detachable Swing-Away Footrest w/ Heel Loops for 22" & 24" Wide Std. Wheelchairs, L or R
E	RP-1075-X	Detachable Swing-Away Footrest w/ Heel Loops for 24" & 26" Wide HD Wheelchairs, L or R
F	RP-5003	Aluminum Detachable Swing-Away Footrest with Heel Loops for Aluminum Wheelchairs, Left
F	RP-5004	Aluminum Detachable Swing-Away Footrest with Heel Loops for Aluminum Wheelchairs, Right
G	RP-1110-X-CL	Detachable Swing-Away Legrest w/ Calf Pad for 18" to 24" Wide Std. Wheelchairs, L or R, Color
H	RP-1112-X-CL	Detachable Swing-Away Legrest w/ Calf Pad for 24" to 26" Wide HD Wheelchairs, L or R, Color
I	RP-1122	Footplate for Standard 18" to 24" Wheelchairs, Silver Aluminum Heel Loop NOT Included
J	RP-1164	Footplate for Heavy Duty 24" to 26" Wheelchairs, Silver Aluminum Heel Loop NOT Included
K	RP-1007	Heel Loop for Footrest, Universal Fit for L or R, for 18" to 24" Standard Wheelchairs, w/ Hardware
L	RP-1166-X	Heel Loop for Footrest, for 24" to 26" Heavy Duty Wheelchairs, w/ Hardware Choose Side
M	RP-1121-X	Silver Aluminum Footplate and Heel Loop for Standard 18" to 24" Wheelchairs, Choose Side
N	RP-1165-X	Silver Aluminum Footplate and Heel Loop for Heavy Duty 24" to 26" Wheelchairs, Choose Side
O	RP-1115	Locking Kit for Foot/Legrest, Black Plastic, Fits 1/4" Frt. Rigging Pin, Sold in Pr., Allen Wrench Incl.
P	RP-7016	Footplate Tension "O" Ring for Foot / Leg-rests, Black Rubber, Fits all MRI Wheelchairs
Q	RP-7017	Screw for Footrest or Legrest Bumper, holds bumper in and prevents footplate from sliding off. Fits All MRI Wheelchairs
R	RP-1154	Foot/Legrest Bumper, black rubber, Inserts in the end of the footplate tube. Fits: 3/4" I.D. Tubing
S	RP-1068	Foot/Legrest Roller Bumper for HD Front Rigging ONLY, Inserts in the end of the footplate tube, black rubber and plastic
T	RP-1084-CL	Padded Calf Pad for Legrest, Universal, Hole Spacing: 2" Color: Burgundy - 10 Green - 50



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com


A

B

C

D

E

F

G

MRI Wheelchair Bearings

Fig	Model	Des.	Description
A	RP-1013		Bearing (Plastic Bushing), 1/2" ID x 1-1/16" OD with Flange for Fork / Caster Stem, for MRI Compatible Wheelchairs
B	RP-1011		Bearing (Plastic Bushing), 5/16" ID x 29/32" OD for Front 8" x 1" Wheel, for 18" to 24" Wide Standard MRI Wheelchairs
C	RP-1163		Bearing (Plastic Bushing), 5/16" ID x 7/8" OD for Front 8" x 2" Wheel, for Heavy Duty 24" Wide and 26" Wide MRI Wheelchairs
D	RP-1018		Plastic Bearing for Rear Wheel 7/16" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 18" W and 20" W Wheelchairs
E	RP-1019		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Flange, for MRI compatible 22" Wide and 24" Wide Wheelchairs
F	RP-1080		Plastic Bearing for Rear Wheel 5/8" ID x 1 1/4" OD with 1 3/8" Double Flange, for MRI Compatible 24"W & 26"W HD Wheelchairs
G	RP-1156		Ceramic Ball Bearing for Rear Wheel (5/8" axle), Size: 5/8" ID x 1 1/4" OD with 1-3/8" Flange, for MRI Compatible HD Wheelchairs


A

B

C

D

E

F

G

H

I

J

K

L

MRI Upholstery - MR Conditional Burgundy, Green and Blue

Fig	Model	Description
A	RP-1028-CL	Seat 18" Wide x 16" Deep, Hole Spacing (from front to back): 2" to 4" to 4" to 4" Burgundy - 10 Green - 50 (BLUE - RP-1033)
B	RP-1030-CL	Back 18" Wide X 18" Tall, Hole Spacing (from top to bottom): 3/4" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50 (BLUE - RP-1034)
C	RP-1094-CL	Seat 20" Wide x 16" Deep, Hole Spacing (from front to back): 2" to 4" to 4" to 4" Burgundy - 10 Green - 50
D	RP-1093-CL	Back 20" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
E	RP-1029-CL	Seat 22" Wide x 18" Deep, Hole Spacing (from front to back): 3" to 4" to 4" to 4" Burgundy - 10 Green - 50
F	RP-1032-CL	Back 22" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
G	RP-1089-CL	Seat 24" Wide x 18" Deep, Hole Spacing (from front to back): 3" to 4" to 4" to 4" Burgundy - 10 Green - 50
H	RP-1088-CL	Back 24" Wide x 18" Tall, Hole Spacing (from top to bottom): 3" to 5 1/2" to 5 1/2" to 5 1/2" Burgundy - 10 Green - 50
I	RP-1131-CL	Solid Seat 24" Wide x 20" Deep, 1 1/4" foam, 1/2" ply-wood, includes metal straps. For HD Wheelchairs. Burgundy - 10 Green - 50
J	RP-1149-CL	Slip-On Back 24" Wide x 18" Tall, Hole Spacing (from top to bottom): 7/8" Burgundy - 10 Green - 50
K	RP-1051-CL	Solid Seat 26" Wide x 20" Deep, 1 1/4" foam, 1/2" ply-wood, includes metal straps. For HD Wheelchairs. Burgundy - 10 Green - 50
L	RP-1052-CL	Slip-On Back 26" Wide x 18" Tall, Hole Spacing (from top to bottom): 7/8" Burgundy - 10 Green - 50

MRI Brakes / Wheel Locks




RP-1081



RP-1025-X

When ordering wheelchair parts, have serial number and determine left or right when sitting in the wheelchair.

Model	Des.	Description
RP-1081		Brake / Wheel Lock Grip, Black Rubber for MRI Wheelchairs, Grip Slot Size: $\frac{5}{8}$ " x $\frac{1}{8}$ "
RP-1025-X		MRI Brake, All Aluminum Brake for Detachable Arm Chair, Tube Mount, Choose Side



MRI Wheelchair Parts - MR Conditional

Fig	Model	Des.	Description
A	RP-1014		Axle and Nut for 8" Front Wheel on MRI Wheelchairs, Axle Size: $\frac{5}{16}$ " x $3\frac{1}{4}$ " Long
B	RP-1021		$\frac{7}{16}$ " Axle and Nut for 24" Rear Wheel on Standard MRI Wheelchairs, 5" Long
C	RP-1022		$\frac{5}{8}$ " Axle and Nut for 24" Rear Wheel on Heavy Duty MRI Wheelchairs, 5" Long
D	RP-1020		Black Plastic Hub Cap for 18" to 24" Wide Standard MRI Wheelchairs
E	RP-1095		Black Plastic Hub Cap for 24" to 26" Wide Heavy Duty MRI Wheelchairs
F	RP-1023		Hand Rim Screws and Spacers for MRI Wheelchairs, includes 8 screws and 8 plastic spacers
G	RP-1117		Vice Tire Setter for Snap-On-Tires, Wheel Sizes: 8", 20", 22", and 24" THIS ITEM IS MAGNETIC
H	RP-1012		Front Fork with Nut, for Standard and Heavy Duty Wheelchairs
I	RP-1010		8" x 1" Front Wheel for 18" to 24" Wide Standard Wheelchairs
J	RP-1048		8" x 2" Front Wheel for 24" and 26" Wide Heavy Duty Wheelchairs
K	RP-1009		8" x 1" Wheel Assembly for 18" to 24" Wide Standard Wheelchairs
L	RP-1047		8" x 2" Wheel Assembly for 24" and 26" Heavy Duty Wheelchairs, with Semi-Pneumatic Wheel
M	RP-1049		24" Rear Wheel Complete for Heavy Duty MRI Wheelchairs 24" and 26" Wide, with $\frac{5}{8}$ " Bearings
N	RP-1016		24" Rear Wheel Complete for Standard MRI Wheelchairs 18" to 20" Wide, with $\frac{7}{16}$ " Bearings
O	RP-1017		24" Rear Wheel Complete for Standard MRI Wheelchairs 22" to 24" Wide, with $\frac{5}{8}$ " Bearings



MRI Folding Walkers

18" Wide, Depth 17"

250 lb weight capacity

Warranty: 3 years - excludes tips



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
WA-1000		Adult - 32" to 36"
WA-1001		Junior - 28" to 32"

MRI Heavy Duty / Extra Wide Folding Walker

24" Wide, Depth 21"

550 lb weight capacity

Warranty: 3 years - excludes tips



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
WA-1002		Extra Wide - 32" to 38½"



MRI Non-Magnetic Set of 2 Gliders for the MRI Walkers

Durable composite construction ensures long life. Allows walker to slide easily and smoothly over most surfaces. Replaces rubber tip. Fits walkers with 1" OD tubing

Model	Designation	Description
WA-1011		MRI Set of 2 Gliders for the MRI Walkers



5" Adjustable Walker Wheels

Converts folding walker into wheeled walker. 8 height adjustments
For WA-1000 & WA-1001 Only

350 lb weight capacity

Model	Designation	Description
WA-1010		5" Walker Wheels



GB-1000



GB-1003

MRI Transfer / Gait Belt

Model	Designation	Description
GB-1000		2" x 48" Transfer/Gait Belt
GB-1003		2" X 80" Safety Belt



Shower Gurney with 3 Position Elevating Headrest

Specifications:

79" Long x 28" Wide x 33-1/2" High (rails down) 43"

High (rails up)

450 lb weight capacity

Heavy Duty Specifications:

79" Long x 32" Wide x 33-1/2" High (rails down) 43"

High (rails up)

600 lb weight capacity



Warranty:

1 Year on Frame

6 Months on Soft Goods & Casters

Custom sizes available upon request

Model	Designation	Description
PV-1096		With 2" Vinyl Foam Pad Cushion (pictured)
PV-1129		Heavy Duty With 2" Vinyl Foam Pad Cushion (pictured)
PV-1180		Heavy Duty With 2" Closed Cell Water Proof Pad
PV-1181		Replacement 2" Vinyl Foam Pad Cushion (pictured on stretcher)
PV-1169		Replacement 2" Closed Cell Water Proof Pad (pictured at right)

Closed Cell Water Proof Pad



MRI Non-Magnetic PVC Adult Sling Gurney/ Heavy Duty Sling Gurney

This non-magnetic MRI PVC Sling Gurney is constructed entirely of non-ferrous materials. Specifically designed for use in and around the MRI suite. All materials including fasteners and bearings are either non-ferrous metals or special polymers.

Side Safety railings are secured w/user friendly locking pins (not friction)

Drop side railings allow barrier free transferring

6 heavy duty threaded casters

Middle set provides easy maneuverability and helps eliminate sagging

MR Compatible to 3-Tesla

Specifications:

79" Long x 30" Wide x 30" High (rails down) 40" High

(rails up)

450 lb weight capacity

Heavy Duty Specifications:

79" Long x 32" Wide x 31.5" High (rails down) 40" High

(rails up)

600 lb weight capacity

Warranty:

1 Year on Frame

6 Months on Soft Goods & Casters



Casters are different than pictured, comes with casters shown on gurney above.

Model	Designation	Description
PV-1099		MRI Non-Magnetic PVC Adult Sling Gurney
PV-1130		MRI Non-Magnetic PVC Bariatric Heavy Duty Sling Gurney

More options and sizes of PVC Stretchers / Gurneys available online at www.MRlequip.com

Fixed Gurneys



ST-2000

5" Casters



ST-2002 5" Casters



ST-2001 8" Casters

Fixed Gurneys

Stainless Steel construction
Drop down side rails
4-5" Total Lock Casters or 2-8" swivel & 2-8" locking casters
Grounding chain
Storage tray
Full surround rubber bumper
Adjustable headrest
3" pad included

Specifications:

Height	30 1/4"
Height with Rails up	42"
Height of Rails	9"
Length	77"
Rail Length	49"
Width:	30"
Storage Tray	22" x 27"
Weight:	100 lbs.
Back Adj. Range	0-75 Degrees
Number of Positions:	11
Weight Capacity:	600 lbs

Optional Oxygen
Holder Available
See page 18



Warranty:

1 Year on Moving Parts and Frame
90 Days on Soft Goods



Hand Crank ST-2004



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model	Designation	Description
ST-2000		Fixed Gurney, 5" Total Lock Casters, Black Pad
ST-2001		Fixed Gurney, 2-8" Swivel & 2-8" Locking Casters, Black Pad
ST-2002		Fixed Gurney, 5" Total Lock Casters, Green Pad
ST-2003		Fixed Gurney, 2-8" Swivel & 2-8" Locking Casters, Green Pad
ST-2004		Fixed Gurney, 5" Casters, Black Pad - Includes Crank Assembly
ST-2013		Fixed Gurney, 8" Casters, Black Pad - Includes Crank Assembly
ST-2014		Fixed Gurney, 5" Casters, Green Pad - Includes Crank Assembly
ST-2015		Fixed Gurney, 8" Casters, Green Pad - Includes Crank Assembly

MRI Stretcher/Gurney Accessories for ST-2000, ST-2001, ST-2002, ST-2003

Model	Des.	Description
ST-2006		I.V. Pole
ST-2007		Side Rail Pads, Burgundy
ST-2008		Safety Straps
ST-2005		Replacement Pad, Black
ST-2010		Replacement Pad, Green
ST-2009		Oxygen Holder



Safety Straps

Fits the ST-2000, ST-2001, ST-2002 or ST-2003, ST-5000 Only
Set of 3 Straps

Side Rail Pads

Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only

Specifications:

Width 8 1/2"
Length 58"

I.V. Pole

Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only

Can be attached at any of the four corners

Multiple I.V. Poles can be attached to a single gurney

Warranty: 2 years

Replacement Pad

Specifications:

Height 3"
Width 23"
Length 74"

Oxygen Holder




Fits the ST-2000, ST-2001, ST-2002 or ST-2003 Only

Warranty: 2 years

Other Replacement Stretcher Pads










Replacement stretcher pads covered with Sure-Check Fusion III material. Available with square corners or angle cut corners. Stretcher pads are **Non-Returnable**. Custom sizes available












Square Corner Pad



Cut Corners Pad

Model	Des.	Description
ST-4000		24" W x 75" L x 2" T
ST-4001		24" W x 75" L x 3" T
ST-4002		24" W x 75" L x 4" T
ST-4003		26" W x 75" L x 2" T
ST-4004		26" W x 75" L x 3" T
ST-4005		26" W x 75" L x 4" T
ST-4006		28" W x 75" L x 2" T
ST-4007		28" W x 75" L x 3" T
ST-4008		28" W x 75" L x 4" T

Model	Des.	Description
ST-4009		24" W x 75" L x 2" T
ST-4010		24" W x 75" L x 3" T
ST-4011		24" W x 75" L x 4" T
ST-4012		26" W x 75" L x 2" T
ST-4013		26" W x 75" L x 3" T
ST-4014		26" W x 75" L x 4" T
ST-4015		28" W x 75" L x 2" T
ST-4016		28" W x 75" L x 3" T
ST-4017		28" W x 75" L x 4" T

Ferno MRI Gurney 400 lb Capacity

Model 30NM The "Standard" and the lightest lift-in cot in the industry. Ferno's Model 30 Multi-Level, Lift-in Cot served as the industry standard for many years and is still used by many ambulance companies and medical facilities. The Ferno Model 30 cot adjusts to six height levels, enabling patient transfer from most nursing home beds or hospital treatment tables. To operate the height adjustment mechanism, the EMTs must assume the patients weight prior to raising or lowering the cot-bed frame. Because the Model 30 must be lifted to be loaded into the vehicle, it can be used with ambulances that have various floor heights. The Model 30 cot will work well in station wagons, vans or modular ambulances. The telescoping head-end main frame section allows the Model 30 cot to be shortened for maneuverability around tight corners and spaces. The Model 30NM is the Non-Magnetic version for medical treatment areas where the cot must be non-magnetized.

Contoured Style Pad



Specifications:

Max Height:	32"
Min Height:	12"
Length:	78"
Width:	23"
Weight:	56 lbs
Number of Positions:	6
Casters:	All Locking
Weight Capacity:	400 lbs

Warranty:

2 Years on Frame
90 Days on Pad & Straps

Model	Designation	Description
ST-1000		With Contoured Pad
ST-1001		With Flat Style Pad

Ferno MRI Gurney 500 lb Capacity

Model 35ANM The lightest cot available with a 500 lb weight capacity. The Ferno Model 35ANM Mobile Transporter Multi-Level Roll-In Cot combines the benefits of a multi-level cot with the easy loading feature of a roll-in style cot. Designed for a variety of ambulance floor heights, the Mobile Transporter will work well with station wagons, vans or modular ambulances. EMTs no longer have to lift from the side to load the cot. One EMT is positioned at the foot of the cot, while the other EMT simply raises the undercarriage during loading. Eight height positions enable easy patient transfer from any couch, bed or treatment table. The Mobile Transporter should be rolled in a level position. The two inclined positions are designed as loading positions for either vans or modular ambulances. The Model 35ANM is the Non-Magnetic version for medical treatment areas where the cot must be non-magnetized.

Contoured Style Pad



Specifications:

Max Height:	40"
Min Height:	9"
Max Length:	63" -79"
Width:	24"
Weight:	74 lbs
Number of Positions:	8
Casters:	All Locking
Weight Capacity:	500 lbs

Warranty:

2 Years on Frame
90 Days on Pad & Straps

Model	Designation	Description
ST-1015		With Contoured Pad
ST-1017		With Flat Style Pad

Ferno Gurney Parts & Accessories

Model	Designation	Description
ST-1004		IV Pole
ST-1009		Safety Belts - Set of 3
ST-1007		Locking Caster
ST-1008		Non-Locking Caster 400lb Capacity Gurney
ST-1020		Locking Caster 500lb Capacity Gurney
ST-1021		Non-Locking Caster 500lb Capacity Gurney
ST-1005		Contoured Pad
ST-1006		Flat Style Pad



MRI Non-Magnetic Bariatric PROFLEXX Gurney

Ferno's 35X-NM PROFlexx® Ambulance Gurney provides industry leading stability and safety when transferring and transporting patients.

Features:

STABLE X-FRAME DESIGN

A longer, fixed front leg in the X-Frame and carefully engineered X-frame geometry creates a low center of gravity and provide minimal flex, creating industry leading stability.

MANEUVERABLE

5 Position Load Frame provides superior maneuverability and multiple lift positions for different size operators. Pull out side handles provide additional grip points for assistance with heavy patients. 7 height positions, with true 360° turning radius in the lowest position.

Warranty:

2 Years on Frame

90 Days on Soft Goods & Moving Parts

Specifications:

Bed Height Range	13.75-38.5" (86 cm)
Length Max	79" (201 cm)
Length Min	64" (163 cm)
Width	24" (61 cm)
Weight:	89 lbs. (40.5 kg)
Max Loading Height	34" (86 cm)
Load Limit:	
Loading Position	700 lbs. (318 kg)
Lowest Position	1100 lbs. (450 kg)



Model	Designation	Description
ST-1025		MRI Non-Magnetic Bariatric PROFLEXX Gurney
ST-1004		IV Pole



PVC Body Transfer Board

Specifications:

71" Long x 23-1/2" Wide x 1/4" Thick
Made of high density polyethylene
Weight capacity: 400 lbs

Warranty: 6 Months



PVC Body Transfer Board Storage Brackets

Set of 3 brackets that allow for vertical or horizontal storage on a wall.

Model	Designation	Description
PV-1121	MR	PVC Body Transfer Board
TR-1009	MR	PVC Transfer Board Storage Brackets



Shockless Shifter

Won't build up a static charge, radiolucent, can't damage electronics, 100% shock protection. Surprise zaps aren't just painful and dangerous for patients, they can jeopardize expensive electronic medical equipment and cause power outages. Shifter is made with carbon-filled plastic that actually conducts electricity, not simply treated with an antistatic product to reduce static. Static charges can't build up on a conductive surface, so there are no more painful shocks ever, **GUARANTEED!**

Weight Capacity: 350 lbs

Model	Designation	Description
TR-1003	MR	Shifter 18" Wide x 72" Long, Aqua



Bariatric Patient Shifter

Bariatric Shifter makes lateral transfers for patients up to 600 lbs. easier and safer. Reduce caretaker back strain by minimizing friction on transfer services. Elongated shape brings fourteen handholds to ergonomically correct position. Extra-wide design better supports excess tissue. It even supports patient's head. Flexible plastic is great for uneven surfaces.

Weight capacity: 600 lbs

Must ship by truck

Features:

Helps reduce back strain
Ergonomic design
Extra wide for better support of excess tissue

Model	Designation	Description
TR-1600	MR	Bariatric Patient Shifter



Adjustable Wall Hanger for Patient Shifters

Hang tabs are adjustable left and right to accommodate various size shifters. Capable of holding boards vertically or horizontally. **Made in the USA.**

Model	Designation	Description
TR-1015	MR	Patient Shifter Hanger

MRI Non-Magnetic SafetySure (Horizontal Transfer) Slide

Radiolucent

19.5" Wide and 67" Long

Padded w/ Wipe Clean Surface

MRI Safe

8 Padded Handgrips

Weight Capacity: 400Lbs



Model	Designation	Description
TR-2002	MR	SafetySure Slide

Patient Wheelchair Transfer Board

30" Long x 12.5" Wide

The transfer board bridges the gap between two transfer points.

The board's anti-slip tape enables it to remain immobile during transfer procedures. The upper side of the board is slick to allow the patient to slide easily.

Flexible plastic.

The board is radiotranslucent.

Weight Capacity: 300lbs

Warranty:

2 Years



Model	Designation	Description
TR-1010	MR	Transfer Board

Transfer Pivot Disc

Model	Designation	Description
TR-2003	MR	15" Diameter, 400Lbs. Capacity
TR-2004	MR	18" Diameter, 400Lbs. Capacity



MRI Non-Magnetic Slipp Patient Mover

Make efficient use of the patient's weight. Its unique design lets the patient (regardless of size) literally "slip" on a comfortable surface of sealed fluid that reduces normal friction to a minimum.

100% LATEX FREE!

Includes Carrying Case and Instructional Video

Weights Less Than 4 lbs.


*****PLEASE CHOOSE VHS OR DVD FOR INSTRUCTIONAL VIDEO*****

Warranty:

1 Year

Model	Designation	Description
TR-1500	MR	72"x28" Slipp Patient Mover
TR-1501	MR	76"x45" Bariatric Slipp Patient Mover





Friction Reducing Patient Transfer Sheet

Friction reducing patient transfer and re-positioning sheet designed to prevent disabling back injuries to healthcare workers.

Features:

Accessibility

Individually wrapped Z-Sliders fit comfortably in scrub pockets, making it easily accessible when you need it and enhances team compliance by eliminating the need to locate a transfer device.

Compliance

Z-Slider complies with OSHA recommendations and “No-Lift” state laws decreases physical strain to back, shoulders, neck and arms.

Single patient use reduces the potential for cross-contamination

Convenient point-of-use holders for patient rooms, common areas and or in the O.R.

Restrictions

This item **CANNOT** be left under patients during an MRI or for long periods of time as it can cause damage and tissue breakdown and possibly some artifacts in some imaging modalities.

Model	Description
TR-1200	Friction Reducing Patient Transfer Sheet



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Load Grips, with Rubberized Pre-Molded Handle

Set of 4-2” poly strap with rubberized pre-molded handle for a no-slip grip, choose red or black below.

The Load Grips assist the user while lifting by extending the handle a flexible and adjustable 13 inches. Designed primarily with backboards in mind, Load Grips make it easier to lift with the proper technique, relieving lower back pain. They also prevent scraping of the knuckles on the ground and minimize contact with the patient while carrying the board – this is extremely helpful when the backboard handles are difficult to access due to the size of the patient. The flexible and adjustable nature of Load Grips ease transporting patients through stairways and awkward or confined spaces. Try Load Grips with other heavy gear, like fire hoses or to extend a handle.

Features:

Use to lift backboards and other heavy and awkward gear.

Compatible with all backboards.

Quick and easy application.

Durable and long lasting with normal cleaning protocol.

2” poly strap with rubberized pre-molded handle for a no-slip grip.

Model	Description
LG-1000-CL	Load Grips - set of 4, Red or Black



MRI Step Stools

Specifications:

16" x 12" Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs

Warranty:

5 Years, 6 Months on soft goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Bariatric Step Stool

Specifications:

30" x 12" Base

8 1/2" Step Height

Made of Heavy Duty Stainless Steel

Weight Capacity: 550 lbs

Warranty:

5 Years, 6 Months on soft goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Double Step Stool With 41" Handrail

Specifications:

36" L X 12" W X 8" H Top Step

36" L X 24" W X 8" H Base

Weight: 47 lbs

Weight Capacity: 550 lbs

Warranty:

5 Years, 6 Months on soft goods



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Description
SS-1000	Without 41" Handrail
SS-1001	With 41" Handrail

Model	Description
SS-1733	Without 41" Handrail
SS-1734	With Single 41" Handrail
SS-1005	With Dual 41" Handrail

Model	Description
SS-1002	With Dual 41" Handrail

More options and sizes of Step Stools available online at www.MRlequip.com, including PVC options with casters and higher weight capacities.



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI Narrow Double Step Stool

Specifications:

16" L X 12" W X 8" H Top Step

16" L X 12" W X 8" H Base

Weight: 20 lbs

Weight Capacity: 550 lbs



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model

Description

SS-1007

Narrow Step Stool without Handrail



MRI Narrow Double Step Stool with Handle

Specifications:

16" L X 12" W X 8" H Top Step

16" L X 12" W X 8" H Base

Handrail: 47" Tall x 26" Deep

Weight: 20 lbs

Weight Capacity: 550 lbs



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Model

Description

SS-1008

Narrow Step Stool with Handrail

CH-8057



CH-8058



CH-8052



CH-8056



MRI Stools

Stainless steel stools with solid non-slip material mounted into recess of stool seat. Seat diameter is 14". Comes with rubber tips or casters. Choose from a fixed height stackable stool or heights that adjust with threaded stem, from 15" to 21" or 21" to 27".

Model

Description

CH-8058

Fixed Height Stool w/ Rubber Tips, 18"

CH-8050

Adjustable Stool w/ Rubber Tips, 15"-21"

CH-8054

Adjustable Stool w/ 2" Casters, 15"-21"

CH-8051

Adjustable Stool w/ Rubber Tips, 15"-21" & Back

CH-8055

Adjustable Stool w/ 2" Casters, 15"-21" & Back

CH-8052

Adjustable Stool w/ Rubber Tips, 21"-27"

CH-8056

Adjustable Stool w/ 2" Casters, 21"-27"

CH-8053

Adjustable Stool w/ Rubber Tips, 21"-27" & Back

CH-8057

Adjustable Stool w/ 2" Casters, 21"-27" & Back

Stools

4" Padded Seat
Burgundy Naugahyde Upholstery
Stainless Steel Construction
5 Leg Design for Maximum Stability
Padded Armrests (on selected models)
2" Dual Wheel Casters (on selected models)
Weight Capacity: 250 lbs

Warranty:

2 Years on frame
6 Months on soft goods and moving parts



All stools featured on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



CH-8030

Adjusts 15" to 21" with Rubber Tips

Burgundy	Green	Description
CH-8030	CH-9030	Stool w/ Rubber Tips
CH-8031	CH-9031	Stool w/ Rubber Tips & Back
CH-8032	CH-9032	Stool w/ Rubber Tips, Back & Arms

Adjusts 21" to 27" with Rubber Tips

Burgundy	Green	Description
CH-8033	CH-9033	Stool w/ Rubber Tips
CH-8034	CH-9034	Stool w/ Rubber Tips & Back
CH-8035	CH-9035	Stool w/ Rubber Tips, Back & Arms



CH-8032

Adjusts 16" to 22" with Casters

Burgundy	Green	Description
CH-8036	CH-9036	Stool w/ Casters
CH-8037	CH-9037	Stool w/ Casters & Back
CH-8038	CH-9038	Stool w/ Casters, Back & Arms



CH-8038

Adjusts 22" to 28" with Casters

Burgundy	Green	Description
CH-8039	CH-9039	Stool w/ Casters
CH-8040	CH-9040	Stool w/ Casters & Back
CH-8041	CH-9041	Stool w/ Casters, Back & Arms

All Stools are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
CH-8920	Extra Hardware Set for Stools w/Loctite

Custom Stenciling Option

Customize your doctor stool. Add your facility name, department name or any information you would like.

Model	Description
CH-8914	Custom Stenciling Option





MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request. Choose from 4 fabric options

24" Standard Chair



Specifications:
Cushion Width: 24"
29" W x 22 1/2" D
Seat Height: 20"
Arm Height: 28"
250 lb Weight Capacity
Warranty: 2 Years

26" Bariatric Chair



Bariatric Chair Specifications:
Cushion Width: 26"
31" W x 22 1/2" D
Seat Height: 20"
Arm Height: 28"
500 lb Weight Capacity
Warranty: 2 Years

16" Pediatric Chair
(No Arms)



Specifications:
Cushion Width: 13"
16" W x 14" D
Seat Height: 10"
Burgundy Naugahyde
250 lb Weight Capacity
Warranty: 2 Years


You may supply your own fabric at NO extra charge, except Pediatric Chair

53" Sofa



Specifications:
Cushion Width: 48"
53" W x 24 1/2" D
Seat Height: 20"
Arm Height: 28"
350 lb Weight Capacity
Warranty: 2 Years

Fabric Choices



Model	Description
FR-1001	24" Standard Chair
FR-1004	26" Bariatric Chair
FR-1005	16" Pediatric Chair, Burgundy Naugahyde
FR-1000	53" Sofa



MRI Furniture

The MRI furniture line is built completely with non-magnetic supplies. The furniture is made to go directly into the MR environment. Available now; Chair, Bariatric Chair, Sofa, End Table, and Coffee Table. Custom items may be available upon request.

Choose from 4 fabric options

Coffee Table

Specifications:

24" W x 48" L

24" High

Warranty: 2 Years



End Table



End Table Specifications:

22 1/2" W x 22 1/2" L

Table Height: 24"

Warranty: 2 Years

Pediatric Table Solid Oak



Pediatric Table Specifications:

25 1/2" W x 21" L

Table Height: 18"

Warranty: 2 Years

Model	Description
FR-1002	End Table
FR-1003	Coffee Table
FR-1006	Pediatric Table

Purchase 1 Pediatric Table and
2 Pediatric Chairs SAVE \$50.00



MRI Universal Oak Wood Coil Carts

Solid oak coil cart with 5" casters (except 8' carts) must add 5" to height for all carts, casters not available on carts 8' and over. Can be custom made to any size and number of shelves. Bordeaux nylon cover (must be ordered separately) attaches to cart with hook and loop velcro. Top is considered as one of the shelves.

Carts are custom made and non-returnable

Non-Ferromagnetic Casters



2 Shelf



3 Shelf



5 Shelf

Non-Magnetic
Non-Ferromagnetic

Model	Designation	Size: D x H x L	# Of Shelves
FR-2011		2' x 3' x 2'	2
FR-2012		2' x 3' x 3'	2
FR-2013		2' x 3' x 4'	2
FR-2000		2' x 4' x 2'	3
FR-2001		2' x 4' x 3'	3
FR-2002		2' x 4' x 4'	3
FR-2003		2' x 6' x 2'	4
FR-2004		2' x 6' x 3'	4
FR-2005		2' x 6' x 4'	4
FR-2006		2' x 8' x 2'	5
FR-2007		2' x 8' x 3'	5
FR-2008		2' x 8' x 4'	5
FR-2511		2' x 3' x 2'	2
FR-2512		2' x 3' x 3'	2
FR-2513		2' x 3' x 4'	2
FR-2500		2' x 4' x 2'	3
FR-2501		2' x 4' x 3'	3
FR-2502		2' x 4' x 4'	3
FR-2503		2' x 6' x 2'	4
FR-2504		2' x 6' x 3'	4
FR-2505		2' x 6' x 4'	4
FR-2506		2' x 8' x 2'	5
FR-2507		2' x 8' x 3'	5
FR-2508		2' x 8' x 4'	5

MRI Solid Oak Shelving



MRI solid oak shelving comes in a variety of sizes. All sizes have 6 legs, with or without casters. The shelves are 2' wide, 3' to 6' in height, and 6' or 8' long. The top is considered as one of the shelves. No Assembly Required

5" Casters

Shelves are custom made and non-returnable
Call For Shipping Information and Pricing



Model	Size: D x H x L	# Of Shelves	With Casters
FR-2020	2' x 3' x 6'	3	Yes
FR-2021	2' x 4' x 6'	3	Yes
FR-2022	2' x 6' x 6'	3	Yes
FR-2023	2' x 3' x 8'	3	Yes
FR-2024	2' x 4' x 8'	4	Yes
FR-2025	2' x 6' x 8'	4	Yes
FR-2120	2' x 3' x 6'	3	No
FR-2121	2' x 4' x 6'	3	No
FR-2122	2' x 6' x 6'	3	No
FR-2123	2' x 3' x 8'	3	No
FR-2124	2' x 4' x 8'	4	No
FR-2125	2' x 6' x 8'	4	No



Tables/Carts with Top Shelf and No Rails

Specifications:
Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required
Can be assembled for additional \$50.00.



Model	Description
TA-5007	18" x 24"
TA-5009	18" x 36"
TA-5010	24" x 36"
TA-5011	24" x 48"
TA-5012	24" x 72"



Tables/Carts with Two Shelves and No Rails

Specifications:
Constructed of stainless steel
2" Dual Wheel Casters
Without Rails 34" High
Assembly Required
Can be assembled for additional \$50.00.



Model	Description
TA-5019	18" x 24"
TA-5021	18" x 36"
TA-5022	24" x 36"
TA-5023	24" x 48"
TA-5024	24" x 72"

TA-5024 - MUST SHIP BY TRUCK

All Tables are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
TA-5525	Extra Hardware for Utility Table w/Loctite

Tables/Carts with Top Shelf and Rails

Specifications:

Constructed of stainless steel

2" Dual Wheel Casters

With Rails 36 3/4" High

Assembly Required

Can be assembled for additional \$50.00.



Model	Description
TA-5001	18" x 24"
TA-5003	18" x 36"
TA-5004	24" x 36"
TA-5005	24" x 48"
TA-5006	24" x 72"



Tables/Carts with Two Shelves and Rails

Specifications:

Constructed of stainless steel

2" Dual Wheel Casters

With Rails 36 3/4" High

Assembly Required

Can be assembled for additional \$50.00.



Model	Description
TA-5013	18" x 24"
TA-5015	18" x 36"
TA-5016	24" x 36"
TA-5017	24" x 48"
TA-5018	24" x 72"



TA-5018 - MUST SHIP BY TRUCK

All Tables are sold complete with hardware. Use hardware kit for replacement hardware.

Model	Description
TA-5525	Extra Hardware for Utility Table w/Loctite



Crash Cart with Bins Only
Oxygen Tank & Suction Pump NOT included.

PVC Crash Cart and Optional Accessories

Specifications:

Length: 31 1/2"

Width: 20"

Height: 34 1/2"



Warranty:

1 Year on Frame

6 Months on Casters and Soft Goods

Accessories shipped in red vinyl unless color specified.

Model	Description
PV-1103	Crash Cart
PV-1106	CPR Board, 20" x 20"
PV-1107	Bag for CPR Board
PV-1104	Hood for Top Section
PV-1105	Side Panel Covers Choose Mesh or Solid vinyl

Custom sizes available upon request



PV-1106 & PV-1107

PV-1105

PV-1104

Available Colors

Royal Blue

Forest Green

Mauve



Non-MRI Equipment

For those situations where non-magnetic items are not required

Call and request a free catalog today

Local: 1-218-828-7788

Toll Free: 1-800-328-5343

Fax Free: 1-866-829-9744

URL: www.ocelco.com

www.WheelchairParts.com

Equipment Catalog

There are over 1,000 new items in this catalog. Products that range from ambulatory aids, beds, bedroom accessories, wheelchairs, scales, diagnostic and respiratory equipment to bariatric products, and much more. From such manufacturers as Drive, Invacare, Sunrise Medical, Lumex plus many more.

Parts & Accessories Catalog

There are a wide variety of parts and accessories in this catalog. Parts that range from bearings, armrests, upholstery, brakes, ramps, pads and cushions, casters, geri-chairs, recliners, patient lifts, bed and safety rails to grab bars. Part breakdowns for patient lifts and geri-chairs. Parts for Drive, Invacare, Everest & Jennings, Gendron, Quickie, Hoyer, Theradyne and many more.



MRI PVC Specialty Cart w/4 Shelves

4 Shelves (Size 20" x 25") 8 Pull Out Tubs (Size 20" x 15" x 5") & Mesh or Solid Vinyl Cover with color choice.

All carts come with solid vinyl fabric or mesh can be substituted.

12" Height between Shelves

48" L w/o handles, 50.5" L with handles X 65" H X 21.5" W



Model	Description
PV-1058	MRI PVC Specialty Cart w/4 Shelves

Available Colors

Royal Blue

Forest Green

Mauve

Warranty:

1 Year on frame

6 Months on casters and soft goods



MRI PVC 3 Shelf Extra-Wide Utility/Linen Cart, No Cover-With Flushed Shelves (Shelf on top of PVC)



Model	Description
PV-1048	(24"x25") Cart w/Flushed Shelves, No Cover
PV-1192	(24"x44") Cart w/Flushed Shelves, No Cover



PVC Utility Carts

Specifications:

3 shelves

Length with handle: 31-1/2"

Width between shelves: 12"

Comes with 3" stainless steel casters

Height: 36"

Shelf Weight Capacity: 75 lb



Actual Casters



Model	Description
PV-1030	20" x 25" Shelf Size
PV-1172	24" x 25" Shelf Size



Casters are different than pictured.

Custom sizes available upon request



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



MRI CORE DX Cart

White Polyethylene MRI Core DX Lab Cart offers a MRI safe, non-ferrous, efficient way to safely sort, store, organize, lock and transport a wide variety of supplies. It has 3 full extension drawers, shelves and bulk storage features. Document and tool holder snaps on back. Constructed from tough, non-reactive polyethylene and ABS this lab cart glides smoothly on 4 heavy duty 3 inch non-marking rubber casters. The small footprint Core DX allows it to be stored easily out of the way. Push and Pull with comfortable built-in handles.

Features:

- Organizes, stores and projects supplies
- Economical MRI Safe cart
- Polyethylene and ABS plastic construction
- 3 full extension drawers
- Drawer: 12 3/4" W x 3 5/8" H x 15 7/8" D
- 2 glove dispensers
- 3 inch braking casters
- Bulk storage area
- Smooth handles cut into top
- 23" W x 33" H x 19" D
- 6 side shelves
- 58 pounds

Model	Designation	Description
PC-2470		Core DX Cart



MRI Non-Magnetic Maui Lab Island

White Polyethylene MRI Maui Lab Island 2 Foot Lab Cart offers flexible storage. It is constructed from white, nonferrous, durable, resistant, high density polyethylene and is designed for those who need a large amount of storage and workspace many carts don't offer. The integrated locking mechanism can be locked with the use of a padlock (not included) that keeps the tambour door securely locked in place until the lock is disengaged allowing the door to roll up and into the cart. Inside the MRI Cayman features a generous amount of storage space with a built-in shelf that lets you keep the supplies that you use most closest to your reach. Even fully loaded, the MRI Cayman can be easily maneuvered by one person with the aid of its 3 inch casters. Also available in a standard version (with metal).

24 x 36 x 24 inches (width height depth); 73 pounds

Model	Designation	Description
PC-1474		Maui Lab Island



MRI Locking Roll-Top Cart

A durable high density polyethylene frame made just for the harsh laboratory environment and easy-to-use roll top door make this cart a great choice. Smooth rolling tambour door features plastic slates to travel smooth up and down the tracks. Top is also HDPE for chemical resistance so it gives years of good looking service.

Casters provide easy walking speeds to help move around the laboratory. Reliable push-brakes secure cart when necessary. Built-in handle for easy moving. Lockable cart with disappearing roll top door. Six removable drawers for use and storage. Lockable- locking mechanism is made of brass.

11.5" L x 16.5" W x 35" H

Model	Designation	Description
PC-1471		Locking Roll-Top Cart

More Carts Available
at www.MRIequip.com

MRI Non-Magnetic Space-Saving Cart

White Polyethylene MRI Core SP Space Saving Lab Cart with Clear Door provides a large amount of extra storage and workspace in a small footprint. This all white cart carries almost three times its weight and the innovative sliding door provides access to your supplies in cramped rooms or tight hallways. The door locks in either the up or down position with an embedded security lock and comes with two keys. Keep supplies and other equipment in one of the three full-extension drawers or bulk storage area. Built in ergonomic handles make the Core SP easy to maneuver.

Features:

Nonferrous Core SP Cart
Polyethylene and ABS plastic construction
Economical
Bulk storage area
Built in handles
52 pounds

Clear PETG sliding door
Seamless one piece top
3 full extension drawers
15" W x 35" H x 19" D
3" braking casters

Model	Designation	Description
PC-2468		Space-Saving Cart



MRI Non-Magnetic Extra Wide Lab Cart

The MRI Extra Wide Lab Cart provides 36 x 18 1/2 inches of extra-wide mobile bench top space. This cart gives you an easy to move bench top and storage area. Whether you are in a hospital, urgent care facility, physician's office or imaging safety center, professionalism and organization are key to your success. The MRI Extra Wide Lab Cart provides three oversized drawers and a protected bulk storage area with sliding see-through door, unless color option selected and sits atop 3 inch casters. Its easy mobility and professional appearance will create instant neatness in your MRI Lab or facility.

Features:

Nonferrous extra wide lab cart
Economical
White polyethylene and ABS
3 oversized drawers
2 keys included

Clear PETG plastic viewing door
Seamless one piece top
Built in handles
Large bulk storage area
3 inch casters, 2 braking



Clear, smoke, red, orange, green and blue

Model	Designation	Description
PC-2473-CL		Extra Wide Lab Cart



MRI Access / Egress Organizer

Storage for personal gear or for entry or exit. Space for gloves, safety glasses, protective clothing and changing area supplies. Light, white, room-for-everything and built for maximum ease in and out of the lab. Hinged acrylic doors allow easy stocking and viewing of supplies. Fabricated design to hold lab gear and keep your clothes and personal items off the floor. Entire organizer is wall mountable and easy to install with built-in key holes, so you'll go from the office to the lab in no time. Features one shelf, four safety glass cubbies, 3 covered compartments, a glove box dispenser and three hooks. Mounting hardware NOT included.

18.125" L x 7.2" W x 19.875" H

Model	Designation	Description
PC-1137		Access / Egress Organizer



More Carts Available
at www.MRIequip.com

All Carts Feature:

Aluminum
Replaceable Plastic Top
Stainless Steel Pull-Out Shelf
Ball Bearing Full Extension Drawer Slides

Dimensions:
45.75" High
30.50" Wide
23.75" Deep
126 Lbs.



Dimensions:
45.75" High
32" Wide
25" Deep
136 Lbs.



Warranty:
12 Years on Carts
1 Year on Locks & Moving Parts

Dimensions:
45.75" High
32" Wide
25" Deep
136 Lbs.

Breakaway Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Description
CA-1000	6 Drawer Breakaway Lock Cart
CA-1002	7 Drawer Breakaway Lock Cart

Warranty:

12 Years on Carts
1 Year on Locks & Moving Parts

Keyed Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two keys come with keyed lock carts extra keys available (see page 39)



Model	Description
CA-1004	6 Drawer Keyed Lock Cart
CA-1006	7 Drawer Keyed Lock Cart

Keyed Lock Carts with Rails and Organizers

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two keys come with keyed lock carts extra keys available (see page 39)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers



Model	Description
CA-1005	6 Drawer Keyed Lock Cart
CA-1007	7 Drawer Keyed Lock Cart

Breakaway Lock Carts with Emergency Package

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays



Model	Description
CA-1001	6 Drawer Breakaway Lock Cart
CA-1003	7 Drawer Breakaway Lock Cart

Visit www.MRlequip.com or call customer service for more carts and options

All Carts Ship Red Unless Color Specified from page 39

Narrow Design Breakaway Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers



Model	Description
CA-1050	6 Drawer Breakaway Lock Cart
CA-1052	7 Drawer Breakaway Lock Cart

Narrow Design Breakaway Lock Emergency Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Includes:

I.V. Pole, Cardiac board, Oxygen tank holder, 4 utility hooks, 2 Drawer trays



Model	Description
CA-1051	6 Drawer Breakaway Lock Cart
CA-1053	7 Drawer Breakaway Lock Cart

Narrow Design Keyed Lock Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 39)



Model	Description
CA-1054	6 Drawer Keyed Lock Cart
CA-1056	7 Drawer Keyed Lock Cart

Narrow Design Keyed Lock Anesthesia Carts

6 Drawers

One 4", Two 3.25", Two 6.5" & One 9.75" Drawers

7 Drawers

One 4", Four 3.25", One 6.5" & One 9.75" Drawers

Two Keys come with Keyed Lock carts Extra Keys Available (see page 39)

Includes:

3 Tier raised back rail system, 4 Side rails, 2 Full drawer trays with organizers



Model	Description
CA-1055	6 Drawer Keyed Lock Cart
CA-1057	7 Drawer Keyed Lock Cart

Visit www.MRlequip.com or call customer service for more carts and options

All Carts Ship Red Unless Color Specified from page 39



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



All Carts Feature:

Aluminum, Replaceable Plastic Top, Stainless Steel Pull-Out Shelf, Ball Bearing Full Extension Drawer Slides

Dimensions:

46" High x 20" Wide x 23.5" Deep

Warranty:

12 Years on Carts

1 Year on Top and Casters



Optional Cart Accessories



CA-1008



CA-1009



CA-1010



CA-1011



CA-1012



CA-1028



CA-1029



CA-1033



CA-1015



CA-1016



CA-1019



CA-1020



CA-1022



CA-1023



CA-1026



CA-1013

Available Colors



Hammertone Colors



The products on this page are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Designation	Description
CA-1008		3 Tier Raised Back Rail
CA-1009		2 Tier Raised Back Rail
CA-1010		Side Rail
CA-1011		Cardiac Board & Mounting Brackets
CA-1012		Rail Hook
CA-1028		Key for Keyed Carts
CA-1029		Breakaway Key for Carts (package of 50)
CA-1013		I.V. Pole
CA-1033		Oxygen Tank Holder
CA-1015		Replacement Pull-Out Shelf
CA-1016		Set of 4 Utility Hooks
CA-1017		4 Tilt Bin Organizer for Raised Back Rail System
CA-1018		5 Tilt Bin Organizer for Raised Back Rail System
CA-1019		6 Tilt Bin Organizer for Raised Back Rail System
CA-1020		3 Gallon Waste Basket
CA-1022		3" Drawer Organizer (does half of shallow drawer)
CA-1023		6" Drawer Organizer (does half of 6.5" drawer)
CA-1026		3 Gallon Sharps Container

PVC Linen / Multi-Use Carts

Features:

MR Compatible

Totally enclosed carts help prevent dust build-up on expensive coils.

All carts come with solid vinyl fabric, mesh can be substituted.

Velcro closures

Caster sockets are double wall reinforced with schedule 40 one inch PVC

Caster Size: 3", Can upgrade to 5" casters for additional charge

All multi-use carts are shown with the front cover open.



PV-1042
Casters are different than pictured.



PV-1038

Casters are different than pictured.

Warranty:

1 Year on Frame

6 Months on Casters and Soft Goods

Available Colors in Mesh or Vinyl

Royal Blue

Forest Green

Mauve



Actual Casters



PV-1034

Casters are different than pictured.

Model	Des.	# Of Shelves	Shelf Size	HT Between Shelves	HT With Casters	Weight Cap Per Shelf
PV-1031		2	25" x 20"	12"	37"	75 lb
PV-1033		3	25" x 20"	12"	51 1/4"	75 lb
PV-1034		4	25" x 20"	12"	65 1/2"	75 lb
PV-1036		2	32" x 20"	12"	37"	100 lb
PV-1038		3	32" x 20"	12"	51 1/4"	100 lb
PV-1039		4	32" x 20"	12"	65 1/2"	100 lb
PV-1042		2	45" x 20"	16"	46"	125 lb
PV-1043		3	45" x 20"	16"	65"	125 lb
PV-1044		4	45" x 20"	16"	77"	125 lb
PV-1045		2	50" x 20"	16"	45 1/4"	150 lb
PV-1046		3	50" x 20"	16"	65"	150 lb
PV-1047		4	50" x 20"	16"	77"	150 lb

PV-1042, PV-1043 and PV-1045 Have 5" Casters



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com



Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM

Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.



Bag is NOT included, it must be ordered separately.

Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag



Stainless Steel Hampers

All Stainless Hampers Do Not Include a bag

Specifications:

Height:	36"
Inside Diameter:	16 1/2"
Outside Diameter:	18"
Casters:	2" Dual Wheel

Warranty:

2 Years on Frame
6 Months on Soft Goods and Moving Parts

Model	Designation	Description
HA-2000		Hamper - No Lid
HA-2001		Hamper with Lid
HA-2002		Hamper with Foot Operated Lid
HA-2003		Laundry Bag

Bag is NOT included, it must be ordered separately.

PVC Hampers

All mesh hampers sent Royal Blue unless color specified.
No zipper on leak proof bags

Model	Des.	# Of Bins	Bag Type	L	W	H
PV-1000		1	28 Gallon Mesh	18"	18"	37"
PV-1001		1	22 Gallon Leak Proof	18"	18"	37"
PV-1007		1	42 Gallon Mesh	26½"	22½"	35½"
PV-1002		1	28 Gallon Mesh	23¾"	18¾"	38"
PV-1003		2	22 Gallon Leak Proof	38¼"	18"	37"
PV-1004		3	28 Gallon Mesh	58¼"	18"	37"
PV-1005		3	22 Gallon Leak Proof	58¼"	22½"	35½"

Warranty: 1 Year on Frame, 6 Months on Casters and Soft Goods



PV-1001

PVC Hampers Options

Available Colors in Mesh or Vinyl

Royal Blue

Forest Green

Mauve



Actual Casters



PV-1003

Casters are different
than pictured.



PV-1005

Casters are different
than pictured.

Leakproof Colors (Vinyl Hampers Only)



White



Light Blue



Pink



Mint

Foot Pedal for PVC Hampers

Foot pedal available for hampers, order one per bin, must be ordered with hamper.

Model	Designation	Description
PV-1006		Foot Pedal for PVC Hampers

PV-1006



Visit www.MRlequip.com or call customer service
for more laundry baskets and linen carts



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRlequip.com

Ferromagnetic Detection System MRI Entry System

FerrAlert™ HALO II - Ferromagnetic Detector complies with ACR and JCAHO standards to protect the magnet room against moderate to large size ferromagnetic projectiles. This product significantly helps to protect the investment in the magnet and to avoid a catastrophic accident. FerrAlert™ HALO II ENTRY has been certified by Siemens Medical Solutions for installation and use inside the magnet room for both 1.5T and 3.0T MRI magnets. **Plus System reduces alarm fatigue by sensing direction of personnel and accepts Ferromagnetic Incident Log Manager (F.I.L.M.)**

OPERATION:

- The Green LED HALO array illuminated around the MRI entrance indicates that the detector is scanning and there are no ferromagnetic threats detected.
- A Yellow beacon light indicates that a threat is approaching the portal.
- The Red LED HALO array flashes the entire portal, indicating a major threat such as a ventilator or oxygen cylinder has approached the portal.
- The greater the threat, the further away the warning is activated.
- Ferrous objects not approaching the entrance to Zone IV do not trigger an audible warning.

SPECIFICATIONS:

- Dimensions: Height 83" (211cm), Depth 2.25" (5.7cm)
- Adjustable Width: 42" (107cm) to 52" (132cm) Inside; 47" (119cm) to 57" (145cm) Outside
- Complies with ES60601-1-8 International Standards for Medical Device Alarms
- Complies with IEC 60101-1:2005 Medical Device Specifications Requirements
- Medical Power Supply: 100 to 240 VAC, 47 to 63 HZ, 42 Watts
- Sensitivity: Adjustable
- Audio Alarm: In Portal
- Photoelectric Beam: Activates Alarm Function mode when moving object enters Portal



FERRAlert HALO II Plus

Visit www.MRIequip.com for more specifications, or call for complete brochure.

**See Page 30, 45-48 for
Non-Ferromagnetic Carts,
Stretchers, Wheelchairs and More**

The FerrAlert™ Ferromagnetic Incident Log Manager

The FerrAlert Ferromagnetic Incident Log Manager (F.I.L.M.) provides an automatic data record of Ferromagnetic Objects entering the MRI Scanner Room.

Features:

Facilitates The Joint Commission compliance for Incident Logging
Logs potential and actual ferromagnetic incidents
Provides a visual record of the events leading up to the incident
Provides a visual record of the actions after the incident
All records of incidents are stored and date and time stamped
Assists with Root Cause Analysis
HIPAA compliant



Model	Description
MG-2511	The FerrAlert™ Ferromagnetic Incident Log Manager

SuperWand

The SuperWand’s exclusive 360° detection field provides uniform sensitivity and tip pinpointing to detect weapons and other metal objects with extreme accuracy. From U.S. airports to sporting events, the SuperWand is the hand-held of choice for today’s security screener. Accurate detection of all ferrous, non-ferrous and stainless steel and other metallic objects. Elongated profile offers 360° detection coverage plus tip pinpointing for easy scanning from head to foot. Easy and convenient to use with one-touch button and three-color LED lights. Clear audible or silent / vibrate LED alarm signal. Large 9.5” scan area allows thorough scanning with minimum passes. Ergonomically designed grip fits comfortably in virtually every hand. 9V battery incl.

Model	Description
MG-4000	SuperWand
MG-4001	SuperWand Holster



NOT MR SAFE
This product is magnetic



Ferromagnetic Detection Systems

If you notice this label associated with a product throughout this catalog, you can be assured that it will pass through any Ferromagnetic detection system. These products have been tested extensively to gain this approval. MRlequip is proud to offer your MRI environment the largest array of Non-Ferromagnetic products available on the market today.

See Page 30, 45-48 for Non-Ferromagnetic Carts, Stretchers, Wheelchairs and More

Ferralert Solo Detector

Ferromagnetic screener for patients and personnel - The latest advancement in Pre-Screening Technology for MRI Safety

- Accurately and Quickly Locates Ferrous Hazards Anywhere on the Body
- 12 Sensors for Uniform Sensitivity
- No-Touch Activation
- Consistent, Simple and Unambiguous Operation
- Highly Sensitive
- Used to Self-screen or for Supervised Screening
- Variety of Simple Installation Options
- Inexpensive

Model	Description
MG-2507	Solo Detector



Aluminum Non-Ferromagnetic Gurney



Model	Designation	Description	Price
ST-5000		Aluminum Gurney	\$3,950.00 ea.

uspatentnumber
9,144,409 B1

Features:

NEW! Aluminum rigid construction
Drop down side rails
5" total lock casters
Full surround rubber bumper
Adjustable headrest
3" pad included

Specifications:

Height without pad:	29½"
Height with Rails up:	40"
Height of Rails:	15"
Length:	77¼"
Rail Length:	39"
Width:	27"
Weight:	130 lbs.
Back Adj. Range:	0-75 Degrees
Number of Positions:	11
Weight Capacity:	500 lbs

Warranty:

1 Year on Moving Parts and Frame
90 Days on Soft Goods

Specifications:

Height:	30¼"
Height with Rails up:	42"
Height of Rails:	11¾"
Length:	76"
Rail Length:	61½"
Width:	28½"
Back Adj. Range:	0-71.2 Degrees
Storage Tray:	1½"D x 26"L x 17½"W
Positions:	10
Weight Capacity:	400 lbs

Warranty:

1 Year on Moving Parts and Frame
90 Days on Soft Goods

Non-Ferromagnetic Pediatric Gurney



Coming **SOON.**

Model	Designation	Description	Price
ST-5300		Aluminum Gurney	\$4,688.00 ea.

Non-Ferromagnetic Stretcher Accessories



Side Rail Pads



Caster



Safety Straps



Oxygen Holder



I.V. Pole

Model	Des.	Description
ST-5100		Aluminum IV Pole
ST-5101		Aluminum O2 Holder
ST-2353		MRI Non-Ferromagnetic Locking Stretcher Caster
ST-2008		MRI Safety Straps(set of 3)
ST-2012		Side Rail Pads, Burgundy

20-24" Wide Non-Ferromagnetic Aluminum Wheelchairs

This Non-Ferromagnetic wheelchair consists of materials such as brass, titanium, aluminum and plastic. It has been tested and certified to pass through the pre-screen and pre-entry door systems. This is the first of its kind to have 24" wheels, which allows the patient to move independently.

Flip-up Desk Length Padded Arms

Swing-away Footrests

Color: **Burgundy**



See Page 43-44
Non-Ferromagnetic
Detection System

Warranty:

5 Years on Frame & Crossbraces
1 Year on Soft Goods & Moving Parts

Specifications:

20" Wide

Seat To Floor Height:	20"
Seat Width:	20"
Overall Width:	28"
Overall Depth:	36" w/footrest
Seat Depth:	16"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	31 lbs w/footrest
Weight Capacity:	300 lbs

22" Wide

Seat To Floor Height:	20"
Seat Width:	22"
Overall Width:	30"
Overall Depth:	43" w/footrest
Seat Depth:	18"
Overall Height:	37"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	33 lbs w/footrest
Weight Capacity:	300 lbs



Back of
upholstery

24" Wide

Seat To Floor Height:	20"
Seat Width:	24"
Overall Width:	32 1/2"
Overall Depth:	44" w/footrest
Seat Depth:	20"
Overall Height:	36"
Back Height:	19"
Front Casters:	8" x 1" solid
Rear Wheel:	24" solid
Wheel Locks:	push to lock
Weight:	43 1/2 lbs w/footrest
Weight Capacity:	500 lbs



This size is a fixed, non-folding wheelchair

Model	Designation	Description
WC-2002		20" Chair w/ Footrests
WC-2005		22" Chair w/ Footrests
WC-2006		24" Chair w/ Footrests



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.

Non-Ferromagnetic Wheelchair Accessories

MRI Non-Ferromagnetic I.V. & Oxygen Holders



Model	Designation	Description
WC-2100		Aluminum I.V. Pole
WC-2101		Alum. I.V. and O2 Holder
WC-2102		Alum. O2 Tank Holder

Stencil Company Name Or Other Information

Ship Weight: 5lbs

Ship Dimensions: 4" x 12" x 19"



MRI Non-Ferromagnetic Step Stools

Base is 16" x 12" and 8 1/2" off the floor
With or Without 41" Handle

Warranty

3 years - excludes tips



Model	Designation	Description
SS-5000		MRI Step Stool, No Handle
SS-5001		MRI Step Stool with Handle

MRI Adult Non-Ferromagnetic Folding Walkers

18" Wide, Depth 17"

250 lb weight capacity

No Wheels Available

Warranty 3 years - excludes tips

Model	Designation	Description
WA-1050		Adult - 32" to 36"
WA-1051		Junior - 28" to 32"



Wheels on page 15
are not compatible
with these walkers

MRI Heavy Duty / Extra Wide Non-Ferromagnetic Folding Walker

24" Wide, Depth 21"

500 lb weight capacity



Both the adult and heavy duty walkers comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Designation	Description
WA-1052		Extra Wide - 32" to 38 1/2"



Non-Ferromagnetic Laundry Hampers

NEW AND EXCLUSIVE FROM MRIEQUIP.COM


Conceal and easily transport soiled linens and help support Infection Prevention. Solid Aluminum construction for bag rest, casters, and an optional foot pedal. It has been tested and certified to pass through the pre-screen and pre-entry door systems.

Hamper Bag Not Included.



Model	Designation	Description
HA-2301		Hamper w/ Lid and Foot Pedal
HA-2503		Hamper Bag

IV-1550



IV-1551

OX-1800



OX-1801



OX-1802

OX-1803



OX-1804



OX-1805



See Page 43-44 for
Non-Ferromagnetic
Detection System

MRI Non-Ferromagnetic IV Poles and Tank Holders

Aluminum Base with 5 Casters

Adjustable Height 56" to 105"

See Page 85 for more
IV Poles O₂ Holders

Model	Designation	Description
IV-1550		MRI IV Pole on wheels. Two hook, Non-Ferromagnetic
IV-1551		MRI IV Pole on wheels. Four hook, Non-Ferromagnetic
OX-1800		Single Oxygen Tank Holder Non-Ferromagnetic
OX-1801		Single Oxygen Tank Holder with Two hook IV Pole Non-Ferromagnetic
OX-1802		Single Oxygen Tank Holder with Four Hook IV Pole Non-Ferromagnetic
OX-1803		Dual Oxygen Tank Holder on wheels Non-Ferromagnetic
OX-1804		Dual Oxygen Tank Holder with Two Hook IV Pole Non-Ferromagnetic
OX-1805		Dual Oxygen Tank Holder with Four Hook IV Pole Non-Ferromagnetic



MR SAFE



MR CONDITIONAL



MR UNSAFE

view www.MRIequip.com



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



MRI Non-Magnetic Stethoscope

This lightweight, non-magnetic stethoscope comes with a non-chilling contact diaphragm of high sensitivity. This unit was designed exclusively for use in high magnetic fields.

Not Latex Free

Model	Description
BP-1000	MRI Non-Magnetic Stethoscope



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Disposable Stethoscopes

Stethoscopes feature a plastic binaural and ultra sensitive plastic chest piece with remarkable acoustical performance. Designed for single-patient use to prevent cross contamination in infectious areas.

Case includes 10 each.

Model	Designation	Description
BP-1012	MR	Yellow Stethoscope (10 per case)
BP-1013	MR	Blue Stethoscope (10 per case)



Neonatal Noise Guards

A must have for premie and newborn patients, Neonatal Noise Guards protect these little one's sensitive ears in the MRI environment, and provide peace and quiet in the NICU. Neonatal Noise Guards reduce the surrounding environment noise level by at least 7db, with a reduction in sound pressure of more than 50%. Disposable, latex free.

Box includes 6 pairs

Model	Designation	Description
RA-1016	MR	Neonatal Guards (6 pr. per box)



BP-1604

BP-1603

MRI Non-Magnetic ECG Electrode

25 per Case, Latex Free

NON RETURNABLE ONCE PACKAGE IS OPENED












Model	Description
BP-1603	ECG Quadtrode Electrode (25 per box)
BP-1604	Invivo Neonatal Quatrodes (25 per box)

ClearScan Radio-Translucent Electrodes for ECG

Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures ClearScan Radio-Translucent Electrodes for ECG Monitoring in CathLab, X-Ray, MRI and Thallium Testing Procedures, Diameter Foam, Wet Gel and some Solid Gel

600 Per Case

BP-1800 to BP-1807 Wet Gel | BP-1808 to BP-1809 Solid Gel

Model	Des.	Description
BP-1800		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1801		1 1/2" Diameter, 5 Per Strip (600 Per Case)
BP-1802		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1803		1 5/8" Diameter, 5 Per Strip (600 Per Case)
BP-1804		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1805		1 7/8" Diameter, 1 Per Strip (600 Per Case)
BP-1806		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1808		1 7/8" Diameter, 5 Per Strip (600 Per Case)
BP-1809		1 7/8" Diameter, 1 Per Strip (600 Per Case)
BP-1810		3/strip, 1 strip/pouch (200 pouches/600/cs)
BP-1811		5/strip, 1 strip/pouch (120 pouches/600/cs)



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.




BP-1800
BP-1801

BP-1802
BP-1803



BP-1804 to
BP-1806

BP-1808



BP-1809

BP-1810
BP-1811

Radiotranslucent Electrodes

Perforated clear tape for comfort, Radiotranslucent for X-Ray/MRI, Clear tape does not absorb fluids, Gel pocket stabilizes the electrode, Clear tape for skin monitoring

Case includes 30 ea.

Model	Designation	Description
BP-1014		Electrodes (30 per case)



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Accusensor 38mm Radiotranslucent Foam Electrodes

Cardiac Cath Lab and Special Procedures Stress Testing Holter Monitoring. Disposable 38mm foam single use silver/chloride radiotranslucent ECG electrode.

60 per bag, 600 per case

Model	Designation	Description
BP-1400		Foam Electrodes (600 per case)





Desktop/ Portable Pulse Oximeter

The Nonin 7500FO Pulse Oximeter incorporates a Fiber Optic sensor, meeting the unique needs of MRI users for patient safety and image quality.

Product highlights include:

Safe-to-use - Fiber optic sensors eliminate the possibility of RF burns in the MRI environment

Convenient - Non-magnetic pole mount system for easy access

Economical - Long-life internal rechargeable battery system and light-weight design

Customizable - pulse tone with variable pitch; audible and visual alarms for pulse rate & SpO2

Expandable - Optional 18 hour memory for software review of SpO2 & pulse rate

Flexible - Multiple interface & printing options

Pole Mount - Fits poles with 5/8" to 1 1/2" Diameter Poles sold separately below.

Warranty:

2 Years on Pulse Oximeter

1 Year on Internal Battery

90 Days on Fiber Optic Cords & Other Components

Fiber Optic Sensors must be ordered separately, they are not included with the pulse oximeter.



Optional Equipment Pole

Model	Des.	Description
PO-1020		Pulse Oximeter
PO-1001		Infant Fiber Optic Sensor w/ 20' Cable
PO-1002		Infant Fiber Optic Sensor w/ 30' Cable
PO-1003		Adult Fiber Optic Sensor w/ 20' Cable
PO-1004		Adult Fiber Optic Sensor w/ 30' Cable
PO-1021		AC Adaptor
PO-1010		nVision Software-Data Mgmt Cable Required
PO-1023		Cable for nVision Software
PO-1024		Black carrying case for pulse Oximeter
OX-1061		48" High Equipment Pole
OX-1062		60" High Equipment Pole

Pole mount hardware included on OX-1061 & OX-1062



Model
PO-3500

Tesla DUO SpO2 Blood Pressure Monitor

TeslaDUO is easily operated by using the 7 inch touch screen. With dual screen capability, you are able to display the saturation curve, with either small numerics or large numerics. All Parameter menus can be activated directly in the main screen and provide an intuitive user interface.

Flexible monitor configuration - TeslaDUO is available in 3 setups, Pulse oximeter, NIBP Monitor, Combined monitor (SpO2 and NIBP)

Wireless pulse oximetry sensor - Maximum comfort for patients and personnel Minimum risk of damaged fiber-optic cables Low operating cost



Latex-Free Sphygmomanometer

1.5 T Conditional - Not For Use in Tunnel

Model	Description
BP-1017	Adult
BP-1027	Large Adult
BP-1028	Child
BP-1029	Infant













Replacement Latex-Free Bulb and Valve Assembly

Model	Description
BP-2020	Bulb and Valve Assembly



Replacement Latex-Free Cuffs and Bladders

One and Two tube bladders
Black nylon cover

Model	Des.	Description
BP-2004		2 Tubes, Thigh
BP-2009		1 Tube, Thigh
BP-2003		2 Tubes, Large Adult
BP-2008		1 Tube, Large Adult
BP-2000		2 Tubes, Adult
BP-2005		1 Tube, Adult
BP-2002		2 Tubes, Child
BP-2007		1 Tube, Child
BP-2001		2 Tubes, Infant
BP-2006		1 Tube, Infant



Eco-Choice Disposable Blood Pressure Cuffs

2-Tube Mated Submin

Weighs 25% less than traditional cuffs

Universal connection system ensures complete compatibility

Is latex and DEHP free

Model	Des.	Description
BP-6000		Disposable Blood Pressure Cuffs



Infuse Aid Pressure Infusor

Use in MRI environment

Reusable bulb & tubing

Highly visible pressure gauge

Available in 500mL or 1000mL bags

Is latex and DEHP free

Model	Des.	Description
BP-5000		Infuse Aid Pressure Infusor

1.5 T Conditional





Clip Boards, Set of 4

Clipboard Sheet Size 8.50" W x 11" L, Clip Capacity, .50" of 20Lb paper with built in pen holder. Product was tested by a facility in a 3T magnet and was said to have a very little torque right in the bore of the magnet.

Model	Description
CL-1010	Set of 4, 1 of each color



Breast Cancer Awareness Clipboard set of 4 plastic

Clipboards, Set of 4 plastic, Pink Ribbon Breast Cancer Awareness along bottom




Model	Description
CL-1011	Breast Cancer Awareness Clipboards




Non-Magnetic Paper Clips

Comes in assorted colors

Small-	1", 500 per box
Large -	1 3/8", 200 per box
X-Large -	2 3/8", 50 per box

Model	Des.	Description
MT-1702		Small (500 per box)
MT-1701		Large (200 per box)
MT-1700		X-Large (50 per box)



Plastic Clips, Holds up to 25 Sheets of Paper

Model	Des.	Description
CL-1020		Comes in 5 assorted colors. Green, Red, White, Purple and Blue (60 per pack)

Technician Anti-Fatigue Mats

Anti-Fatigue Floor Mats are a premium comfort solution designed to prevent leg, foot, & lower back discomfort experienced by workers who stand on hard flooring.

Benefits:

Improve comfort and ergonomics during procedures.
Reduce the number of stretches and postural changes.
Improve post-operative discomfort & energy.
Promote proper posture while diminishing back, knee and foot discomfort.
Improve performance and reduce the margin error.

Model	Description
MT-1300	Gel + Foam Dual-Density Mat, 20" x 48", 2 Per Case
MT-1301	Gel + Foam Dual-Density Mat, 20" x 32", 3 Per Case
MT-1302	Gel + Foam Dual-Density Mat, 18" x 24", 5 Per Case
MT-1303	Eco-Pro Anti-Fatigue Mat, 36" x 60"



MT-1300 - MT-1302



MT-1303

Multi-Modality Markers

Product Benefits:

Provides clear reference points
Shows on all sequences

Does not indent into soft tissue

No artifacts

50 Per Container

For further details visit www.MRlequip.com or call customer service



"Great Markers! Perfect size and show on both T1 and T2 weighted images. Also, the markers do not indent the skin." - Open MRI Specialists of Stockbridge



BP-1015



Model	Des.	Description
BP-1015		Markers (50 per case)
BP-1037		Markers, Solid (50 per case)
BP-1030		Markers for Nuclear Medicine/Pet (50 per case)

Burnett Bidirectional TMJ Device

Key Features:

Opens and closes the jaws. Audible click indicates 1mm of movement.
Disposable mouthpieces for single patient use.

Benefits:

Simple one-handed operation. Reduced motion artifacts
Virtually eliminates device flex for better images

Warranty 1 Year



Model	Description
MO-1000	Device with 3 Sets of Disposable Mouthpieces
MO-1001	10 Sets of Disposable Mouthpieces

MRI TMJ Wedge, Box of 24

Saves working with broken clickers. Easy for patients to use. 4mm increments (total opening of 8 steps or 40mm). Disposable after each use.



Model	Des.	Description
AC-1009		MRI TMJ Wedge, Box of 24

Specialized MRI Catalogs!

Breast Imaging Products

Pediatric Products

Disposable Products



Call to request your copy today or
e-mail your request to cs@MRlequip.com



Non-Ferromagnetic Sand Bag Positioners

The first Non-Ferromagnetic MRI Sand Bag Positioners to hit the market designed exclusively for MRlequip.com.



Model	Des.	Description
SB-1003		3 lb. Sand Bag Positioner, 8" W x 8" L
SB-1005		5 lb. Sand Bag Positioner, 5.5" W x 15" L
SB-1007		7 lb. Sand Bag Positioner, 9" W x 12" W
SB-1010		10 lb. Sand Bag Positioner, 9" W x 14" L
SB-1012		12.5 lb. Sand Bag Positioner, 12" W x 12"
SB-1013		SET OF 5, 1 ea. of 3, 5, 7, 10, and 12.5 LB. Sand Bag Positioners



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Sand Bag Positioners

Colored outer bag is nylon reinforced vinyl, and dielectrically sealed to prevent leakage or dust. Inner bag is electrically sealed for added protection. Covers are nylon reinforced, color coded vinyl, labeled with weight. Complete with convenient handle.

Fig	Model	Description
A	FO-1105	3 lb, Yellow, 9½" x 4½"
B	FO-1106	5 lb, Orange, 12" x 5½"
C	FO-1107	7 lb, Red, 15½" x 6½"
D	FO-1108	10 lb, Blue, 17" x 6½"
Set	FO-1126	Set of 1 of each above

MRI Safe Sandbags

Will not affect quality of scans. Vinyl double wall construction. Strong, durable and leak-resistant. Nonmagnetic, radiolucent and artifact free.



Fig	Model	Description
H	FO-1127	3 1/2 lb, 7" x 9"
I	FO-1128	7 1/2 lb, 5" x 17"
J	FO-1129	11 1/2 lb, 6" x 21"
K	FO-1130	13 lb, 11" x 11"
Set	FO-1131	Set of 1 of each above

Comfort Pillow Positioners

This innovative pillow was designed to gently elevate and support the head, thus relieving stress on the shoulders during diagnostic MRI and CT procedures where the patient's arms are held over head. Because it is constructed of high-density foam, the pillow provides excellent patient support. Two hand straps allow the patient to hold-on during the procedure, thus increasing their security. As a result of unique design, the patient's arms can be kept in a straight and more comfortable position for safe contrast injections.

25" Long x 16" Wide x 8 1/4" High

Model	Des.	Description
FO-1009		Flat Bottom
FO-1010		Contoured Bottom



Leg Rest with Knee Cutouts

Provides leg and knee support while maintaining hip flexion. Helps relieve lower back stress and pain. Stain resistant scan coating is easily cleaned.

Model	Des.	Description
FO-1033		Small 5" x 18" x 15" w/o scan coating
FO-1034		Medium 7" x 13" x 17.5" w/o scan coating
FO-1035		Large 10" x 24" x 18" w/o scan coating
FO-1090		Small 5" x 18" x 15", w/ scan coating
FO-1091		Medium 7" x 13" x 17.5", w/ scan coating
FO-1092		Large 10" x 24" x 18", w/ scan coating



Radiolucent Abdominal Immobilizer for MRI & CT

14"W hook and loop -secured band wraps around patient and narrow, contoured tabletop. Patient is secured onto the table, eliminating motion and ensuring clearer image results. Attractive, washable, sterilizable gray canvas with yellow and black hook and loop straps. One-Piece system wraps around table without side rails. Use Two-Piece system for tables with side rails.

Model	Description
FO-1118	1 Piece 75" Long
FO-1119	1 Piece 87" Long
FO-1120	2 Piece 36" each side
FO-1121	2 Piece 60" each side



Patient Comfort System General 12 Piece Positioner Kit

The Patient Comfort System was developed over a 2-year period in close cooperation with leading imaging centers to maximize patient comfort as well as conform to the specific requirements for compatibility and safety. This viscoelastic material used for medical imaging has been specifically formulated to maximize patient comfort and maintain a thin form factor while optimizing the available free space for the patient when inside the MRI bore. These mattresses and positioners are compatible with existing tables and are designed to simply replace the current pads. The basic system consists of four rectangular mattress pads covered with advanced breathable space-age waterproof material which resists staining and makes cleaning easier. A knee wedge and neck roll are also included to maximize patient comfort. To increase safety, all pads have an anti-slip undersurface to keep the pads in place while patients are getting on and off the table.



Model	Des.	Description
FO-5000		General Positioning Kit



MRI/CT Body Immobilizers

Features:

Comfortable Body Immobilizer.

Made of cleanable vinyl.

Used in CT/MRI & Diagnostic Radiology.

Wrist straps sewn inside body wrap to keep arm secure.

Model	Description
AC-1000	MRI/CT Body Immobilizer 60" x 66"
AC-1001	MRI/CT Body Immobilizer 26" x 68"
AC-1002	MRI/CT Body Immobilizer 24" x 52"
AC-1003	MRI/CT Body Immobilizer 20" x 36"
AC-1004	MRI/CT Body Immobilizer 12" x 24"



MRI Head Positioning Pad

Please choose Large or Small when ordering

Features:

One easy step to position pad beside patients head.

Adds comfort and stops movement.

Model	Description
AC-1013	MRI Head Positioning Pad, LG or SM



MRI Arm Board

Features:

Slides under pad.

Designed to support the arm.

Made of non ferrous material.

Dimensions:

36" L X 7" at wide end, 3" at narrow end

Model	Description
AC-1006	MRI Arm Board



Wide Universal Armboard

Accommodates both arm and supplies. Slippery bottom allows for easy insertion under patient's shoulder with minimal patient movement. Patient's weight holds it in place. Cleanable with any type of disinfectant. Hanging hole for easy storage off the floor. 3/8" thick. 31 1/2" L. 11 1/2" W (tapers to 6").

Model	Description
FO-1122	Wide Universal Armboard
FO-1123	Non-Slip Pad

For a LARGE selection of foam positioning, visit www.MRlequip.com.

Neuroimaging Pillow Support System

Provide the support, comfort and sensory feedback necessary to help researchers and technologists acquire more usable data due to the minimization of subject head movement.

Features:

- Designed with high-grade memory foam to ensure maximum comfort, minimal movement, and to eliminate repeat testing.
- Coatings provide impenetrable barrier to viruses and bacteria.
- Comes with plastic storage case (**NOT MR SAFE**).

Model	Description
FO-6000	Durable Pillow Support System, Vinyl
FO-6001	Durable Pillow Support System, Fabric



Pearltec Positioners

The innovative patented Pearltec technology uses a combination of soft movable polystyrene pearls and inflatable air chambers to provide optimum fixation of the patient during MRI and CT studies in order to reduce motion artifacts.

Benefits:

Fewer repeated exams.

The soft movable polystyrene pearls along with flexible air chambers let the Pearltec products adapt to the individual patient. This gives optimum fixation of the patient, minimizes motion artifacts, improves image quality and reduces the number of exam repetitions. This makes the workflow significantly more efficient.



This product complies with the essential requirements of the relevant European health, safety and environmental protection legislation.



Child Crania Shown

Crania Positioner

The CRANIA and GeNUS products from Pearltec are available in both child and adult sizes and have been developed for head and knee examinations. The CRANIA was developed for head exams and functional MRI. The GeNUS was developed to aid in the orthopedic examinations of the knee.

Model	Description
PO-4009	Adult Crania Positioner
PO-4010	Child Crania Positioner
PO-4013	Sanitary Covers, 200 pcs.

Genus Positioner

The GeNUS product from Pearltec are available in both child and adult sizes and have been developed for knee examinations. The GeNUS was developed to aid in the orthopedic examinations of the knee.

Model	Description
PO-4011	Adult GeNUS Positioner
PO-4012	Child GeNUS Positioner



Pearltec Multipad Positioners

The MULTIPAD range of products from Pearltec are positioning cushions that can be used anywhere because their size can be changed by simply increasing the volume of air with the hand pump. MULTIPADS are used to position the patient individually and comfortably during CT and MR examinations. This results in less patient movement thereby minimizing motion artifacts. The flexible MULTIPAD product family consisting of MULTIPAD Standard, MULTIPAD Plus and MULTIPAD Slim can be universally used, either alone or in combination during all examinations with head and extremity coils.

As a guideline, once the red indicator line appears on the Multipad, the customer needs to re-order positioners.

Model	Description
PO-4000	Multipad Standard, 17 cm x 6 cm
PO-4001	Multipad Plus, 17 cm x 11 cm
PO-4002	Multipad Slim Positioner
PO-4017	Universal Single Use Covers, 100 pcs.



PO-4000

PO-4001



PO-4002



PO-4017



Patient Monitoring Video Camera System

These camera's can be used in multiple imaging modalities such as CT / Ultrasound / PET / X-Rays and many others. This system's versatility makes it perfect for use in any & many imaging suites.

Features:

True high definition 1080p recording on all cameras.
Instant USB backup of live video from selected camera.
24/7 security-grade hard drive Continuous, scheduled and motion recording.
Click and drag digital zoom in live view and playback 2 video outputs - (HDMI & VGA) to connect multiple monitors.

Warranty 2 Years

System Includes:

1 DVR with Pre-Installed HDD
1 19.5 inch 1600x900 Resolution LED Monitor
1 HDMI Cable
1 Remote Control
2 Power adapter

1 Mouse
2 HD CAMERAS
2 60ft. Video / Power cables
2 125 ft. Video / Power cables

Can exchange for shorter 100ft. cables if notified before shipping.

Model	Description
RA-1750	Patient Monitoring Video Camera System



MRI Non-Magnetic Magnalarm Patient Panic Alarm

Features:

Allows patients to notify the technologist they need attention.
Allows claustrophobic patients to relax better.
Comes with complete installation kits.
Fits all MRI's.
Tested approved and available from GE.
Allows patients to feel more secure knowing they can alert the technologist if necessary.

Model	Description
RA-3005	Non-Magnetic Magnalarm Patient Panic Alarm
RA-3006	Alarm Adaptor , USA 120/12V
RA-3007	Alarm Adaptor , International 120-220V/12V

Artificial Sky Ceiling Tile Art and Decorative Wall Murals

How can you have a blue sky in a room with no windows? How can you make your ceilings and walls come to life? With Artificial Sky Ceiling Tile Art and Decorative Wall Murals
The future of radiology departments is not only new imaging equipment, it is focused on becoming more patient-care oriented. A typical MRI or CT Scan can terrify the bravest souls and cause not only unnecessary stress, but delayed recovery times. A relaxed patient is more receptive, therefore they are more responsive to treatment.

Ceiling Art is scientifically proven to: Lower Blood Pressure, Reduce Stress/Anxiety, Decrease Muscle Tension, Reduce Pain, and Re-Direct Negative Thought.

Model	Description
Wall Mural	Artificial Sky Ceiling Tile Art and Decorative Wall Murals



Non-Magnetic Prism Glasses

Non-magnetic Prism Glasses allow the patient to see the room outside the bore of the magnet during their scan, allowing a companion or scenic picture to be viewed. A simple and cost effective comfort measure to be used alone, or in conjunction with a sound system for ultimate relaxation. Product comes with soft case(leather-like) with nylon lining and cleaning cloth.

Model	Des.	Description
RA-1011		Prism Glasses, Mirror not Adjustable



RA-1011

Mirrors are not adjustable

MRI Non-Magnetic Deluxe Prism Glasses

Non-magnetic Prism Glasses allow the patient to see the room outside the bore of the magnet during their scan, allowing a companion or scenic picture to be viewed.

Features:

Feature Reversible Prisms

Completely Free of Any Metal Components

Similar to Wearing a Conventional Pair of Glasses

Includes elastic adjustable band for use with children

Model	Des.	Description
RA-2012		Prism Glasses, Mirror not Adjustable



RA-2012

Mirrors are adjustable

MRI Non-Magnetic Prism Glasses, Fitover Frames

Features:

MR SAFE

Fits over Prescription Glasses.

Do not reverse the image so it is possible to see a mural or projection screen TV.

Prism angle remains fixed in either position so no viewing angle adjustment is required.

Free of any metal components and may be worn in all types of Diagnostic Imaging Scans.

Similar to wearing a conventional pair of glasses so the patient will easily adapt to wearing them.

Model	Des.	Description
RA-2013		MRI Non-Magnetic Prism Glasses, Fit over Frames



RA-2013

Croakies Eyewear Retainer

Croakies are practical and functional, and add a layer of security to your valuable eyewear. We use only the highest quality materials and incorporate unique details like our patented back stitch.

Model	Des.	Description
CR-3000		Croakies Eyewear Retainer, Hunter Green



Sleep Mask

MRI Safe eyeshade sleep mask. Made from satin soft polyester, this is the same mask provided by major airlines and hotels. Available in Dark Blue Only (inside is black). 2 elastic straps.

Model	Des.	Description
RA-6000		100 Nylon Masks
RA-6001		1000 Nylon Masks
RA-6008		100 I Survived MRI Eye Shade Sleep Mask



Warranty 1 Year



Sangean DDR-63 Wi-Fi Internet Table Top Radio with iPod Dock

Features:

- Internet radio / FM wavebands
- MP3, AAC + and WMA compatible
- iPod cradle charges and plays iPods
- Aux in / Line out socket
- Stereo headphone socket
- Digital EQ control
- Network music player
- External F type FM antenna terminal
- 10 station presets each audio band
- 99 station presets on internet
- Slot in CD MP3 / WMA player ripping function to SD / USB
- Real time clock with alarm and sleep function, clock synchronizes from NTP (Network Time Protocol)
- RDS with radio text, program type, auto clock and station name
- Optical SPDIF output for connecting Hi-Fi system
- Full function remote control unit
- Supports SDHC to 16 GB
- MP3 recordable to SD-card and USB media
- CD player supports bookmark function
- Play music stored in your computer
- Broadband connection required for connection to internet (over Wi-Fi- or Ethernet)



RA-1701

Model	Description
RA-1700	Full Stereo System
RA-1701	Microphone Option




MRI MagnaCoil 30DB Headset

This truly unique headset system features an enhanced and patented design that creates a better fit in tighter coils. Works in conjunction with our unique coil headset plugs that utilizes a pneumatic port to transfer music or speech directly into patients' ear canals while providing 30dB of gradient noise attenuation.

- Uniquely designed for comfort and fit within all coils
- ANSI standard minimum requirement of 29 dB NRR
- Enhances technologist-to-patient communication
- Flexible tubing provides exceptional comfort
- Plugs roll up, insert easily, and are disposable to eliminate sanitary concerns
- Latex free*



Model	Description
RA-1800	MRI Coil Headset, 30db
RA-3009	MagnaPlug Earplugs, 250 Pairs
RA-3010	MagnaPlug Earplugs, 500 Pairs
RA-3011	MagnaPlug Mini Earplugs, 250 Pairs
RA-3012	MagnaPlug Mini Earplugs, 500 Pairs



Pneumatic MRI Music System & Intercom

Our best-selling MRI music & communication system includes everything you need to provide your patients with high-quality MRI-compatible audio entertainment. Designed for everyone in and around MRIs to be the easiest-to-use, highest quality, most versatile, enjoyable and affordable MRI stereo system available. 30% Savings over competitive systems.

Features:

Patients: 30dB NRR headphones, customized audio entertainment, high-fidelity audio quality and more.

Technologists: Intuitive control, clear and direct communication with patients, compatible with all media devices and more.

MRI Management: Long lasting, cost-effective, industry-leading warranties and more.

Model	Description
RA-3500	Pneumatic MRI Music System & Intercom
RA-3501	Ipad Mini Accessory Package for RA-3500 Sound System
RA-3502	Sirius XM Radio
RA-3503	RF Filter for Penetration Panel for RA-3500 Sound System
RA-3504	iPad Upgrade: iPad Mini Lock

iN-Ear MRI Headphones

With a noise reduction rating of 29db, iN-Ear MRI Headphones are designed to protect patient ears while producing clear, consistent sound quality. The high-density-foam eartips fit securely in ears and attach easily to the included tubing, which can be used with or without the adjustable headband. MRl audio's newly designed iN-Ear Headphones are the ultimate solution for providing MRI patients with music, communication, and hearing protection. Their low profile design allows them to fit into every head coil and disposable foam ear tips prevent the spread of infection.

iN-Ear Headphones are **MR Safe**

This item comes with a 1 year warranty.

Model	Description
RA-3600	iN-Ear MRI Headphones
RA-3611	Replacement Foam Ear Tips (250 Pairs)
RA-3610	Replacement Foam Ear Tips (500 Pairs)





Over-Ear MRI Headphones

This unique premium headphone offers incredible sound attenuation while remaining comfortable even after extended periods of wear. Provides a full 29 db of noise attenuation.



Model	Des.	Description
RA-3505		Over-Ear MRI Headphones



These headsets have this style plug...



Other types and Brands available, please call

Style may vary from shown

The Noise Guard Headset

Provides a full 30 db of noise attenuation. The large profile of this headset does not allow it to fit in some head coils.

Model	Des.	Description
RA-1027		Replacement Head Band



The Slimline Noise Guard Headset

Provides 30 db of noise attenuation. The slim profile of this headset fits into most head coils.

Model	Des.	Description
RA-1002		Slimline Noise Guard
RA-1027		Replacement Head Band



Sanitary Headset Covers

Large fits models RA-1013, RA-1001, RA-1002, RA-2003 and RA-1057, Small fits model RA-1003
1000 per box, Available in White or Black
NON RETURNABLE ONCE PACKAGE IS OPENED



Model	Des.	Description
RA-1007		Small, White- 2-3" Diameter (1000 per box)
RA-1006		Large, White- 5-6" Diameter (1000 per box)
RA-1058		Large, Black- 5-6" Diameter (1000 per box)

Noise Guards with 3 Prong Headset Adapter

For sound systems requiring an alternate connection to our standard two prong male connection, this adapter will work with three prong systems.

Must be ordered with headset and goes with RA-1002 or RA-1004.

Model	Description
RA-1063	Slimline Noise Guard with Screw Top
RA-1064	Slimline Noise Guard with Push to Lock
RA-1065	The Non-Headset with Screw Top
RA-1067	The Non-Headset with Push to Lock



Siemens Headphone Adaptor

May need additional tubing for your headset for Siemens Machines. Most headphones have a 3-4 foot length of tubing attached. Please supply additional length if needed and order that additional length under PN: RA-1053 10 feet is the maximum length that can be added for sound quality.





Tubing has 3/8" inside diameter

Model	Des.	Description
RA-1017		Adaptor



Headphones

Cup the ear and are invisible to Scanning. Inner ear tips fit into the ear, providing direct sound. Provides approximately 55 db of noise reduction.

Model	Des.	Description
RA-2003		Headphones
RA-2011		Replacement Headband
RA-2021		Headphone Adaptor - Adapts the RA-2003 to Siemens Bed
RA-2022		Headphone Adaptor w/ 6 1/2 ft of twin tubing that can be cut to size



RA-2021-RA-2022

The Non-Headset

Designed for the tightest of head coils. It has two 1" foam ear muffs which can be positioned right up to the patients ear in the head coil, compressing down to 1/2". These headsets are not rated at this time.

Model	Des.	Description
RA-1004		Non-Headset




MRI Non-Magnetic MagnaSet Head Phones

Provides 29.8 dB attenuation at 2 kHz


18.1 dB NRR tested to ANSI Standard fits all Coils

Model	Des.	Description
RA-1801		MRI Non-Magnetic MagnaSet Head Phones (10 per pack)
RA-1803		Replacement Ear Tips for MagnaSet Head Phones (250 Pairs Per Pack)
RA-1805		Replacement Ear Tips for MagnaSet Head Phones (50 per pack)





This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Neonatal Noise Guards

A must have for premie and newborn patients, Neonatal Noise Guards protect these little one's sensitive ears in the MRI environment, and provide peace and quiet in the NICU. Neonatal Noise Guards reduce the surrounding environment noise level by at least 7db, with a reduction in sound pressure of more than 50%. Disposable, latex free.

Box includes 6 pairs

Model	Des.	Description
RA-1016		Neonatal Guards (6 pairs per box)

Clear Acrylic Neonatal Noise Guard Dispenser

Makes it easy to store and quickly access Neonatal Minimuffs or any neonatal ear plugs in a similar sized package.

Specifications:

Gravity Fed Dispenser
Slotted Thumb Opening
Holds Up To 12 Packages (Pairs)
Wall Mount With Brass Screws (Included)
3.75" L X 6.75" W x 6" H

Model	Des.	Description
RA-1030		Neonatal Noise Guard Dispenser

MRI Thermo-Soft 30 PVC Foam Earplugs

Specifications:

NRR=30dB - Tested at an independent A NVLAP accredited laboratory
Manufactured from super-soft PVC for it's unique performance characteristics.
New and improved foam responds to body heat by getting softer with use.
The only foam specified by the United States Military.
Optimal "recovery time" allows for deeper insertion, more secure fit and less "backing Out" which is particularly important for those with smaller ear canals.
Thera-Soft 30™ provides an excellent seal for every user.

Model	Des.	Description
RA-1060		Therma Soft Earplugs (case of 1000)

Swirl Earplugs

Fun colored to spark up the hearing protection program. Different colors in every package. Tapered for easy insertion in any size ear canal. Non-irritating, smooth surface for added comfort. **Noise Reduction Rating 32**

Model	Des.	Description
RA-1009		Without cord, 1000 Count / 500 Pair
RA-4006		With cord, 200 Count / 100 Pair

Pure Fit - Long Earplugs

Longer length for easy Fitting and removal. Bright green color for easy compliance checks. Tapered for easy insertion in any size ear canal. Non-irritating, smooth surface for added comfort. **Noise Reduction Rating 32**

Model	Des.	Description
RA-4004		Without cord, 1000 Count / 500 Pair
RA-4005		With cord, 200 Count / 100 Pair

Plug Dispenser

Clicking mechanism for easier use and dispensing.
Chute delivers plugs right into the palm of your hand.
Affordable enough to be placed near every work area.
Eliminates the mess of individual paper/polybag packaging.
Each dispenser is sealed and completely recyclable.
Available in 250 or 500 count per Plug Dispenser with either Swirl Plugs or Pure Fit foam earplugs.
Mounting bracket with hardware included with every Plug Dispenser.



Containers are Non-Refillable

Model	Des.	Description
RA-4009		Swirl, 250 Count / 125 Pair
RA-4010		Swirl, 500 Count / 250 Pair
RA-4011		Pure Fit, 250 Count / 125 Pair
RA-4012		Pure Fit, 500 Count / 250 Pair

Ear Muffs

For sound protection.

Model	Des.	Description
RA-1057		NRR30 Noise Attenuation
RA-1013		25 db Noise Attenuation
RA-1027		Replacement Head Band
RA-1061		24 db Noise Attenuation
RA-1062		27 db Noise Attenuation
PC-1137		Access / Egress Organizer



RA-1061 and RA-1062 are **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Access / Egress Organizer
See Page 36 for more information

Large Sanitary Head Set Covers

Fits models RA-1013, RA-1001, RA-1002, RA-2003 and RA-1057
NON RETURNABLE ONCE PACKAGE IS OPENED

Model	Des.	Description
RA-1006		White (1000 per box)
RA-1058		Black (1000 per box)
PC-1027		Dispenser Small - 8.5" x 11" x 4"
PC-1103		Dispenser Medium - 15" x 17" x 6"



Optional Dispenser

Laryngoscope

Introducing the first fiber-optic incubating laryngoscope set designed specifically for use within the MR room.

Long Life - Laryngoscope handle developed from selected low-magnetic materials. Proprietary low-magnetic signature lithium battery delivers 4 times the useful life of a standard alkaline battery.

High Intensity - A 3.5V halogen lamp yields a high-intensity, fiber-optic delivered light beam.

Compatible - Works with a broad range of Fiber-optic Laryngoscope Blades.

Warranty - 1 year



Handle Does NOT Include Battery

Adult Handle: 6" Long, 1" Wide
Pediatric Handle: 4.5" Long, 1" Wide



Model	Description
MO-1100	Laryngoscope Handle, Adult
MO-1122	Laryngoscope Handle, Pediatric
MO-1101	Lithium Battery, 2 pack
MO-1102	American Macintosh 0 Blade
MO-1103	American Macintosh 1 Blade
MO-1104	American Macintosh 2 Blade
MO-1105	American Macintosh 3 Blade
MO-1106	American Macintosh 3.5 Blade
MO-1107	American Macintosh 4 Blade
MO-1108	English Macintosh 1 Blade
MO-1109	English Macintosh 2 Blade
MO-1110	English Macintosh 3 Blade
MO-1111	English Macintosh 4 Blade
MO-1112	Miller 0 Blade
MO-1113	Miller 1 Blade
MO-1114	Miller 2 Blade
MO-1115	Miller 3 Blade
MO-1116	Miller 4 Blade
MO-1117	Wisconsin 2 Blade
MO-1118	Wisconsin 3 Blade
MO-1119	Wisconsin 4 Blade
MO-1120	Light Bulbs, (5 pack)

Macintosh & Miller Disposable Blades

The all-new disposable laryngoscope blade which feature the Classic blade shape. The disposable blade avoids cross-infection from one patient to the next. Latex free. Compatible with handles above - MO-1100 and MO-1122.







Model	Description
MO-1200	Macintosh #1 (25 per case)
MO-1201	Macintosh #2 (25 per case)
MO-1202	Macintosh #3 (25 per case)
MO-1203	Macintosh #4 (25 per case)
MO-1204	Miller #0 (25 per case)
MO-1205	Miller #1 (25 per case)
MO-1206	Miller #2 (25 per case)
MO-1207	Miller #3 (25 per case)
MO-1208	Miller #4 (25 per case)

Mobile Light

39" heavy duty stainless steel dual joint arm, 50 watt head. Mounted on a 25" diameter base with five 2" casters, 14 lb. stainless steel weight added for stability and a 39" tall pole. Light has a 30 foot cord to transformer box (see warning below) 9.5 foot cord from transformer to wall outlet.

Warranty: 3 years **TRANSFORMER BOX IS REQUIRED TO OPERATE THE LIGHT**


Model	Designation	Description
EX-1000		Mobile Light with Power Box
EX-1013		Mobile Light w/o Power Box
EX-1004		Power Box
EX-1011		Replacement Bulb for EX-1000

Warning:

The installation guidelines must be strictly followed. The electrical box contains ferrous materials and must **NEVER** be placed close to the magnet. If the electrical box is moved closer to the magnet than the 100 gauss line, electromagnetic interference may be seen, to avoid this **NEVER** move the electrical box close to the magnet.
- **NEVER** operate the light while the electrical box is unsecured.
- The lamp may slightly vibrate





More Lights

Mobile and Dual Versions at www.MRlequip.com



Ceiling Mount and Mobile Lights

29" extension arm, 720° rotation & 69" reach to beam center, 359° lamp head/balance arm rotation in horizontal and vertical planes, Unlimited beam placement and Balanced arm rotation. Light has a 30 foot cord to transformer box (see warning above) 9.5 foot cord from transformer to wall outlet.

Model	Designation	Description
EX-1002		Single Pod
EX-1005		Dual Pod (not pictured)
EX-1006		Mobile Single Pod
EX-1012		35 Watt Replacement Bulb

MRlequip.com proudly introduces a revolutionary patented system for MRI breast coils.

These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.

AccuFit MRI Sentinelle Breast Coil Drape

Provides complete coverage and protection of all Sentinelle Breast Coil Products. Total Coverage - added an extra 60" in length now covering the entire table which eliminates costly usage of sheets and provides quick procedure turn around.



Sentinelle MRI Breast Coil Disposable Drape
25 per case

Compatible with:
Siemens MAGNETOM® Avanto
MAGNETOM Espree
MAGNETOM Symphony
GE Signa® HDx or HDi MRI
Toshiba 1.5T Vantage Atlas™
Vantage Titan™
May fit coils other than those listed



Please Call for a
Free Sample.

Model	Designation	Description
BS-1011		Sentinelle Breast Coil Drape (25 per case)



AccuFit Sentinelle Large Headrest Cover

This product fits the large 5 inch high headrest utilized with the Sentinelle Breast Coil Table and stand alone coils.

100 per case

Model	Designation	Description
BS-1012		Sentinelle Headrest cover (100 per case)

AccuFit Headrest Disposable Covers

100 per case



Model	Designation	Description
BS-1003		AccuFit Headrest Covers (100 per case)

AccuFit MRI Breast Coil Disposable Drape Style One

50 per case

Compatible with:

Phillips Achieva 1.5T
 Phillips Intera 1.5T
 Phillips Achieva 3.0T
 Phillips Intera 3.0T
 GE Excite 1.5T
 GE Excite HD 1.5T
 GE Excite HDx 1.5T
 GE Signa LX 1.5T
 May fit coils other than those listed



Model	Designation	Description
BS-1004		AccuFit Breast Coil Drape (50 per case)

Please Call for a
Free Sample.

AccuFit MRI Breast Coil Disposable Cover Style Two

Compatible with:

Siemens 1.5T Avanto/Espree 7 Channel
 Siemens 1.5T Symphony 7 Channel
 Phillips 1.5T Achieva 7 Channel
 Phillips 3.0T SENSE
 GE 8 Channel coil
 GE 1.5T Excite 7 Channel
 GE 3.0T 7 Channel Breast
 CP Siemens Breast Array
 Insight
 May fit coils other than those listed



Model	Designation	Description
BS-1007		Breast Coil Drape Style Two (100 per case)
BS-1008		Breast Coil Drape Style Two (20 per case)

Multi-Modality Breast Biopsy and Sonographic Trainer

For Ultrasound, Mammography, X-Ray and MRI use.

12cm x 10cm x 9cm (4.7" x 4" x 3.5")

Weight: .4kg(1 lb)


Includes Multi-Modality Breast Biopsy and Sonographic Trainer Phantom, user guide and 6-month warranty

Model	Description
PH-1020	Breast Biopsy and Sonographic Trainer



Are your current MRI supplies certified?

MRlequip.com proudly introduces the first of its kind non-ferromagnetic MRI certified biopsy tray to include both a scalpel and needle. The first biopsy tray significantly reduces your fine institution of liability, when used in the prescribed fashion. Please call for MRI certification for future purchases. Thanks to your radiology family, larger production runs have lowered the price to \$399.00 for a case of 10 trays. That's just \$39.90 per tray.



MRI Non-Ferromagnetic "Certified" Biopsy Tray

Featuring a Non-Ferromagnetic Scalpel and Non-Ferromagnetic Needle



SAFETY: MRlequip.com is committed to bring to you the only MRI Non-Ferromagnetic Certified Biopsy Tray. Designed and certified within the guidelines of the new ASTM standards in effect so your facility no longer has to assume the liability for any safety accidents due to items made with ferrous materials.

USAGE FLEXIBILITY WITH LESS WASTE: Based on customer feedback for increased ordering and procedure flexibility you'll note that we packaged the main biopsy components separately as well as in a MRI biopsy tray. Trays can also be used as a MRI localization tray.

UNIQUE DESIGN: MRlequip.com offers the only MRI Non-Ferromagnetic certified disposable scalpel and MRI Non-Ferromagnetic certified needle.

COST EFFECTIVE: This product is a first of its kind. Developed by technologists who perform the procedures. It is cost effective, practical and safe to use. The trays are completely sterile and disposable.

MR Conditional to: 3-Tesla

The trays have a 2 year expiration date.

Tray Contents:

- | | |
|---|---|
| 1 5cc syringe luer lock | 1 Betadine swabs (pkg 3) |
| 2 10cc syringe luer lock | 1 sterile pen with ruler (to write on labels) |
| 1 20cc syringe luer lock | 1 sheet pre-labeled JCAHO required labels |
| 1 20 gauge non-ferromagnetic injection needle 9cm | 1 Alcohol prep |
| 1 #11 blade non-ferromagnetic scalpel with plastic handle | 1 Steri-strip 1/2 x 4 inch (3 per card) |
| 1 plastic forcep fine tip | 1 4oz specimen cup |
| 6 4 x 4's 12 ply | 1 towel 17 x 20 white |
| 2 2 x 2's 12ply | 1 prep tray 10 x 5 x 2 |
| 1 ChloraPrep® 3ml | 1 outer tray wrap 30 x 30 |

Model	Description
-------	-------------

BS-1000	MRI Certified Biopsy Tray (10 per case)
---------	---

MRI Non-Magnetic Biopsy Instrument Brushes

Model	Description
-------	-------------

TW-5523	Disposable Instrument Brush. Each Brush is Sterile and Individually Packaged Qty- 12
---------	--

TW-5524	Nylon Bristle Instrument Brush, Autoclavable Qty-3
---------	--

TW-5525	Nylon Bristle Instrument Brush, Autoclavable Qty-12
---------	---

MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and 20g 9cm Needle Tray Kit



Tray Contents:

1 CSR Outer Wrap 28 x 28

1 Prep Tray 10 x 5 x 2


1 MRI "Non-Ferromagnetic" Disposable Titanium #11 Scalpel - This scalpel is safe to use for any interventional procedure for the initial puncture of the skin
1 MRI "Non-Ferromagnetic" Needle 20g 9cm - This needle is completely safe for use as a puncture or injection needle.

Non-Clinical testing demonstrated that this product is MR conditional and can be used in the MRI environment according to the following conditions:

1. Static magnetic of 3-Tesla or less
2. Highest spatial gradient magnetic field of 720-Gauss/cm or less




Model	Description
BS-1014	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit (for use as a puncture or injection needle), 1 of Each
BS-1015	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - Case of 10 Trays
BS-1016	MRI Non-Ferromagnetic Certified #11 Disposable Scalpel and Non-Ferromagnetic 20g 9cm Needle Tray/Kit - Case of 20 Trays



MRI Non-Magnetic Biopsy Instruments

Fig	Model	Description
A	TW-3012	Titanium Mosquito Clamp, Curved, 5 Inch
B	TW-3013	Titanium Webster Needle Holder, 5 Inch
B	TW-3014	Titanium Vascular Needle Holder, 7 Inch
C	TW-3015	Titanium Metzenbaum Scissors, Curved, 7 Inch
D	TW-3016	Titanium Mayo Scissors, Straight, 5.5 Inch
E	TW-3017	Titanium Scissors, Lahey, Straight, 6 inch
F	TW-3018	Titanium Forceps, Adson, Toothed, 4 3/4 inch
G	TW-3019	Titanium Dissector, Penfield #1
G	TW-3020	Titanium Dissector Penfield #4
H	MT-6003	MRI Scissors



MRI Instruments

The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Fig	Model	Des.	Description
A	TW-5006		Disposable 5" Dressing Forceps, 10 Per Case
A	TW-5014		Disposable Sterilized 5" Dressing Forceps, 10 Per Case
A	TW-5021		Disposable Sterilized 5" Dressing Forceps, 100 Per Case
B	TW-5000		Disposable 9 1/2" Sponge Forceps, 10 Per Case
B	TW-5008		Disposable Sterilized 9 1/2" Sponge Forceps, 10 Per Case
B	TW-5015		Disposable Sterilized 9 1/2" Sponge Forceps, 100 Per Case
C	TW-5003		Disposable 5 1/4" Straight Hemostat, 10 Per Case
C	TW-5011		Disposable Sterilized 5 1/4" Straight Hemostat, 10 Per Case
C	TW-5018		Disposable Sterilized 5 1/4" Straight Hemostat, 100 Per Case
D	TW-5004		Disposable Foam Nose Clip, 10 Per Case
D	TW-5012		Disposable Sterilized Foam Nose Clip, 10 Per Case
D	TW-5019		Disposable Sterilized Foam Nose Clip, 100 Per Case
E	TW-5005		Disposable 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5013		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 10 Per Case
E	TW-5020		Disposable Sterilized 4" Narrow Jaw Utility Forceps, 100 Per Case
F	TW-5002		Disposable 5 1/4" Curved Hemostat, 10 Per Case
F	TW-5010		Disposable Sterilized 5 1/4" Curved Hemostat, 10 Per Case
F	TW-5017		Disposable Sterilized 5 1/4" Curved Hemostat, 100 Per Case
G	TW-5001		Disposable 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5009		Disp. Sterilized 5" Non-Perforating Towel Clamp, 10 Per Case
G	TW-5016		Disp. Sterilized 5" Non-Perforating Towel Clamp, 100 Per Case
H	TW-7021		8.25" Smooth Straight 1mm tip Titanium Round Bayonet Forceps

MRI Titanium Mayo Scissors

Model	Description
IN-3026	Straight, 150mm-6"
IN-3027	Straight, 170mm-6 3/4"
IN-3028	Straight Blunt-Sharp, 150mm-6"
IN-3029	Curved 150mm-6"
IN-3030	Curved 170mm-6 3/4"

These instruments comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Mayo

MRI Titanium Leriche Hemostatic Forceps

Model	Description
IN-3031	Straight Tip, 150mm-6"
IN-3032	Curved Tip, 1x2" Teeth 150mm-6"
IN-3033	Straight Tip, 1x2" Teeth 150mm-6"
IN-3034	Forceps, Curved Tip, 150mm-6"



Leriche

MRI Titanium Stevens Scissors

Model	Description
IN-3023	Straight/Blunt 110mm-4 1/2"
IN-3024	Curved/Blunt 110mm-4 1/2"



Stevens

MRI Titanium Suture Scissors

Model	Description
IN-3025	Straight, 140mm-5 1/2"



Suture

Color Coded Instrument Marking Tape

Model	Description
IN-1000	No Lettering, 1/4" W X 200" L, Core Size 1" (3 Rolls Per Set)
IN-1001	"MRI" in White Lettering, 1/2" X 500" (3 Rolls Per Set)
IN-1002	"MRI" in White Lettering, 3/4" X 500" (3 Rolls Per Set)

Dark Green, Autoclavable





The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

MRI Titanium Potts Micro Scissors

Model	Description
IN-3000	Angulated 25(degrees).185mm-7 1/4"
IN-3001	Angulated 45(degrees).185mm-7 1/4"
IN-3002	Angulated 60(degrees).185mm-7 1/4"
IN-3003	Angulated 90(degrees).185mm-7 1/4"
IN-3004	Angulated 130(degrees).185mm-7 1/4"

MRI Titanium Malis Micro Scissors


Model	Description
IN-3005	Curved Down 220mm-8 5/8"
IN-3006	Curved Up 220mm-8 5/8"
IN-3007	Curved Up, Fine Tip 220mm-5 5/8"
IN-3008	Straight 220mm-8 5/8"
IN-3009	Straight, Fine Tip 220mm-8 5/8"

MRI Titanium Adson Dissecting Forceps


Model	Description
IN-3010	Without Teeth, 120mm- 4 3/4"
IN-3011	Without Teeth, TCI 120mm- 4 3/4"
IN-3012	With 1x2 Teeth, 120mm- 4 3/4"
IN-3013	With 1x2 Teeth, Delicate 120mm- 4 3/4"
IN-3014	With 1x2 Teeth, TCI Delicate 120mm- 4 3/4"
IN-3015	With 1x2 Teeth, TCC Delicate 120mm- 4 3/4"

MRI Titanium Metzenbaum Scissors


Model	Description
IN-3016	Straight 150mm-6"
IN-3017	Straight 180mm-7 1/8"
IN-3018	Straight 230mm-9"
IN-3019	Curved 150mm-6"
IN-3020	Curved 180mm-7 1/8"
IN-3021	Curved, Delicate 180mm-7 1/8"
IN-3022	Curved, 230mm-9"



Potts



Malis



Adson



Metzenbaum



MRI Single Basin

Stainless steel water basin with 2" plastic twin wheels. 37" tall, 14" water bowl

Model	Des.	Description
BA-1000		Single Basin



Mayo Stand

Stainless Steel
Adjusts from 31" to 51"
2" twin plastic wheels

Model	Des.	Description
TA-1000		13" x 19" Tray Size

Generation Pink Exam Gloves

The new Generation Pink exam glove uses the patented 3G technology, an advanced polymer formulation that offers outstanding sensitivity with a unique softness and flexibility at a price you love. Don't miss this opportunity to show patients, staff and your community that you support breast cancer awareness.

Latex-Free, 3G vinyl exam gloves

1000 Per Case

Model	Designation	Description
BL-1002		Extra Small
BL-1003		Small
BL-1004		Medium
BL-1005		Large



GentleGuard Latex Powder Free Gloves

Contain less than 50 Micrograms of water soluble protein per gram

Lightly textured finish insures firm grip of instruments

100% Powder Free reduces skin irritation

Layer packed allows for easy dispensing, reduces wrinkles and clumping

Beaded cuff allows for easy donning of glove

High tensile strength creates less chance of tearing

Packed: 100 gloves per Easy Open Dispenser Box

Model	Designation	Description
GL-2001-XS		Extra Small
GL-2001-SM		Small
GL-2001-MD		Medium
GL-2001-LG		Large
GL-2001-XL		Extra Large





Accu-Draw IV Clamp

MRI ACCU-DRAW™ provides one-handed access to non-sterile vials while maintaining sterility. ACCU-DRAW keeps vial labels visible at all times, and angles vials so they can be completely emptied. Made of brass, plastic, and aluminum. How it Works: The durable plastic holder accommodates two single-dose and three multi-dose vials at a time. Clamps onto any table surface. Vials that run out can be replaced with fresh ones at any time during the procedure. You'll know vials are secure because they click and lock into place. Holds vials at the perfect angle, allowing complete emptying and reducing medication waste.

Model	Description
FO-1117	Accu-Draw IV Clamp



MRI Non-Ferromagnetic 3 Gal. Sharps Container

Has a dual-purpose lid, which allows the container to remain open for code situations or in a free-fall position for normal, one-handed operation. Lid features a needle key for safe removal of needles when necessary. Safely stands on table top or cart.



MRI Non-Ferromagnetic 2 Gal. Sharps Container

Provides open access for disposal of a variety of shapes and sizes of sharps, (i.e. needles and syringes, vials, test tubes and glass slides). Lid features a needle key for safe removal of needles when necessary. Can be wall mounted or safely stands on table top or cart.



MRI Non-Ferromagnetic 3 Qt. Sharps Container

The rotating cylinder top permits convenient, one-handed disposal of sharps. The rotating lid automatically drops needles and syringes in a horizontal position to maximize capacity. Lid remains closed when not in use. A built-in needle key permits the safe removal of needles when necessary. Units lock onto a wall bracket and are removed with a master bracket key.



Wall Safe Bracket for SH-1014 with Key



Wall Safe Bracket for SH-1016 with Key

Model	Designation	Description
SH-1015	MR	3 Gallon (6 Per Case)
SH-1014	MR	2 Gallon (5 Per Case)
SH-1016	MR	3 Quart (6 Per Case)
SH-1019	MR	Wall Safe with Key for SH-1014
SH-1018	MR	Wall Safe with Key for SH-1016

High Capacity Storage Bin with Shelves

Storage bins are an easy and affordable way to organize your lab. Bins are ready to use; no assembly required. Attractive design instantly improves lab appearance. 14 adjustable dividers to create the right sized bins for your supplies. Two shelves to store bottle, gloves or other larger items. This supply bin is 24" long, 20" tall and 10" deep. Bright white PVC plastic makes the area look clean and supplies stand out for easy use. Durable PVC construction with smooth, non-scratching surface. Mounting tape included and holds 8-10lbs. Optional, hinged lids come in multiple colors, choose from below.

Model	Description
PC-1017	Storage Bin



Glove Box Holders

Made of white styrene plastic construction that is tough and durable. Affordable and patient friendly way to encourage safety within the MRI environment. Wall mountable with double sided tape included. **These are only single glove box holders, but double and triple holders are also available in all designs please call for pricing on them.**
Size: 10.75" x 5.5" x 3.88"

Model	Description
PC-1520	Sea Turtle Glove Box Holder
PC-1521	Pelican Glove Box Holder
PC-1522	Seagull Glove Box Holder
PC-1523	Cat Lovers Glove Box Holder
PC-1524	Dog Lovers Glove Box Holder
PC-1525	Dolphin Glove Box Holder



Side Loading Acrylic Glove Box Holders

Right or left filling. These glove box holders are perfect for your organized lab. Available in three different configurations. The compartments are designed to fit most types of glove boxes. Prefabricated holes make mounting this holder in your lab easy. Holds 8-10lbs, mounting tape not included.

Model	Description
PC-1504	Single, 1 Compartment 5.6" x 10.4" x 4.4"
PC-1503	Double, 2 Compartments 10" x 10.4" x 4.4"
PC-1499	Triple, 3 Compartments 16.4" x 10.4" x 4.4"
AC-1015	Glove Box Insert




PC-1504

PC-1503




PC-1499



AC-1015

DuoFLEX®

Multipurpose and efficient. Work smarter.



Administrators

INVEST IN YOUR BOTTOM LINE

Replace multiple costly coils with one DuoFLEX® Coil Suite. DuoFLEX® extends the life of your MRI equipment, increases productivity, and delivers a quantifiable ROI. You will measurably – and cost effectively – improve efficiency and the standard of care for your patients.



Technologists

FREE YOUR IMAGINATION

Spend less time between scans replacing and preparing different surface coils and produce more high-quality, diagnostic images. The DuoFLEX® Coil Suite is flexible enough to scan any body part without causing patient discomfort. If you can imagine it, you can scan it.






Radiologists

SEE THE DIFFERENCE




Deliver definitive diagnosis on sub-optimal anatomy and hard-to-scan patients. The DuoFLEX® Coil Suite acquires the quality images you need time after time, without compromise.

Siemens ACR Phantom Cradle

Model	Des.	Description
PH-1002		Siemens Symphony/Harmony & Sonata(non TIM upgrade)
PH-1003		Siemens Avanto/Espree/Trio/Verio/Skyra and Aerea
PH-1004		Siemens Vision



GE ACR Phantom Cradle

Model	Des.	Description
PH-1005		GE Standard Quad Head Coil(Top Half Slides) brass screws on front
PH-1006		GE Standard Split Head Coil
PH-1007		GE 8 Channel Head Coil



Hitachi ACR Phantom Cradle

Model	Des.	Description
PH-1008		Hitachi Airis/Altaire/Elite
PH-1009		Hitachi Echelon
PH-1010		Hitachi Oasis



Phillips ACR Phantom Cradle

Model	Des.	Description
PH-1011		Phillips Intera/Achieva/Gyroscan
PH-1012		Phillips HFO/Panorama
PH-1013		Phillips Infinion/Eclipse/Polaris



Toshiba ACR Phantom Cradle

Model	Des.	Description
PH-1014		Toshiba Quad Splittable Head Coil



Siemens ACR Phantom Cradle

Consistently and precisely positions the ACR Phantom in the head coil in less than a minute, saving valuable MRI time - approximately 30 minutes per week/26 hours per year. They also save the MRI technologist the frustration of positioning the ACR phantom without a compatible cradle.

Model	Des.	Description
PH-1015		Siemens ACR Phantom Cradle





Apparel / Hairnet Dispensers

Keep protective and sanitary apparel in an easy-to-reach location. Can be used for anything from headset covers (RA-1006) and shoe covers to wet wipes and goggles. Mounts easily wherever you most need it with tape. Top-loading for easy refilling, Clear acrylic to easily see contents, Center hole for pulling items out.

Model	Description
PC-1027	Small - 8.5" x 11" x 4"
PC-1103	Medium - 15" x 17" x 6"



Large 3-in-1 Acrylic Apparel Dispenser

Keep disposable protective wear where it is needed most. Ear plugs (RA-1009), headset covers (RA-1006) and eye shades (RA-6000) at lab entry way in a wall-mountable dispenser. Acrylic front for easy viewing.

Model	Description
PC-1086	20" wide, 18" tall and 6" deep



OX-1909



OX-1911



OX-1913



OX-1910



OX-1912



OX-1914

MRI Safe Accu-Rate Flowmeters

Model	Description
OX-1909	Oxygen 0-40 LPM Flowmeter with Diss Female Handtight Connector(no flow indicator)
OX-1910	Air 0-40 LPM Flowmeter with Diss Female Handtight Connector(no flow indicator)
OX-1911	Oxygen 0-40 LPM Flowmeter with Chemetron Quick Connect(no flow indicator)
OX-1912	Air 0-40 LPM Flowmeter with Chemetron Quick Connect(no flow indicator)
OX-1913	Oxygen 0-40 LPM Flowmeter with Ohmeda Quick Connect(no flow indicator)
OX-1914	Air 0-40 LPM Flowmeter with Ohmeda Quick Connect(no flow indicator)



Oxygen Regulators / Flowmeter

Model	Description
OX-1021	Nut & Nipple Style, 50 PSI Oxygen Regulator (M cylinder)
OX-1020	Yoke Style, 50 PSI Oxygen Regulator
OX-1022	Yoke Style (Most E-Cylinders), 0-15 LPM Regulator w/ Flow Control Knob
OX-1023	Nut & Nipple Style (Most M-Cylinders), 0-15 LPM Regulator w/ Flow Control Knob
OX-1024	Yoke Style, 0-15 LPM Regulator w/ Flow Control Knob, for AIR
OX-2002	Yoke Style, 50 PSI Preset Oxygen Regulator
OX-2003	Yoke Style, 0-15 LPM Regulator w/ Flow Control Knob, for Oxygen
OX-6000	THIS ITEM IS CE CERTIFIED Click Style - Dome Handle, 0-15 LPM Regulator
OX-6001	THIS ITEM IS CE CERTIFIED Click Style - Dome Handle, 0-15 LPM Mini Regulator

Quick Connects



Ohmeda



Puritan



Chemtron

OX-1025
OX-1026
OX-1027
OX-1040



OX-1017
OX-1018
OX-1019
OX-1041



Oxygen & Air Flow Meters

Model	Description
OX-1045	Quick Connect for Ohmeda
OX-1046	Quick Connect for Chemtron
OX-1047	Quick Connect for Puritan
OX-1025	Oxygen Flowmeter with DISS Connection
OX-2007	Oxygen Flowmeter with Female Nut & Nipple DISS Connection for M Cylinders
OX-1053	Air Flowmeter, 0-15 LPM, with DISS Inlet Connection
OX-1026	Oxygen Flowmeter with Ohmeda or Hillrom Connection
OX-1055	Air Flowmeter, 0-15 LPM with Ohmeda Quick Connect Inlet
OX-1027	Oxygen Flowmeter with Chemetron Connection
OX-1054	Aluminum Air Flowmeter, 0-15 LPM with Chemetron Connection
OX-1040	Oxygen Flowmeter with Puritan Bennett Connection
OX-1056	Aluminum Air Flowmeter, 0-15 LPM with Puritan Bennett Connection
OX-1017	Manifold with Dual Flowmeters & DISS Connection
OX-1018	Manifold with Dual Flowmeters & Ohmeda Connection
OX-1019	Manifold with Dual Flowmeters & Chemetron Connection
OX-1041	Manifold with Dual Flowmeters & Puritan Bennett Connection



Model # OX-8005
Wall Mount
Cylinder Holder



Model # OX-8006
Free Standing
Cylinder Holder



OX-1011
Wall Mount
Bracket



OX-1014
Check Valve
Manifold



OX-1012
Pole Mount
Bracket

Mounting Brackets


Model	Description
OX-8005	Wall Mount Cylinder Holder
OX-8006	Free Standing Cylinder Holder
OX-1011	Bio Medical Device Blender or Bird Blender, Wall Mount
OX-1012	Bio Medical Device Blender or Bird Blender, Pole Mount
OX-1014	Check Valve Manifold on Wall Mount Bracket 1 Input - 4 Output



Model #
OX-1031





Model #
OX-1057



CGA 540 valve is ok for
MRI use and accepts
nut & nipple regulators


Oxygen Cylinders & Wrenches

Model	Designation	Description
OX-1028		Oxygen E Cylinder, 25" x 4 1/2", Accepts Yoke Regulators
OX-1058		Air E Cylinder, 25" x 4 1/2", Accepts Yoke Regulators
OX-1029		Oxygen M Cylinder, 36 1/4" x 8", Accepts Nut & Nipple Regulators
OX-1031		Small E Cylinder Wrench
OX-1057		E & M Cylinder Wrench

Complete Oxygen Cart

Includes:
E Cylinder
Cart
Cylinder Wrench
Regulator with 0-15 LPM Flowmeter

Fig	Model	Description
A	OX-5000	Round Gauge
B	OX-5001	Tube Gauge
C	OX-5002	Click Style
C	OX-5003	Mini Click Style



Oxygen Labels

Oxygen warning stickers, package of 10.

Model	Des.	Description
MT-4014		Oxygen Labels (10 per set)



MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench

Oxygen cart for D or E size cylinders made of aluminum with wheels. Adjustable height handle from 36 1/2" to 40 1/2", Width-wheel to wheel is 11 1/2" and Depth is 10 1/2"

MADE IN USA
1 YR WARRANTY



Model # OX-4502

Model	Des.	Description
OX-4500		MRI Non-Magnetic Complete Oxygen Cart with E Cylinder, Regulator (.25-25LPM), and Cylinder Wrench
OX-4501		MRI Non-Magnetic Adjustable Oxygen Cart for D or E Cylinder
OX-4502		MRI Click Style Regulator-1/4-25 LPM, CGA-870 Yoke with Barb




Sample Draw O2 Monitor

The Air check O2 Deficiency Monitor is a compact sample draw gas monitoring system that's ideal for the continuous monitoring of inert gas storage areas, confined spaces, and other locations where low oxygen levels may pose a hazard to personnel.

Model	Description
OX-9000	Sample Draw O2 Monitor
OX-9010	24 Volt Power Supply
OX-9015	24 VDC 1.0 Amp Power Supply - Int.





I.V., Ventilator & Equipment Stands

Model	Designation	Description
IV-1000		2 Hook I.V. Pole, Plastic Base w/ Five Casters, Adjustable Height 59"-88"
IV-1003		4 Hook I.V. Pole, Plastic Base w/ Five Casters, Adjustable Height 59"-88"
IV-1006		2 Hook I.V. Pole, Aluminum Base w/ Five Casters, Adjustable Height 59"-88"
IV-1007		4 Hook I.V. Pole, Aluminum Base w/ Five Casters, Adjustable Height 59"-88"
OX-1007		Magellan & Tau Omni Ventilator Stand w/ Dual D/E Cylinder Holder & Top Tray, Aluminum Base, 1 1/4" Diameter Pole
OX-1008		Ventilator Stand w/ Dual D/E Cylinder Holders, Aluminum Base, 60" High, 1 1/4" Diameter Pole
OX-1059		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Casters
OX-1060		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Casters
OX-1061		Equipment Stand Only, 48" High, 1 1/4" Diameter Pole, Rubber Tips
OX-1062		Equipment Stand Only, 60" High, 1 1/4" Diameter Pole, Rubber Tips



Model # OX-1005
Cylinder Floor Stand



Model # OX-1006
Wall Mount
Cylinder Holder



Model # OX-1050
Oxygen Stand, 6 Tank



Model # OX-1003
Oxygen Stand, 4 Tank



Model # OX-1004
Oxygen Cart - Large Cylinder



Model # OX-1002
Oxygen Cart - Dual Tank











Model # OX-1001
Heavy Duty Cylinder Cart
with Bed Hook



Model # OX-1000
Stainless Steel Cylinder Cart

Oxygen Cylinder Carts & Stands

Model	Des.	Description
OX-1000		Stainless Steel Oxygen Cart for D or E Cylinders, Adjustable Handle 38½" to 44", 6" Plastic Wheels
OX-1001		Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1002		Dual Tank Oxygen Cart with Heavy Duty Bed Hook for D or E Cylinders, White Powder Coat Finish
OX-1050		6 Tank Oxygen Stand for D or E Cylinders
OX-1003		4 Tank Aluminum Oxygen Stand for D or E Cylinders, White Powder Coat Finish
OX-1004		Oxygen Cart with Heavy Duty Bed Hook for M/M60 Cylinders, White Powder Coat Finish
OX-1005		Plastic Floor Cylinder Stand for D or E Cylinders, Impact Resistant, Green
OX-1006		Wall Mount Cylinder Holder for D or E Cylinders, White Epoxy Powder Coated Aluminum


Model # OX-8004
Deluxe Oxygen Cart, M/M60 Cylinders




Model # OX-8003
Oxygen Stand, 6 Tank



Model # OX-8007
Oxygen Cart 8" Dia.
Cylinders



Model # OX-8001
Oxygen Cart - Dual Tank



Model # OX-8002
Aluminum Cart for 4 Cylinders



Model # OX-8000
Aluminum Cylinder Cart



Aluminum Oxygen Cylinder Carts & Stands

Model	Description
OX-8000	Aluminum Oxygen Cart on Wheels for D or E Cylinders, 38" H x 12" W x 10" L
OX-8001	Aluminum Dual Oxygen Cart on Wheels for D or E Cylinders, 38.5" High
OX-8002	4 Tank Aluminum Oxygen Cart for D or E Cylinders, 38.5" H x 13.75" W x 13.25" L
OX-8003	6 Tank Aluminum Oxygen Cart for D or E Cylinders, 40.25" H x 13.75" W x 16.75" L
OX-8004	Deluxe Aluminum Oxygen Cart for M/M60 Cylinders
OX-8007	Aluminum Oxygen Cart on Wheels for M Cylinders, (8" diameter Cylinders) 38" H x 14" W x 13" L

Du-O-Vac Plus, Suction System

0-350 mm hg of suction, 2 each 50 PSI power take off, 500 ml collection canister with built in filter.
Powered by 50 PSI gas source

Model	Description
OX-1049	Hill-Rom Wall Connection
OX-1032	DISS Wall Connection
OX-1033	Ohmeda Wall Connection
OX-1039	Chemtron Wall Connection
OX-1034	Puritan Bennett Wall Connection
OX-1038	10 pack Replacement Canisters, w/ frosted writing strip with 100 ml increments to 400 ml



Du-O-Vac Plus with Regulator and Flowmeter, Suction System

Includes: main body, collection canister, O₂ flowmeter, oxygen regulator.

Model	Description
OX-1037	With Regulator & Flowmeter



Vacuum Slide Wall Bracket for Disposable Suction Canisters

Accepts the plastic rings that hold the disposable suction canisters.

Model	Description
OX-1072	Wall Bracket



Du-O-Vac Plus Code Cart, Suction System

Includes: Du-O Vac Plus, Regulator, Cylinder Cart, E Cylinder Option, 0-15 lpm Flowmeter

Model	Description
OX-1035	With E Cylinder
OX-1036	With Out E Cylinder





3 Mode Continuous Vacuum Suction Regulator

It's Field Serviceable ...The unique modular design makes repair a breeze for any biomed or central supply department. The unit is made up of six (6) easy-to-replace modular components.

It's Compact ...As a result of its modular design, the unit is 25-50% smaller than other suction regulators making it the product of choice for crowded wall and rail areas.

It's Sturdy ...The case is made of strong ABS plastic. It features a smooth surface with rounded corners making cleaning easy. The case also houses the gauge for extra protection.

It's User-Friendly ...The large control knob and easy-to-read settings make vacuum adjustments simple, even in emergency situations.

Specifications:

Gauge Reading

0-200 mmHg and "Full Vacuum"

Vacuum Operating Range

0-200 mHg and "Full Vacuum"

Modes

Line-Off-Reg

Model	Description
OX-7500	Tubing Nipple and NO Wall Connection (1/8" N.P.T.F.)
OX-7501	Tubing Nipple and DISS Hex Nut
OX-7502	Tubing Nipple and DISS Hand Tight
OX-7503	Tubing Nipple and Ohmeda Wall Connection
OX-7504	Tubing Nipple and Chemetron Wall Connection
OX-7505	Tubing Nipple and Oxequip (old style) Wall Connection
OX-7506	Tubing Nipple and Oxequip Medstar Wall Connection
OX-7507	Tubing Nipple and Puritan-Bennett Wall Connection
OX-7508	DISS Male and NO Wall Connection (1/8" N.P.T.F.)
OX-7509	DISS Male and DISS Hex Nut Wall Connection
OX-7510	DISS Male and DISS Hand Tight Wall Connection
OX-7511	DISS Male and Ohmeda Wall Connection
OX-7512	DISS Male and Chemetron Wall Connection
OX-7513	DISS Male and Oxequip (old style) Wall Connection
OX-7514	DISS Male and Oxequip Medstar Wall Connection
OX-7515	DISS Male and Puritan-Bennett Wall Connection
OX-7516	Ohmeda Style Trap Connection and NO Wall Connection (1/8" N.P.T.F.)
OX-7517	Ohmeda Style Trap Connection and DISS Hex Nut Wall Connection
OX-7518	Ohmeda Style Trap Connection and DISS Hand Tight Wall Connection
OX-7519	Ohmeda Style Trap Connection and Ohmeda Wall Connection
OX-7520	Ohmeda Style Trap Connection and Chemetron Wall Connection
OX-7521	Ohmeda Style Trap Connection and Oxequip (old style) Wall Connection
OX-7522	Ohmeda Style Trap Connection and Oxequip Medstar Wall Connection
OX-7523	Ohmeda Style Trap Connection and Puritan-Bennett Wall Connection

MRI Non-Magnetic Emergency and Transport Ventilator

The emergency ventilator is designed for caregivers wherever breathing failure emergencies occur: in hospitals, industrial or commercial setting, transport situations, or remote locations. The unit's simplicity, portability, and safety make it the ideal choice for emergency ventilation. A single control for setting the frequency and tidal volume, including a click-stop setting at the recommended adult position, enables rapid set-up in demanding circumstances. Auto/manual controls, a patient demand system, MRI compatibility, and other features provide the means to manage respiratory emergencies.

Technical Specifications:

Principle of Operation:

Oxygen powered, hand-held control unit with patient valve including automatic and manual modes with demand breathing

Manual Mode:

Preset breaths, singly or in a controlled breathing pattern may be selected by use of a push-button or omni-directional lever

Automatic Mode:

The ventilatory resuscitator cycles in accordance with the setting of a single control that changes the tidal volume and frequency dependently with a constant I:E ratio of 1:2

Patient Type:

Patients above 10kg with and without spontaneous breathing

Demand: Included

Control:

Single, calibrated, tidal volume/frequency control gives simultaneous and inter-dependent adjustment of tidal volume and frequency

Tidal Volume and Frequency:

- 150 ml/25 bpm
- 300 ml/20 bpm
- 450 ml/15 bpm
- 600 ml/12 bpm (detent)
- 750 ml/11 bpm
- 900 ml/10 bpm
- 1050 ml/10 bpm

Flow Range: 11-32 L/min

Model	Description
VE-4004	MRI Non-Magnetic Emergency and Transport Ventilator



Air Mix: No

Pressure Relief with Pneumatic Alarm:
40 cm H2O standard
60 cm H2O optional when purchased

Dimensions:
Length: 6.69 inches (170 mm)
Width: 3.74 inches (95 mm)
Height: 3.94 inches (100) including patient valve

For Technical Specifications on our MRI Ventilators visit www.MRlequip.com or call 1.866.529.3526 to speak to our Customer Service representatives

MRI Non-Magnetic VentiPac with Integrated Alarms

Designed specifically for use by respiratory therapists, paramedics, and trained emergency personnel. VentiPac enables greater control of breathing parameters. The dual controls allow easy selection of tidal volume and frequency to match your patient's ventilatory requirements. Suitable for ventilation during emergency or controlled transportation of adults, children and infants. MRI compatibility gives maximum flexibility for transport within the hospital.



Model	Description
VE-4001	MRI Non-Magnetic VentiPac with Integrated Alarm

Product Features

- Separate controls for inspiratory time expiratory time & flow
- Unique CMV/Demand - Demand feature
- Patented mode of operation
- Adjustable pressure relief with audible alarm
- Air mix facility
- Optional PEEP facility
- Integrated pressure monitoring/alarm system
- MRI compatible up to 3 Tesla
- Low gas supply indicator
- Pneumatically powered
- Lightweight and durable

1 Year Warranty

MRI Non-Magnetic ParaPac with Integrated Alarms

Designed specifically for use by respiratory therapists, paramedics, and trained emergency personnel. ParaPac enables greater control of breathing parameters. The dual controls allow easy selection of tidal volume and frequency to match your patient's ventilatory requirements. Suitable for ventilation during emergency or controlled transportation of adults, children and infants. MRI compatibility gives maximum flexibility for transport within the hospital.



Model	Description
VE-4003	MRI Non-Magnetic ParaPac with Integrated Alarms

Product Features

- Separate controls for tidal volume and frequency
- Unique CMV/Demand - Demand feature
- Patented mode of operation
- Adjustable pressure relief with audible alarm
- Air mix facility
- Optional PEEP facility
- Integrated pressure monitoring/alarm system
- MRI compatible up to 3 Tesla
- Low gas supply indicator
- Pneumatically powered
- Lightweight and durable

1 Year Warranty

MRI Non-Magnetic BabyPac with Integrated Alarms

BabyPac is specially designed to deliver ventilation to small, fragile lungs of patients ranging from neonates through pediatrics up to 20kg with precision and confidence. It has a sophisticated range of ventilation controls including CPAP, variable I:E ratio and variable oxygen concentration. The latter is particularly important in neonatal intensive care and transport since high oxygen concentrations over a prolonged period can be harmful. Baby Vent also incorporates a comprehensive range of alarms.



Model	Description
VE-4005	MRI Non-Magnetic BabyPac

Product Features

- Unique variable oxygen concentration gas mixing system
- Inspiratory pressure control
- Separate controls for inspiratory and expiratory time
- Four operating modes
- PEEP/CPAP control
- Adjustable pneumatic pressure relief with audible alarm
- Integrated pressure monitoring/alarm system
- MRI compatible up to 3 Tesla
- Low gas supply indicators for O2 and air
- Complete pneumatic operation
- Lightweight and durable

1 Year Warranty

De-Ionized Water Fire Extinguisher

The ultimate extinguisher for class A fires, especially where a potential Class C (electrical) hazard exists. The fine spray from the unique misting nozzle provides safety from electrical shock, greatly enhances the cooling and soaking characteristics of the agent and reduces scattering of the burning materials. Unequivocally the best extinguisher for hospital environments, telecommunications facilities and "clean room" manufacturing facilities.

User Friendly:

- Wand provides greatest operator safety
- Maximum visibility during discharge
- No electrical conductivity back to the operator
- No thermal or static shock
- Minimal training - simplest to use, least expensive agent available

Clean:

- No toxicity
- No respiratory concerns
- De-ionized water extinguishing agent
- Exclusive crevice free, butt welded cylinder
- Antiseptic white paint finish (easy to clean interior & exterior)
- No powder residue

Specifications:	FE-1004	FE-1000
Capacity	1 3/4 Gallon	2 1/2 Gallon
Application	Hose & Wand	Hose & Wand
U/L Rating	2A:C	2A:C
Extinguishing Height	18 1/2"	24 1/2"
Height with Hose & Wand, Installed in Clips	25"	27 1/2"
Width with Hose & Wand, Installed in Clips	14"	14"
Depth (diameter)	7"	7"
Range (feet)	10'-12'	10'-12'
Discharge Time	72 Seconds	80 Seconds
Standard Bracket	Wall	Wall



FE-1002

Complete Kits

Includes:

- 2 Bottles De-Ionized Water
- 1 Fill Adapter






Model	Designation	Description
FE-1006*		1 3/4 Gallon Fire Extinguisher
FE-1003*		2 1/2 Gallon Fire Extinguisher

* Filling requires the use of a nitrogen pressurizing source set at no more than 125 PSI. The Fill Adapter is required for the refilling process and replaces the wand during such process. This will be needed by most professionals to handle the refilling process.

Extinguishers are not shipped filled.

Contact a local filling service near you.

Replacement Components

Model	Designation	Description
FE-1004		1 3/4 Gallon Fire Extinguisher
FE-1000		2 1/2 Gallon Fire Extinguisher
FE-1002		Fill Adapter
FE-1005		Two 1 3/4 Gallon Bottles De-Ionized Water
FE-1001		Two 2 1/2 Gallon Bottles De-Ionized Water



Pre-Filled Fire Extinguisher

The Model FE-2000 fire extinguisher is designed to be the ideal fire extinguisher for hazard areas that require a reliable and safe non-magnetic fire extinguisher. The agent is proven to be electrically non-conductive (will not damage sensitive electrical equipment like computers), leaves no residue, and requires no clean-up. The agent has no ozone depletion potential and is lower in toxicity compared to comparable extinguishing agents. The UL/ULC approved fire extinguisher is completely non-magnetic stainless steel shell and non-magnetic valve, hose and nozzle. The unit was tested by Magnetic Resonance Safety Testing Services and shown to be non-magnetic to 3.0 Tesla. The extinguisher can safely be mounted within the MRI room.

Features

- Pre-Filled for A, B and C fires
- No Clean Up - No Residue
- Non-Magnetic (tested up to 3 Tesla)
- Safe for sensitive electronic equipment
- Safe for exposure to occupants
- Zero ozone depletion
- Six-year limited warranty from date of delivery to original end-user purchaser
- FAA approved
- Rechargeable
- UL/ULC Listed
- Meets or exceeds requirements of ANSI/UL 2129 and 711
- Temperature range is -40°F to 120°F (-40°C to 49°C)
- Mounting bracket included
- MSDS included in shipment

Model	Designation	Description
FE-2000		English Labeling



**More specifications available upon request
or online at www.MRlequip.com**

MRI Carbon Dioxide Fire Extinguisher

MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B
Flammable Liquids and is Electrically Non-Conductive-Wall Hanger Included

5 Year Warranty

- All metal Valve Construction
- Rust Free Aluminum Cylinder with High Gloss Polyester Powder Paint
- Approved for use in MRI Facilities to 7 Tesla
- Wall Hanger included

Model	Designation	Description
FE-1008		MRI Carbon Dioxide Fire Extinguisher Model 322NM for Class B

SuperWand

The SuperWand's exclusive 360° detection field provides uniform sensitivity and tip pinpointing to detect weapons and other metal objects with extreme accuracy. From U.S. airports to sporting events, the SuperWand is the hand-held of choice for today's security screener. Accurate detection of all ferrous, non-ferrous and stainless steel and other metallic objects. Elongated profile offers 360° detection coverage plus tip pinpointing for easy scanning from head to foot. Easy and convenient to use with one-touch button and three-color LED lights. Clear audible or silent / vibrate LED alarm signal. Large 9.5" scan area allows thorough scanning with minimum passes. Ergonomically designed grip fits comfortably in virtually every hand. 9V battery incl.

Model	Description
MG-4000	SuperWand
MG-4001	SuperWand Holster



NOT MR SAFE
This product is magnetic

Screening Magnet

Powerful Rare-Earth Handheld Magnet for Magnetic Resonance Screening/Sites:

Magnetic Resonance (MR) professionals must be able to screen patients, devices, and implants for possible ferromagnetic properties prior to allowing them to enter clinical and research magnetic resonance imaging (MRI) environments and magnet rooms (so-called, "Zone III and IV" regions). It has also been proposed that all MR sites have ready access to powerful, more than 1,000 gauss hand held magnets that they can use for such testing purposes. This magnet has been specially designed by experienced clinical and research MR practitioners and leaders in the field of MR safety to meet the needs of busy MR sites. The more than 1,200 gauss magnetic field of the magnet exerts a sufficiently powerful magnetic field to sensitively test even weakly ferromagnetic objects. The magnet itself is also composed of a neodymium - a so-called rare earth magnet - that permits it to lose its strength extremely slowly, at a rate of a 1% loss every 100 years. The recessed magnet in a custom foam-fitted housing, the form fitted handle, and the surface ball bearing mounts allow for ready removal of the magnet - by anyone - should it become inadvertently attached to large ferromagnetic objects, such as oxygen tanks, wheelchairs, etc. The bright red anodized coloring of the magnet housing contrasts well with the silver labeling clearly stating that the magnet is not MR safe and should not be brought into the MR magnet room/Zone IV regions. This magnet was developed in part with the help of Dr. Emanuel Kanal, Department of Radiology, University of Pittsburgh Medical School, and is field tested to provide years of reliable MR safety and compatibility testing under typical clinical and research MRI settings. Also optionally available is a foam padded carrying and storage case to protect the magnet between uses.

Specifications:

Weight: 2 lbs

Color: Red, Silver lettering

Magnetic Field Strength: 1,200 gauss

Dimensions: 3 1/2" height x 3" width x 5 1/2" length

Model	Designation	Description
MG-1000		Screening Magnet
MG-1001		Carrying Case



NOT MR SAFE
This product is magnetic

Due to the strength of magnet, only regular ground shipping is available



NOT MR SAFE
This product is magnetic



GaussAlert Magnetic Field Strength Alarm System

GaussAlert is designed to help keep MR Conditional equipment outside of the MRI exclusion zone. GaussAlert is programmed to alarm when the preset magnetic field strength is exceeded. It produces an attention-getting audio alarm when MR conditional equipment is too close to the MRI magnet. GaussAlert can also be useful as an alert for MR unsafe equipment, such as a crash cart or an emergency resuscitator, which can be kept near, but should not be taken into the MRI magnet room.

See web site for more information.

Model	Description
MG-2504	10 Gauss Threshold
MG-2505	30 Gauss Threshold
MG-2506	100 Gauss Threshold



MRI Hand Held Metal Detector

The PD240C is a Hand Held Metal Detector that combines high reliability and ergonomics with advanced detection and operator signaling features. Deep penetration for weapons and minimum metal targets, effective sensitivity to all alloys, exceeding the latest Security Standards and high immunity to external metal masses are among the main peculiarities of this new device.

Features:

- Programmable Sensitivity
- Long Detection Range
- Extended Continuous Operation Time
- Automatic Low Power Mode during Screening Pauses
- Embedded Long Life Rechargeable Batteries
- Embedded Fast and Reliable Battery Charger: no need of batteries removal
- Dedicated Holder acts as Minimum Space Table Stand
- Operator Functions can be customized by the user through PC GUI and USB

Model	Description
MG-6000	MRI Hand Held Metal Detector



Aegys Techgate MRI Signage System

TechGate allows technologists to focus on the care of patients and efficient room turnaround rather than worrying about anyone entering the MRI room behind them. Easy to use and designed for the MRI environment, TechGate is deployed via push button remote control, providing an immediate physical restriction of access to all unauthorized individuals.

Every day at hospitals and health care facilities around the world, the safety of patients, technologists and medical personnel is put in danger when an MRI environment is accidentally violated by a seemingly innocent intrusion while a procedure is in progress. When MRI warning signs fail, patients and technologists risk physical harm, while priceless equipment is jeopardized for damage or destruction by someone who unknowingly enters an unsecured or open MRI door. There is now a simple and effective way to diminish that risk: TechGate.

Model	Description
MG-6001	Techgate MRI Signage System

Ferromagnetic Detection System MRI Entry System


FerrAlert™ HALO II - Ferromagnetic Detector complies with ACR and JCAHO standards to protect the magnet room against moderate to large size ferromagnetic projectiles. This product significantly helps to protect the investment in the magnet and to avoid a catastrophic accident. FerrAlert™ HALO II ENTRY has been certified by Siemens Medical Solutions for installation and use inside the magnet room for both 1.5T and 3.0T MRI magnets. **Plus System reduces alarm fatigue by sensing direction of personnel and accepts Ferromagnetic Incident Log Manager (F.I.L.M.)**

OPERATION:

- The Green LED HALO array illuminated around the MRI entrance indicates that the detector is scanning and there are no ferromagnetic threats detected.
- A Yellow beacon light indicates that a threat is approaching the portal.
- The Red LED HALO array flashes the entire portal, indicating a major threat such as a ventilator or oxygen cylinder has approached the portal.
- The greater the threat, the further away the warning is activated.

SPECIFICATIONS:

- Dimensions: Height 83" (211cm), Depth 2.25" (5.7cm)
- Adjustable Width: 42" (107cm) to 52" (132cm) Inside; 47" (119cm) to 57" (145cm) Outside
- Complies with ES60601-1-8 International Standards for Medical Device Alarms
- Complies with IEC 60101-1:2005 Medical Device Specifications Requirements
- Medical Power Supply: 100 to 240 VAC, 47 to 63 HZ, 42 Watts
- Sensitivity: Adjustable
- Audio Alarm: In Portal
- Photoelectric Beam: Activates Alarm Function mode when moving object enters Portal



Model	Description
MG-2500	HALO II Entry System
MG-2510	HALO II Plus Entry System

The FerrAlert™ Ferromagnetic Incident Log Manager


The FerrAlert Ferromagnetic Incident Log Manager (F.I.L.M.) provides an automatic data record of Ferromagnetic Objects entering the MRI Scanner Room.

Features:

Facilitates The Joint Commission compliance for Incident Logging
 Logs potential and actual ferromagnetic incidents
 Provides a visual record of the events leading up to the incident
 Provides a visual record of the actions after the incident
 All records of incidents are stored and date and time stamped
 Assists with Root Cause Analysis
 HIPAA compliant



Model	Description
MG-2511	The FerrAlert™ Ferromagnetic Incident Log Manager



2017 Reference Manual for Magnetic Resonance Safety, Implants, and Devices


Reference Manual for Magnetic Resonance Safety, Implants, and Devices

2017 Edition (Frank G. Shellock, Ph.D.) The internationally acclaimed series continues to be the most indispensable MRI safety textbook for radiologists, MRI technologists, and facility managers. This textbook includes fully updated guidelines and recommendations from the latest information in the peer-reviewed literature as well as documents developed by the International Society for Magnetic Resonance in Medicine (ISMRM), the American College of Radiology (ACR), the Food and Drug Administration (FDA), the National Electrical Manufacturers Association (NEMA), the International Electrotechnical Commission (IEC), the Medical Devices Agency (MDA), and the Institute for Magnetic Resonance, Safety, Education and Research (IMRSE). "The List" contains tabulated data for thousands of objects, including products tested at 3-Tesla.

Features:

The 2017 Edition includes patient screening forms in English and Spanish and guidelines for scanning patients with electronically-activated devices.

Model	Description
MT-1108-17	2017 Edition Safety Manual



MRI Safety for Non-Professionals DVD

The program "MRI Safety for Non-Professionals" features Dr. Frank Shellock, who is the founder of the Institute for Magnetic Resonance Safety, Education and Research and President of MR Safety Testing Services. This program is intended to educate individuals who may need to enter the MRI environment on a periodic or limited basis, or in a response to an emergency. These individuals may include office workers, custodial staff, transportation personnel, nurses, anesthesiologists, security officers, firefighters, site maintenance workers, patient relatives, visitors and others.

Model	Description
SF-1003	MRI Safety DVD, Spanish & French Subtitles

NON RETURNABLE



Childrens MRI Coloring Book

This activity book will help guide children through the MRI experience with fun filled activities. The idea is to give the child a fun and exciting way to learn about the MRI experience. With the goal of having a more relaxed and calm patient and overall better MRI experience.

Activities Include:

Crossword Puzzles
Connect the Dots
Photo Hunt

Maze Challenge
Coloring
And More!



Model	Des.	Description
CL-2000	MR	50 Coloring Books
CL-2001	MR	100 Coloring Books

MRI Safe - Do Not Remove From MRI Area - Warning Stickers

- Die Cut
- Permanent Adhesive
- Laminated



Available in **Red** or **Green**

Model	Des.	Description
MT-1065		Red - 5 Large, 5 Medium, 5 Small
MT-1092		Green - 5 Large, 5 Medium, 5 Small
MT-1066		Red - 6 Large, 9 Medium, 15 Small
MT-1093		Green - 6 Large, 9 Medium, 15 Small

Multiple quantities available on www.MRlequip.com



DANGER! NOT MRI Safe Warning Stickers

- Die Cut
- Permanent Adhesive
- Laminated

Model	Des.	Description
MT-1105		Red - 5 Large, 5 Medium, 5 Small
MT-1106		Red - 6 Large, 9 Medium, 15 Small



Multiple quantities available on www.MRlequip.com

DANGER! NOT MRI Safe Warning Hang Tags

- Read "DANGER NOT MRI SAFE" White, Red, Black.
- 7" H X 3" W
- Unrippable Vinyl Material.
- Printed on both sides.

Model	Des.	Description
MT-1189		Not MRI Safe Hang Tag
MT-1195		Not MRI Safe Hang Tags, 25
MT-1191		Not MRI Safe Hand Tag - RED
MT-1196		Not MRI Safe Hang Tag - RED, 25



Ferromagnetic Detection Systems Identification

- Clearly Identify your MR Facility Equipment
- Non-Tearable Vinyl or Rigid Plastic
- 6"H x 4"W
- Badge Slot is .125 x 1.5
- Pack of 25

Model	Des.	Description
MT-1950		Vinyl Tag, This Item Passes
MT-1951		Vinyl Tag, This Item Does Not Pass
MT-1952		Plastic Tag, This Item Passes
MT-1953		Plastic Tag, This Item Does Not Pass











MT-1950



MT-1951

MR Safe Stickers

Model	Des.	Description
MT-8006-50		1/2" x 3/4", 50 Pack
MT-8006-100		1/2" x 3/4", 100 Pack
MT-8001-10		1 1/2" x 2", 10 Pack
MT-8001-50		1 1/2" x 2", 50 Pack
MT-8001-100		1 1/2" x 2", 100 Pack
MT-8000-10		3 1/2" x 4", 10 Pack
MT-8000-50		3 1/2" x 4", 50 Pack
MT-8000-100		3 1/2" x 4", 100 Pack

MR Conditional Stickers







Model	Des.	Description
MT-8007-50		1/2" x 3/4", 50 Pack
MT-8007-100		1/2" x 3/4", 100 Pack
MT-8003-10		1 1/2" x 2", 10 Pack
MT-8003-50		1 1/2" x 2", 50 Pack
MT-8003-100		1 1/2" x 2", 100 Pack
MT-8002-10		3 1/2" x 4", 10 Pack
MT-8002-50		3 1/2" x 4", 50 Pack
MT-8002-100		3 1/2" x 4", 100 Pack

Not MR Safe Stickers

Model	Des.	Description
MT-8008-50		1/2" x 3/4", 50 Pack
MT-8008-100		1/2" x 3/4", 100 Pack
MT-8005-10		1 1/2" x 2", 10 Pack
MT-8005-50		1 1/2" x 2", 50 Pack
MT-8005-100		1 1/2" x 2", 100 Pack
MT-8004-10		3 1/2" x 4", 10 Pack
MT-8004-50		3 1/2" x 4", 50 Pack
MT-8004-100		3 1/2" x 4", 100 Pack

Multi-Packs

Multi-packs include many different sizes and styles of stickers.

Model	Des.	Description
MT-8010-SM		3 of Each Style, 27 Total
MT-8010-MD		6 of Each Style, 54 Total
MT-8010-LG		10 of Each Style, 90 Total
MT-8010-XL		20 of Each Style, 180 Total
MT-8011		1/2" x 3/4", 25 of Each Style
MT-8009		1/2" x 3/4", 50 of Each Style



MRI Zone IV 17" Floor Sticker

Reads: DANGER! MRI Zone IV, Screened MRI Patients under constant direct supervision of trained MRI personnel only

17" Diameter

White / Red / Black




Model	Des.	Description
MT-1923		Zone Floor Sticker



8" Round "Danger Restricted Access" Gauss Line Sticker

8" Diameter

White / Red / Black

Model	Des.	Description
MT-2500		5 Gauss Line
MT-2501		10 Gauss Line
MT-2502		30 Gauss Line
MT-2503		100 Gauss Line



Floor Sticker Warning Signs

Size: 3' x 5'



Pressure Sensitive Vinyl, Self adhesive

Laminate is Flextrack, Non-skid

Model	Des.	Description
MT-1128		Powerful Magnet Always On



17" Round MRI Warning Stickers

Model	Des.	Description
MT-1061		17" Diameter Floor Sticker Magnet Always On
MT-1929		17" Diameter Do Not Cross, Magnet Always On



MT-1929



MT-1061

Custom Slip-Guard Floor Stickers

Slip-Guard floor signs are available with your message and symbol/logo.

When ordering, specify size, message, design layout, symbol/logo, background color, 2 color choices and quantity.

Call for Quantity Discounts.

Model	Des.	Description
MT-1018*		8" Diameter, 2 Color Custom Slip-Guard Floor Sticker
MT-1019*		17" Diameter, 2 Color Custom Slip-Guard Floor Sticker









Danger Powerful Magnet Always On Stickers

*Codes are effective in varying states, contact your local fire dept. for more information.

4" x 8" Stickers in Spanish and English

Model	Des.	Description
MT-1043		4" x 8" English Magnet Is Always On
MT-1116		4" x 8" Reflective , English Magnet Is Always On
MT-1044		4" x 8" Spanish Magnet Is Always On
MT-1117		4" x 8" Reflective , Spanish Magnet Is Always On

Emergency Magnet Quench Button Stickers (Set of 10)

Reads: Emergency Magnet Quench Button, Use only in an Emergency to kill the magnetic field
Yellow and Black 3" x 4"

Model	Des.	Description
MT-1171		Emergency Magnet Quench Button Stickers (10 per set)

Caution, Restricted to Screened MRI Patients & MRI Personnel

Black / Yellow, 4" x 11"

Model	Des.	Description
MT-1166		Sticker
MT-1165		Plastic Sign

Danger, Must Be Accompanied by Trained MRI Personnel

Black, Red and White, 4" x 11"

Model	Des.	Description
MT-1168		Sticker
MT-1167		Plastic Sign

Notice, Approaching MRI Restricted Area

Blue and White, 4" x 11"

Model	Des.	Description
MT-1170		Sticker
MT-1169		Plastic Sign

MRI Sign

"No Food, No Drink, No Cellphone"
Black with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10



MRI Sign

"No Food, No Drink, No Cellphone"
Red with White Lettering Plastic
Sign with Foam Tape included for
mounting, 8 X 10



MRI Symbols Sign

(No Watch, No Microphones, No
Pacemaker, No Keys/Scissors, No
Credit Cards, No Fire Extinguisher)
8 X 10, Yellow



Model	Des.	Description
MT-1926		MRI Sign- "No Food, No Drink, No Cellphone" Black
MT-1927		MRI Sign- "No Food, No Drink, No Cellphone" Red
MT-1928		MRI Symbols Sign 8 x 10, Yellow

MRI Warning Sign-English and Spanish Translation

MRI Warning Sign-IF YOU ARE PREGNANT, OR THINK YOU MAY BE, TELL THE MRI TECHNOLOGIST BEFORE HAVING AN MRI TAKEN-English and Spanish Translation both included on the sign.
Red with White Lettering. 8" H X 10" W

Model	Description
MT-1156	MRI Warning Sign 8" H X 10" W



MRI Rigid Plastic Signs

MRI Sign, 12" H X 18" W
Rigid Plastic .050
Mounts with tape

Model	Des.	Description
MT-1172		Do Not Enter, MRI Personnel Only
MT-1173		Warning, Entering Magnetic Field Zone



MT-1172



MT-1173



MT-1025



MT-1026



MT-1033



MT-1034



Sign Detail of MT-1025 & MT-1026



MT-1041



MT-1042

New codes are requiring facilities to use **Reflective** Warning Stickers and Signs in case of fire or power outage*.

Plastic Signs

12" x 18" Signs in Spanish and English

Hardware is NOT included

Custom Signs Available - Call for More Details

Model	Des.	Description
MT-1025		12" x 18" English - Items Not Allowed
MT-1118		12" x 18" Reflective , English - Items Not Allowed
MT-1026		12" x 18" Spanish - Items Not Allowed
MT-1119		12" x 18" Reflective , Spanish - Items Not Allowed
MT-1136		18" x 24" -Combination of MT-1025 & MT-1026
MT-1033		12" x 18" English - No Unauthorized Entry
MT-1120		12" x 18" Reflective , English - No Unauthorized Entry
MT-1034		12" x 18" Spanish - No Unauthorized Entry
MT-1121		12" x 18" Reflective , Spanish - No Unauthorized Entry
MT-1137		18" x 24" -Combination of MT-1033 & MT-1034
MT-1041		4" x 8" English - Magnet Is Always On
MT-1114		4" x 8" Reflective , English - Magnet Is Always On
MT-1042		4" x 8" Spanish - Magnet Is Always On
MT-1115		4" x 8" Reflective , Spanish - Magnet Is Always On

Split, Swinging Stop Sign

Mounts separately from the door. Even with the door open, the sign continues to block the entrance and then can be pushed through separately.

Hinges are different than pictured

Fits a Standard 48" door opening

Sign is 42" in Diameter

Model	Des.	Description
MT-5000		English
MT-5001		Spanish

**For use outside
MR Room**

NOT MR SAFE
This product is magnetic

Visit www.MRlequip.com for more specifications.



Retractable Wall Mount Belt Barrier with Belt Receiver

2" Wide/ 7ft 6" long. Satin Black Wall unit finish. Mount to outside of doorway leading into the MRI suite-can only be used if no screening system is in place.

NOT MR SAFE

Model	Des.	Description
RA-1031		Retractable Wall Mount Belt Barrier



MRI Lighted Signs

Choose from "MAGNET IN USE", "MAGNET ALWAYS ON" or create a Custom Message. Sign must be hard wired in and comes with a battery backup.

Comes with a spider plate for mounting-can be used on the top, side or back.

Another way of mounting are t-bars when they connect it directly to a junction box.

Size of Sign:

11" W x 9" T x 2-1/4" D

Mounting Bracket:

5-3/4" x 4-1/2" x 1-1/8" Tall



Two Sided and Custom Signs Available - call for pricing.

Model	Des.	Description
MT-1006		Red, "MAGNET IN USE", One Sided
MT-1008		Red, "MAGNET ALWAYS ON", One Sided



MRI Luminous 1 Sided Sign, "Magnet Always On"

9"H X 12"W


Red background with Yellow font

Rounded Corners

3MM Styrene-Glow last

Model	Des.	Description
MT-1138		MRI Luminous Sign





MRI Zone Sign, Zone 1

Aluminum

General Public - White with Black lettering

Model	Des.	Description
MT-1152		10" x 14"
MT-1174		5" x 7"
MT-1250		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 2

Rigid Plastic

Unscreened MRI Patients - White/Blue and Black lettering

Model	Des.	Description
MT-1153		10" x 14"
MT-1175		5" x 7"
MT-1251		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 3

Rigid Plastic

Caution - Screened MRI Patients and Personnel Only
Yellow with Black lettering

Model	Des.	Description
MT-1154		10" x 14"
MT-1176		5" x 7"
MT-1252		10" x 14" - Spanish Sign



MRI Zone Sign, Zone 4

Rigid Plastic

Danger - Screened MRI Patients Under Constant Direct Supervision of Trained MRI Personnel Only
White/Black/Red with White and Black lettering

Model	Des.	Description
MT-1155		10" x 14"
MT-1177		5" x 7"
MT-1253		10" x 14" - Spanish Sign



MRI Zone Sign, Complete Set

Set of one each of all four Zone Signs

Model	Des.	Description
MT-1160		10" x 14"
MT-1178		5" x 7"
MT-1260		10" x 14" - Spanish Signs

MRI Zone Sign General Diagram

12" High x 18" Wide

White background with black lettering

Rigid plastic with foam tape for hanging

Model	Des.	Description
MT-1161		Zone General Diagram



Yellow Insert Signs

Thumb notch on pocket allows for easy removal of inserts (inserts sold separately)

Brass grommets for easy mounting

Can hold one header and multiple inserts of your choice

Header Insert - 3 1/2" x 8" Inserts - 1 3/4" x 8"

Model	Des.	Description
MT-1180		3 Pocket, 12 1/2" x 8"
MT-1181		5 Pocket, 16 1/2" x 8"



Warning, Controlled Area Sign For Hazardous Gas

Warning, Controlled Area ANSI style sign for hazardous gas.

Thick Plastic Core with Aluminum face

12" X 18"

Pole Mountable

Orange, Black and White

Model	Des.	Description
MT-1139		Hazardous Gas Sign



Insert Sign Headers

3 1/2" x 8"

Model	Des.	Description
MT-1182		CAUTION
MT-1183		DANGER



Insert Sign Inserts

1 3/4" x 8"

Model	Description
MT-1184	"HIGH RADIATION AREA"
MT-1185	"NO ENTRY BY UNAUTHORIZED PERSONNEL"
MT-1186	"RADIATION AREA"
MT-1187	"RESTRICTED AREA"
MT-1188	Customize your own With Minimum Order of 2





MRI Carpeted Floor Mat and Custom Carpet

MRI floor mat - Magnet is Always On, as shown in picture to the right. Made of indoor material. Carpeted floor mats are now available with your message and symbol/logo. When ordering, specify message, background color, if for indoor or indoor/outdoor use and symbol/logo to be shown on carpet.



Model	Des.	Description
MT-1045		Powerful Magnet Always On
MT-1129		Restricted Area MRI Zone IV
MT-1122		Custom Carpeted Floor Mat



Floor Mat Carpet Warning Sign
“Caution! Entering MRI Restricted Area”

3’ x 5’ Yellow background with black lettering.

Model	Des.	Description
MT-1124		Yellow Floor Mat



MRI Indoor/Outdoor Logo Mats

3’ x 5’ Vertical or Horizontal Format
Logo Mats offer a superior printing surface for your company logo or promotional message. Popular messages are UV stable and very durable.
100% Nitrile Rubber Backing resist exposure to grease and animal fats.
Environmentally friendly with 20% recycled Nitrile rubber.
Easiest message mat ever to clean by hosing off, or machine washing.
Beautiful multi-color messages will get everyone’s attention promoting plant safety.
Available in vertical and horizontal format.

Model	Description
MT-1200	MRI Indoor/Outdoor Logo Mats, 3x5 Vertical or Horizontal format

Plastic Name Badge Clip

Set of 25, of one color.

Choose yellow, white, red, green, black or royal blue

Model	Des.	Description
BD-2000-CL		Name Badge Clip (25 per case)



"MRI Cleared" Badge-Unrippable

Size: 3" X 4.125"

Use with BD-2000, BD-2001 name badge clips or MT-1800 Lanyards

Model	Des.	Description
BD-2020		Unrippable Vinyl Badge, Case of 25
BD-2001		Uni-Clip Badge Clip, Set of 25



BD-2020

BD-2001

MRI Non-Magnetic Silicone Horizontal ID Badge Holders

Set of 10 of one color (Black, Royal Blue, Red, Pink)

Durable, non-metal Silicone construction

Easy functioning slide-in and out protective backer

Holds multiple ID cards or one card and several business cards

Washable

Can be used with the BD-2000 Badge Clips or MT-1800 Lanyards

Model	Des.	Description
BD-3000-CL		MRI Silicone Horizontal ID Badge Holders (10 per set)



Vinyl Event Credential Holders

With slot and chain holes so you can easily attach any lanyard

Welded edges for added durability. Carry your credential, as well as other small items when attending a trade show or event.

Insert size: 3.00" x 4.00"

Model	Des.	Description
BD-2002		25 Per Pack, Black



Lanyard with Breakaway Cord/Bulldog Clip

10 per case - says MRlequip.com unless otherwise specified


Have your name custom imprinted on each lanyard with a minimum order of 100 each and \$50.00 set-up fee.

Model	Des.	Description
MT-1800		Lanyard (10 per case)



Brass Pin for Name Badges

Model	Des.	Description
BD-1002		Brass Pin Only (pack of 10)





Cleaning Wand & Pads Kit

MT-4550 Cleaning Kit Includes:

- 1 wand with disposable pad attached
- 25 additional disposable pads
- 1 32 Oz Pure Hard Surface bottle

Pure Hard Surface Disinfectant

Pure hard surface disinfectant and food contact sanitizer delivers broad spectrum power to eliminate dangerous germs and food borne pathogens in food processing, food preparation and public eating places.

- Fast kill times
- GRAS status as contact biocide
- Eliminates bacteria, viruses and fungi
- 24-Hour residual protection
- Odorless, no skin irritation, non-flammable
- No rinse required
- Ideal for use in food processing, food preparation and hospitality



Model	Des.	Description
MT-4550		MRI Cleaning Kit
MT-4551		Cleaning Wand with 1 Pad
MT-4552		100 Replacement Pads
MT-4553		400 Replacement Pads
MT-4554		800 Replacement Pads
MT-4508		Pure Disinfectant, 32oz Spray Bottle

MagnaWand™ Cleaning Wand

A non-magnetic tool designed specifically to clean and disinfect MRI and CAT scan machines. Finally hospitals will be able to easily clean between patients without losing valuable scanning time.

The cleaning wand reaches inside the MRI magnet bore or CAT scan gantry to clean and disinfect those difficult to reach places in seconds. **Disinfectant cleaner protects against: MRSA, s.aureus, and more**



This product is **exempt** from the essential requirements of the relevant European health, safety and environmental protection legislation.



Model	Des.	Description
MT-4500		Kit includes one wand, 25 pads and one 24 oz. bottle of spray disinfectant
MT-4506		Cleaning Pad Dispenser w/30 Pads
MT-4501		100 Cleaning pads
MT-4504		400 Cleaning pads
MT-4505		800 Cleaning pads
MT-4507		MagnaWand Wand Hook
MT-4503		Cleaning wand only



Maxima 128 Disinfectant Cleaner - Sanitizer

6 products in 1 – Disinfectant Cleaner, Lime & Soap Scum Control, Glass Cleaner, Bowl Cleaner, Brightwork Cleaner and Laundry Sanitizer. Unique “soft-acid”-based, cutting-edge disinfectant cleans hard, non-porous surfaces better than conventional disinfectant cleaners. Unsurpassed efficacy - HBV effective. Staphylocidal, Pseudomonacidal, Virucidal, Fungicidal and Mildewcidal.

Features:

Disinfectant cleaner
Simplifies Cleaning – 6 Products in 1 Bottle
Lemon-Like pH Cleans Surfaces Better than Conventional Disinfectants
Hospital-Grade Disinfectant
Unsurpassed Efficacy

Uses

Hospitals
Nursing Homes
Medical Offices
Veterinary Clinics

Typical Specifications

Typical Dilution: 1:128
Working pH: 4.1–5.5
Color: Green
Odor: Sassafras
Hlth Rtng (In-Use): 1
USDA: C1
Case of 4 one gallon containers



Model	Description
MT-4509	Maxima 128 (case of 4)

CT Natural Contrast Cleaner-Environmentally Sustainable Cleaner for CT and MRI Contrast Media

Cleans Imaging Contrast spills whether they are fresh, or nasty spills that have built up over time. Spray it on, let it sit for a few seconds, Spray the mop, a “swiffer” type mop works best. then just mop or wipe it up.

Features:

Non-Toxic “Green Formula” is safe for use in all Clinical environments.
CT Natural is an environmentally sustainable cleaner for imaging contrast media.
No oily, sticky, or chalky residue is left behind.
Conveniently packaged in six bottles to a case.

Uses

Hospitals
Nursing Homes
Medical Offices
Veterinary Clinics



Model	Description
MT-4510	CT Natural Contrast Cleaner (Case of 6)





MRI Non-Magnetic Cloud Duster Hand Wand

The Cloud Duster Hand Wand is great for cleaning home, car and any place dust collects. The Cloud Duster Hand Wand uses unique micro fibers that have millions of long-strand hooks and channels resulting in increased surface area to attract and hold more dust than disposable sheets and standard cotton dust mops. And unlike cotton dusters, there's absolutely no need for dust treatments or chemicals of any kind on the Cloud Duster Hand Wand.

Model	Description
MT-4700	MRI Non-Magnetic Cloud Duster Hand Wand w/ Case of 6 Pads
MT-4701	MRI Hand Wand Duster Replacement Pads (6 per case)



Non-Magnetic Safety Padlock

Plastic shackle helps prevent electrocution and arc flashing, also prevents electrical current from shackle to key

All components are non-sparking and non-magnetic - plastic, copper, brass
1 1/2" wide 1 3/4" tall Xenoy green or red body, plastic shackle w/ 1 1/2" clearance
Designed exclusively for Lockout/Tagout applications
Durable, lightweight, non-conductive Xenoy lock body

Model	Description
PL-1000	Green
PL-1001	Red



Storage and Transport Cases

Holes on each side of latch opening allow for padlocks or other securing devices.
Top storage area for reaching smaller items without having to open the case.
Overall Outside Box Dimensions: 15 1/4"W x 10 1/8"H x 7 5/8"D. Removable top tray. Tray Outside Dimensions: 13 5/8"W x 3"H x 7 1/8"D.
Large carry handle. Special rubber sealing gasket keeps contents dry and clean.

Model	Description
MT-1609	Orange



Lobby Dustpan with Broom and Squeegee

The dustpan set has the following advantages: It is stable in both closed and open positions. Holds 0.3 Liters of liquid when in an open position. Due to its capacity it can hold large quantities of waste. Easily separated and can be cleaned in a dishwasher.


Model	Description
MT-1918	Lobby Dustpan with Broom and Squeegee

Broom/Mop Holders

Model	Description
MT-1916	Stick-On Holder, Single
MT-1917	Green Plastic Holder, Multi



MT-1916



MT-1917

Mop Handle and Heads

Model	Description
MT-1048	Mop Handle Only
MT-1049	Mop Head Only (6 per case)
MT-1909	Cotton Blend Saddle Loop Mop



MT-1909



MT-1049

Mop/Duster Frame & Handle

70" Extension Pole

Model	Description
MT-7010	18" Frame
MT-7011	24" Frame



MT-7010
MT-7011


MT-1048

Rubbermaid Mop/Duster Frame & Handle

58" Pole, 24" Head has a squeegee

Model	Description
MT-1146	18" Frame
MT-1147	24" Frame


MT-7012
MT-7013

MT-1146
MT-1147

Mop/Duster Pads

5 Per Case

Model	Description
MT-7012	6" x 20" (5 per case)
MT-7013	6" x 26" (5 per case)


MT-7012
MT-7013



MRI Kick Bucket

Specifications:
12 Quart Pail

Model	Des.	Description
KB-2000		Kick Bucket



Dust Mop Press Wringer

Will not wring 24" mop head

Specifications:

Height w/casters:	15 1/2"
Width:	13 1/2"
Length:	23 1/2"

Wringer Specifications:

Length:	21 1/2"
Width:	6"

Model	Description
MT-1144	Mop Bucket Press Wringer



Mop Pail With Wringer

MRI Non-Magnetic Mop Pail with Wringer Features a divided bucket with a heavy-duty snap-on cone wringer. Wringer slides from side to side accessing both compartments.

Features:

- Divided Bucket
- Four 2" Casters
- 15 Quart Bucket

Wringer Specifications:

- Works with up to 16 oz. Mop Heads
- Mop Head Available MT-1909

Model	Description
MT-1907	Mop Pail With Wringer

Janitorial Cart

This Janitor's cart was specifically designed to be utilized in areas where MRI equipment is being used. The cart is completely non-ferrous and is non-magnetic, so it will not interfere with MRI equipment usage. All components are made from plastics and/or non-ferrous metals(aluminum and stainless steel) to ensure top quality and to be completely nonmagnetic.

Specifications:

55" x 30" x 38"

Grey with yellow 25 gallon vinyl bag

MR Conditional at 3-Tesla or less

Model	Des.	Description
MT-1922		Janitorial Cart



Caution Floor Sign

Twenty-six inch high, easel-type, yellow with a two sided imprint. Accepts barrier chain and common barrier tape for connecting multiple signs and cordoning off an area. Will hang on Janitorial Cart MT-1922

Specifications:

6 Per case, 26" High

Model	Des.	Description
MT-1904		Caution Floor Sign (6 per case)



"Do Not Enter" Floor Cones

Complete Kit Contains:

Set of 2 Cones, 10' of Chain, Lock in Caution Sign (10" x 10") with Exclamation Point

Model	Des.	Description
MT-1612		Complete Kit
MT-1605		"Do Not Enter" Floor Cones
MT-1606		Barrier Chain
MT-1611		Lock in Sign w/Exclamation Point

For more stanchion posts and options please visit www.MRlequip.com





Pliers & Cutters

Fig	Model	Des.	Description
A	TL-1759		7" Diagonal Cutting Pliers
B	TL-1029		7" Long Nose Cutter Pliers
C	TL-1031		6½" - 5/16" Max Pliers
C	TL-1032		8" - 1½" Max Pliers
D	TL-1027		10" Groove Joint Pliers, 1½" Max
D	TL-1028		12" Groove Joint Pliers, 2½" Max
E	TL-1521		8½" Side Cutting Pliers, Lineman's



MRI Non-Magnetic Tool Kit for GE Medical System MRI Units

Kit includes:

- 1 - TL-1782 - 8" Adjustable End Wrench
- 1 - TL-1783 - 10" Adjustable End Wrench
- 1 - TL-1032 - Adjustable Combination Pliers, 8" Long 1/2" opening
- 1 - TL-1029 - Long Nose Pliers with Cutter
- 1 - TL-1027 - Groove Joint Pliers, 10" Long 1 1/2" opening
- 1 - TL-1759 - Diagonal Cutting Pliers, 7" Long








Model	Des.	Description
TL-1811		MRI Non-Magnetic Tool Kit



Loctite® Threadlocker 1 each to secure hardware

Model	Description
RP-1151	.017 oz. Bottle
RP-1152	.34 oz. Bottle
RP-1153	1.69 oz. Bottle

Hammers

Model	Des.	Description
TL-1040		14" Ball Peen, 1.5 lbs
TL-1041		14 1/4" Ball Peen, 2 lbs
TL-1042		14 1/2" Ball Peen, 2.25 lbs
TL-1043		14 1/2" Ball Peen, 2.75 lbs
TL-1037		14" Claw, .75 lbs
TL-1038		14" Claw, 1 lbs
TL-1039		14" Claw, 1.25 lbs




10 Piece Allen Wrench Set

Set includes one each of the following:

1/16", 3/32", 5/32", 7/32", 5/16", 5/64", 1/8", 3/16", 1/4", 3/8"

Model	Des.	Description
TL-1013		10 Piece Allen Wrench Set



7 Piece Combination Wrench Set




Set includes one each of the following:

3/8", 7/16", 1/2", 9/16", 5/8", 3/4", 7/8"

Model	Des.	Description
TL-1012		7 Piece Combination Set




Allen Wrench Sets

Model	Des.	Description
TL-1722		5 Piece Standard Set, Includes: 9/16", 5/8", 11/16", 3/4", 7/8"
TL-1721		13 Piece Standard Set, Includes: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8", 7/16", 1/2", 9/16"
TL-1746		4 Piece Metric Set, Includes: 12 mm, 14 mm, 17 mm, 19 mm
TL-1745		9 Piece Metric Set, Includes: 2 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 14 mm



The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

3T Safe



3T Safe



TL-2167



TL-2122

TL-2052

TL-2168

Titanium Combination Wrench Sets

Metric

Set includes one each of the following:

10 mm, 13 mm, 14 mm, 15 mm, 17 mm, 19 mm.

S.A.E.

Set includes one each of the following:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2231		6 Piece, Metric Set
TL-2230		7 Piece, S.A.E Set

Titanium Wrench Sets

Metric

Set includes one each of the following:

6 x 7 mm, 8 x 9 mm, 10 x 12 mm, 11 x 13 mm, 13 x 15 mm, 14 x 16 mm, 17 x 19 mm.

S.A.E.

Set includes one each of the following:

7/32" x 1/4", 3/8" x 7/16", 1/2" x 9/16", 1/2" x 11/16"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2232		7 Piece, Metric Set
TL-2233		4 Piece, S.A.E Set

Titanium Hex Key Sets

Metric

Set includes one each of the following:

1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm.

S.A.E.

Set includes one each of the following:

1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"

Individual pieces and other sizes available upon request.

Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2234		9 Piece, Metric Set
TL-2235		10 Piece, S.A.E Set

Individual Titanium Pliers, Cutter, Wrench & Wire Stripper

Model	Des.	Description
TL-2122		Needle nose Pliers
TL-2167		Side Cutters
TL-2052		Adjustable Wrench
TL-2168		Wire Strippers

Titanium Phillips 18 Piece T-5 Gyroscan Tool Kit

Includes:

Hex Key Wrenches:	1.5mm, 3mm, 4mm & 5mm
Open End Wrenches:	5x5.5mm, 6x7mm, 8x9mm,
Combination Wrenches:	10mm, 13mm, 17mm & 19mm
Flatside Screwdrivers:	3/32 x 3", 3/16" x 6" & 1/4" x 5"
Also:	Needle Nose Pliers, Folding Ruler, Tweezers and a Case

Model	Des.	Description
TL-2118		18 Piece Phillips Tool Kit



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Titanium Siemens 32 Piece Standard Tool Kit

Includes:

Hex Key Wrenches:	1/16", 3/16", 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm & 10mm
Open End Wrenches:	6x7mm, 8x9mm, 9x11mm, 10x12mm, 13x15mm, 14x16mm, 17x19mm, 18x20mm, 21x22mm, 24x27mm & 30x32mm
Flatside Screwdrivers:	3/32" x 3", 1/8" x 6", 3/16" x 6" & 5/16" x 6"
Phillips Screwdrivers:	#1 x 3", #2 x 6" & #3 x 6"
Also:	Needle Nose Pliers, Side Cutter, Tweezers and a Case

Model	Des.	Description
TL-2243		32 Piece Siemens Tool Kit



Titanium Phillips Screwdriver Set

Set includes one each of the following:

3" blade w/ #0 tip, 3" blade w/ #1 tip, 6" blade w/ #2 tip, 6" blade w/ #3 tip, 1 1/2" blade w/ #2 tip

Model	Des.	Description
TL-2237		5 Piece Phillips Set



These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.

Titanium Standard Screwdriver Set

Set includes one each of the following:







3/32" w/ 6" blade, 1/8" w/ 6" blade, 3/16" w/ 6" blade, 1/4" w/ 8" blade.

Model	Des.	Description
TL-2236		4 Piece Standard Set



Adjustable Pipe Wrench



Aluminum, 3T Safe

Model	Des.	Description
TL-1044		Fits Pipe up to 1"
TL-1045		Fits Pipe up to 1 1/2"
TL-1046		Fits Pipe up to 2"
TL-1047		Fits Pipe up to 2 1/2"
TL-1048		Fits Pipe up to 3 1/2"
TL-1049		Fits Pipe up to 5"





The products on this page comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Tweezers, 3T Safe

Model	Des.	Description
TL-2222		Titanium Tweezers

Titanium Ruler Set

2 Piece set includes: 6" Ruler and 78" (2m) Folding Fiberglass Ruler

Model	Des.	Description
TL-2242		Ruler Set

Titanium Speed Handle

Model	Des.	Description
TL-2221		3/8" Drive

Bronze Sockets for 1/4" Drive, 1.5T Safe

Metric

Set includes one each of the following:

7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm.

S.A.E.

Set includes one each of the following:

3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16"

Individual pieces and other sizes available upon request.

Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2239		7 Piece, Metric Set
TL-2238		8 Piece, S.A.E Set

Bronze Sockets for 3/8" Drive, 1.5T Safe

Metric

Set includes one each of the following:

8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm.

S.A.E.

Set includes one each of the following:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Individual pieces and other sizes available upon request. Minimum purchase applies. Please call for pricing.

Model	Des.	Description
TL-2241		8 Piece, Metric Set
TL-2240		8 Piece, S.A.E Set

Bronze Universal Joints

Model	Des.	Description
TL-2215		1/4" Drive
TL-2216		3/8" Drive

100% non-magnetic • Hypo allergenic • Non-sparking • Rustproof • 45% Lighter than steel
 • Stronger than Stainless Steel • More resistant than chrome Molybdenum • Extremely acid resistant

Titanium Combination Pliers

Model	Des.	Description
TL-2503		Combination Pliers, 160 mm
TL-2504		Combination Pliers, 200 mm



Titanium Long Nose Pliers

Model	Des.	Description
TL-2505		Long Nose Pliers, 180 mm
TL-2506		Long Nose Pliers, 200 mm



Titanium Diagonal Cutting Pliers

Model	Des.	Description
TL-2507		Cutting Pliers, 160 mm



Titanium Crimping Pliers

Model	Des.	Description
TL-2509		Crimping Pliers, 200 mm



Titanium Multi-Position Automatic Pliers

Model	Des.	Description
TL-2511		Multi-Position Pliers, 375 mm



Titanium Slip Joint Pliers

Model	Des.	Description
TL-2513		Slip Joint Pliers, 200 mm



Titanium Circlip Pliers

Model	Des.	Description
TL-2515		Circlip Pliers, 180 mm





These products comply with the essential requirements of the relevant European health, safety and environmental protection legislation.



Titanium Reversible Ratchet Handle

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than chrome
Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2500		1/4" Ratchet Handle
TL-2501		3/8" Ratchet Handle
TL-2502		1/2" Ratchet Handle



Titanium Ball Peen Hammer, 450 gr.

100% non-magnetic • Hypoallergenic • Non-sparking • Rustproof • 45%
Lighter than steel • Stronger than Stainless Steel • More resistant than
chrome Molybdenum • Extremely acid resistant

Model	Des.	Description
TL-2514		Ball Peen Hammer



4 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener

Model	Des.	Description
TL-1007		4 Piece Set



6 Piece Set

Screw Driver - 5/16" Tip, 6 1/2" Combination Pliers, 8"
Adjustable End Wrench, 9" Crate Opener,
#2 Phillips Screwdriver, #10 Groove Joint Pliers

Model	Des.	Description
TL-1008		6 Piece Set



6 Piece Screwdriver Set

Standard Screwdriver, 5/16" Tip, 3" Blade, Standard Screwdriver,
7/16" Tip, 6" Blade, Standard Screwdriver, 25/64" Tip, 8" Blade,
#1 Phillips Screwdriver, #2 Phillips Screwdriver, #3 Phillips Screwdriver

Model	Des.	Description
TL-1010		6 Piece Screwdriver Set

17 Piece Toolkit with Bucket

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 5-3/4" Blade, 12" Groove Joint Pliers, 7" Long Nose Pliers w/Cutters, #3 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 8" Adjustable Wrench, 12" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 1-1/2" x 15", Putty Knife, 9" Crate Opener, 12" Tin Snips, 12" Bung Wrench

Model	Des.	Description
TL-1002		17 Piece Set



16 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, 6-1/2" Combination Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 10" Adjustable Wrench, 14" Adjustable Pipe Wrench, Deck Scraper, 2" x 12", 5/16" x 3/8" Box Wrench, 7/16" x 1/2" Box Wrench, 9/16" x 5/8" Box Wrench, 3/4" x 7/8" Box Wrench

Model	Des.	Description
TL-1001		16 Piece Set



11 Piece Toolkit with Toolbox

8" Combination Pliers, Shoe Handle Brush, Putty Knife (stiff), Common Knife 3-1/8" Blade, #10 Groove Joint Pliers, #2 Phillips Screwdriver, Std. Screwdriver, 7/16" Tip, 16 oz Claw Hammer, 6" Adjustable Wrench, 10" Adjustable Wrench, 8" Adjustable Pipe Wrench. Toolbox color is grey.

Model	Des.	Description
TL-1000		11 Piece Set



Toolbox Color is Grey



Custom Socket Sets Available

Build to your maintenance needs

Ratchets: 1/4", 1/2" and 3/4"

Hinged Wrenches: 1/2" and 3/4"

Extensions: 4" and 17"

Universal Swivel Joints for 1/2" Drive

Please call MRlequip for pricing and more information at 866-529-3526.

SAE Sizes Available: 3/16", 7/32", 1/4", 9/32", 5/16", 3/8", 7/16", 1/2", 9/16", 19/32", 5/8", 11/16", 3/4", 25/32", 13/16", 7/8", 15/16", 1", 1 1/16", 1 1/8", 1 1/4", 1 5/16", 1 3/8", 1 7/16", 1 1/2", 1 9/16", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8" & 2"

Metric Sizes Available: 4mm, 4.5mm, 5mm, 5.5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 32mm, 36mm, 38mm, 41mm, 46mm, 50mm, 55mm & 60mm



Aluminum

A



Fiberglass

B

Our versatile ladders can handle a variety of jobs in and around your MRI suite.

MRI LADDERS ARE CUSTOM MADE TO ORDER AND ARE NON-RETURNABLE



C



D



E

MRI Double Sided Step Stool Ladders

Duty Rating: IAA 375, ANSI Sticker: A14.2

Aluminum

375 lb Weight capacity

Fiberglass

375 lb Weight capacity

Fig	Model	Des.	Description
A	LA-1012		MRI Double Sided Step Stool Ladders, Aluminum, 4 Foot
A	LA-1000		MRI Double Sided Step Stool Ladders, Aluminum, 5 Foot
A	LA-1001		MRI Double Sided Step Stool Ladders, Aluminum, 7 Foot
A	LA-1002		MRI Double Sided Step Stool Ladders, Aluminum, 6 Foot
A	LA-1013		MRI Double Sided Step Stool Ladders, Aluminum, 8 Foot
B	LA-1008		MRI Double Sided Step Stool Ladders, Fiberglass, 4 Foot
B	LA-1009		MRI Double Sided Step Stool Ladders, Fiberglass, 5 Foot
B	LA-1010		MRI Double Sided Step Stool Ladders, Fiberglass, 6 Foot
B	LA-1011		MRI Double Sided Step Stool Ladders, Fiberglass, 7 Foot
B	LA-1014		MRI Double Sided Step Stool Ladders, Fiberglass, 8 Foot
C	LA-1005		16" Non-Folding Stand, Double Climbing Side, Aluminum, 8½ lbs
C	LA-1006		24" Non-Folding Stand, Double Climbing Side, Aluminum, 10 lbs
D	LA-1003		18" Folding Stand, Single Climbing Side, 18" x 8" platform size, Aluminum, 9 lbs
D	LA-1004		24" Folding Stand, Single Climbing Side, 24" x 8" platform size, Aluminum, 11½ lbs
E	LA-1007		Safe Flex Stand 16" High, 8 1/2 lbs, Aluminum, No Intermediate Steps, Flexible



Waterproof Case

Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage.

Made Exclusively For MRlequip.com



TL-1980



TL-1980



TL-1981



TL-1981

Non Magnetic Non Sparking Toolkits

Our Non-Magnetic MRI toolkits are tested and meet the requirements by the US government for Non-Magnetic Hand tools. The MRI toolkits are for use in 3T magnets and below, so they are deemed MR Conditional. This enables the non-magnetic tools to be used near sensitive equipment. Waterproof Case 5" Deep is injection molded and utilizes ultra high-strength polypropylene copolymer resin. Features a gasketed, water-tight and dust-tight, submersible design that is resistant to UV, solvents, corrosion, fungus and impact damage. It also features a molded-in hinge, patent pending trigger release latch system, a comfortable snap-down rubber over-molded cushion grip handle, and an automatic ambient pressure equalization valve.

Model	Des.	Description
TL-1980		23 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - SAE / Metric
TL-1981		28 Piece, Non Magnetic Non Sparking Corrosion Resistant Toolkit - Metric



Breast Shield

Today, CT Scans play a critical role in the diagnosis and management of most patients with complex thoracic and cardiopulmonary diseases. As the use of CT imaging increases, however, so does the risk for latent carcinogenic effects of ionizing radiation on radiosensitive tissue including the female breast. The recently redesigned AttenuRad Breast Shield System consists of a thin (1 mm) piece of bismuth impregnated synthetic rubber covering that mounts firmly on an offset quarter inch foam base. The breast shield system offers up to a 57% reduction of radiation exposure during a CT scan without significant changes in image quality, including artifacts and beam hardening effects. The single-piece AttenuRad CT Breast Shield is designed for multiple uses.

Model	Description
MO-3002-MD	Medium Breast Shield
MO-3002-LG	Large Breast Shield



Adult Breast Shield Covers - Case of 10


Fits both MO-3002-MD & MO-3002-LG.
Plastic, Latex Free Covers comes in a Package of 10
Introducing MRlequip.com's new disposable covering for the Adult Breast Shield System. The new plastic covering is cost-effective alternative to the single-use Adult Breast Shield, reducing the risk of contamination while still providing an artifact and streak-free image.
2 ml thick

Model	Description
MO-3014	Breast Shield Covers (10 per case)



CT Breast Shield System

Studies have indicated that infants and children are as much as 10 times more susceptible to carcinogenesis from radiation than adults. Breast tissue exposed to radiation from CT procedures involving the chest or abdomen is an area of particular concern for young females. The CT Breast Shield System provides significant in-plane breast shielding (57%) for pediatric MDCT, without qualitative or quantitative changes in the CT image. The use of the system's offset foam base gives the shields additional substance and durability, making them easy to use. The use of the elevating foam also decreases the patient's exposure to scattered radiation.



Model	Description
MO-3010	Neonatal (Box of 10)
MO-3011	1 Year Old (Box of 8)
MO-3012	5 Year Old (Box of 6)
MO-3013	10 Year Old (Box of 4)

Thyroid Shields - Case of 10

Positioned over the Adam's Apple, the AttenuRad CT Thyroid shield is designed to provide maximum protection to the radio sensitive thyroid gland. To ensure tight positioning, a curved notch in the center of the shield is placed around the Adam's Apple and an adhesive backing holds the shield firm as the patient breathes and swallows. The AttenuRad CT Thyroid shield, when used for the soft tissues of the neck, is cut to a thickness of 1 mm allowing for a 60% dose savings to the Thyroid.

Model	Description
MO-3001	Thyroid Shield (10 per case)





Eye Shields - Case of 20

The lens of the eye is sensitive to radiation during routine Cranial CT. Patient undergoing routine CT scans of the head are especially vulnerable to complications. The AttenuRad CT Eye Shield is a single-piece bismuth impregnated synthetic rubber covering designed to provide significant protection. The shield molds over the patients nasal bridge with the shielding portions laying flat over the patients closed eyes. Adhesive material ensures a tight seal with minimal air gaps. This shield is cut to a thickness of 1 mm, allowing for 50% dose savings to the eye lens. The AttenuRad CT eye shield, which can be used both for adults and pediatrics, is intended to be a single use product because of potential biological contamination.

Model	Description
MO-3000	Eye Shield (20 per case)



CT Markers, Blue CT Wire Mark

Model	Des.	Description
MA-1030		2.0mm Blue CT Wire Markers (300 per box)
MA-1031		2.3mm Blue CT Wire Markers (110 per box)
MA-1032		4.0mm Blue CT Wire Markers (50 per box)

NOT MR SAFE

This product is magnetic



MRlequip.com proudly introduces a revolutionary patent pending draping system for Stereotactic Tables.

These drapes will minimize the daily cleaning routine of coils as well as ease the mind of clientele. The drapes provide comfort to patients, while providing protection from contagious diseases such as MRSA. Finally, your staff will be delighted with your decision to simplify clean up between patients, thus achieving a greater throughput.



Accufit Fischer/Siemens Table Drape

25 per Case
CE Certified

Model	Des.	Description
-------	------	-------------

BS-1500	MR	Table Drape (25 per case)
---------	----	---------------------------



Accufit Fischer/Siemens Autoguide Drape

25 per Case
CE Certified

Model	Des.	Description
-------	------	-------------

BS-1501	MR	Autoguide Drape (25 per case)
---------	----	-------------------------------



Accufit Lorad Table Drape System

Includes table cover and footrest drape

20 per Case
CE Certified

Model	Des.	Description
-------	------	-------------

BS-1502	MR	Lorad Table Drape System (20 per case)
---------	----	--



Accufit Lorad Stage Drape System

Includes needle guidance drape, stage drape and control panel cover. The Lorad® Two Piece Stage Drape offers complete coverage including the camera face, stage and needle guide. This option completely protects the patient and the equipment. Worried about MRSA or other bodily fluids? This system is the complete coverage option.

20 per Case
CE Certified

Model	Des.	Description
-------	------	-------------

BS-1503	MR	Lorad Stage Drape System (20 per case)
---------	----	--



Accufit Lorad One Piece Stage Drape System

Designed to accommodate the technologist for an easy, quick and cost effective alternative to our BS-1503 Lorad Two Piece Drape System. May be used as a two piece for older systems by tearing the drape at the perforations and attaching on the back of the paddle and the front of the paddle. System also includes the control panel cover.

20 per Case
CE Certified

Model	Des.	Description
-------	------	-------------

BS-1506	MR	Lorad One Piece Stage Drape System (20 per case)
---------	----	--

